

# Buy America/ Buy American and Trade Agreement Acts (BAA and TAA)

Compliance guide



# Table of contents

|                                                     |   |
|-----------------------------------------------------|---|
| Government supply definitions                       | 4 |
| Information required prior to requesting assistance | 6 |
| BAA/TAA order transmittal cover letter              | 7 |

## Additional costs and order requirements 8

### Mechanical

#### Locks 9

|                        |   |
|------------------------|---|
| <b>Schlage</b>         | 9 |
| Cylindrical            | 9 |
| Deadbolt               | 9 |
| Interconnected/tubular | 9 |
| Mortise/multi-point    | 9 |

|               |    |
|---------------|----|
| <b>Falcon</b> | 10 |
| Cylindrical   | 10 |
| Deadbolt      | 10 |
| Mortise       | 10 |

|                        |    |
|------------------------|----|
| <b>Fusion</b>          | 10 |
| Residential decorative | 10 |

#### Portable security 10

|                                |    |
|--------------------------------|----|
| <b>Schlage</b>                 | 10 |
| Commercial padlocks            | 10 |
| Padlock accessories - Shackles | 11 |
| Security cable locks           | 11 |

#### Cylinders 12

#### Schlage 12

#### Closers 19

|                     |    |
|---------------------|----|
| <b>LCN</b>          | 19 |
| Door closers        | 19 |
| Automatic operators | 19 |
| Fire/life safety    | 20 |

|                     |    |
|---------------------|----|
| <b>Falcon</b>       | 20 |
| Door closers        | 20 |
| Automatic operators | 20 |

#### Exit devices 21

|                   |    |
|-------------------|----|
| <b>Von Duprin</b> | 21 |
| Exit device       | 21 |
| Mullions/other    | 21 |

|               |    |
|---------------|----|
| <b>Falcon</b> | 22 |
| Exit device   | 22 |
| Mullion       | 22 |

#### Auxiliary hardware 23

|                              |    |
|------------------------------|----|
| <b>Glynn-Johnson</b>         | 23 |
| 70 Series                    | 23 |
| 81 Series heavy-duty surface | 23 |

|                 |    |
|-----------------|----|
| 90 Series       | 23 |
| 100 Series      | 23 |
| 410 Series      | 23 |
| 450 Series      | 23 |
| Push/pull latch | 24 |

#### Ives 24

|                                                |    |
|------------------------------------------------|----|
| Hinges                                         | 24 |
| Continuous hinges                              | 24 |
| Pivots                                         | 24 |
| Protection plates, push/pull plates, and pulls | 25 |
| Carry bars                                     | 25 |
| Invisible latches                              | 25 |
| Coordinators                                   | 25 |
| Dust proof strikes                             | 25 |
| Door viewer                                    | 26 |
| Flush bolts                                    | 26 |
| Filler bars                                    | 26 |
| Floor/door stops and holders                   | 26 |
| Lock guards                                    | 27 |
| Mounting brackets                              | 27 |
| Roller latches                                 | 27 |
| Locking bolts                                  | 27 |
| Silencers                                      | 27 |
| Wall stops/holders                             | 27 |

#### Zero 28

|                       |    |
|-----------------------|----|
| Automatic door bottom | 28 |
| Door sweeps           | 28 |
| Perimeter seals       | 29 |
| Thresholds            | 29 |
| Meeting stiles        | 30 |
| Hinges                | 30 |
| Weatherstripping      | 30 |

#### Doors and frames 31

|                     |    |
|---------------------|----|
| <b>Steelcraft</b>   | 31 |
| Metal doors         | 31 |
| Metal frames        | 31 |
| Architectural stick | 31 |

|               |    |
|---------------|----|
| <b>Falcon</b> | 31 |
| Metal doors   | 31 |

# Electronics

|                                          |           |                                    |           |
|------------------------------------------|-----------|------------------------------------|-----------|
| <b>Locks</b>                             | <b>32</b> | <b>Schlage and Von Duprin</b>      | <b>38</b> |
| <b>Schlage</b>                           | <b>32</b> | Power supply option boards - PS900 | 38        |
| Networked                                | 32        | Power supply accessories - PS900   | 38        |
| Standalone                               | 32        | <b>Von Duprin</b>                  | <b>39</b> |
| Wireless                                 | 32        | Electric strikes                   | 39        |
| Accessories                              | 33        | Electric power transfers (EPTs)    | 39        |
|                                          |           | Power supplies                     | 39        |
| <b>Readers and credentials</b>           | <b>33</b> | <b>Allegion production sites</b>   | <b>40</b> |
| <b>aptiQ</b>                             | <b>33</b> |                                    |           |
| Networked readers                        | 33        |                                    |           |
| Credentials                              | 33        |                                    |           |
| <b>XceedID</b>                           | <b>34</b> |                                    |           |
| Credentials                              | 34        |                                    |           |
| <b>Biometrics</b>                        | <b>35</b> |                                    |           |
| <b>Schlage</b>                           | <b>35</b> |                                    |           |
| Access control                           | 35        |                                    |           |
| Time & attendance                        | 35        |                                    |           |
| Spares and accessories                   | 35        |                                    |           |
| <b>System components and accessories</b> | <b>37</b> |                                    |           |
| <b>Schlage</b>                           | <b>37</b> |                                    |           |
| Pushbuttons/keyswitches                  | 37        |                                    |           |
| Door position switch                     | 37        |                                    |           |
| Electronic horns                         | 37        |                                    |           |
| Power supplies                           | 37        |                                    |           |

**Allegion**  
11819 North Pennsylvania Street  
Carmel, Indiana 46032  
877.671.7011

**Allegion Government contact:**  
st-govtservices@allegion.com

**Government sales contact:**  
Terry Collins  
678.906.2108 Office  
404.429.7556 Cell

**GSA contract administrator contact:**  
Megan Dale  
678.906.2115 Office  
770.687.9973 Cell

**GSA sales contact:**  
Doug Otto  
317.715.4081 Office  
317.294.0127 Cell

This catalog contains products that currently comply with Buy America/Buy American and Trade Agreements Act requirements imposed by the federal government through the Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA), respectively. The catalog is reviewed and updated on a semi-annually basis, to verify continued compliance. Please be sure to visit <http://us.allegion.com/industries/government/resources> for the most current catalog revision.

It is our goal to make it as easy as possible to supply Allegion products for projects subject to Buy American (“BAA”) requirements and Trade Agreements Act (“TAA”) requirements. A brief description of some of the federal requirements can be found below. Please keep in mind that there are exceptions, exemptions and waivers to many of these requirements. Understanding all the factors that can affect a particular product or project can be confusing, which is why Allegion has a Government Services team to assist you. We are often able to provide product solutions based on these factors. Please direct product or project related inquiries by contacting us at [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com).

To obtain product certification forms, e-mail your request to [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com), and your request will be forwarded to the proper location.

All items in this catalog are subject to the prices, terms and conditions listed in the respective current product price books.

**What is the BAA?**

The Buy American Act establishes a preference for the federal government, when purchasing supplies for use in the United States, to purchase products mined, produced, or manufactured in the United States. Under the BAA, there is a two part test to determine whether an end product is domestic: (1) it must be “manufactured” in the United States; and (2) the cost of domestic components must exceed 50 percent of the cost of all the components. Neither the statute nor the regulations define “manufacture” however, the Government Accountability Office (GAO) has stated that manufacturing necessitates that the “completion of the [end product] in the form required for use by the Government be carried out domestically.” Where an end product being sold to the federal government is a commercially available off-the-shelf (COTS) item, meaning the product is sold in substantial quantities in the commercial marketplace in the same form, without modification, as it is offered to the U.S. government, the components test is waived. Most Allegion products are COTS items and exempt from the component test; products must be manufactured and assembled in the United States.

**When could BAA apply?**

The BAA applies generally to federal acquisitions exceeding \$3,000. However, under the Trade Agreements Act (TAA), the Government has waived the BAA restriction for products from countries that have signed an international trade agreement with the United States (“designated countries”), or that meet certain other criteria, such as being a least developed country. In acquisitions covered by the TAA, offers of designated country products receive equal consideration with domestic offers.

**State contracts with federal funding**

Domestic preference restrictions may apply to state and local government acquisitions funded with federal dollars. For example, any project funded by the American Recovery and Reinvestment Act of 2009 (ARRA) is subject to a Buy American restriction similar to the BAA.

37 states have signed on to certain international agreements opening up procurements to products from certain designated countries (e.g., Taiwan), where the construction contract value exceeds the applicable threshold (e.g., currently \$7,864,000 for the WTO GPA). The below 13 have not signed on to any of the international agreements and therefore only domestic products are compliant where the ARRA Buy American requirement applies:

|          |                |                |
|----------|----------------|----------------|
| Alabama  | Indiana        | New Mexico     |
| Ohio     | West Virginia  | Alaska         |
| Nevada   | North Carolina | South Carolina |
| Georgia  | New Jersey     | North Dakota   |
| Virginia |                |                |

At this time none of the 50 states recognize or have agreed to participate in the NAFTA Trade Agreement, which includes Mexican products.

**The Government Strategic Accounts team is available to assist in determining what products are compliant for a specific state or local opportunity funded by federal dollars.**

The following named entities have agreed to give equal consideration to products substantially transformed in WTO-GPA countries, including Taiwan. Port Authority of New York and New Jersey Port of Baltimore.

### TAA - Trade Agreements Act

The U.S. has entered into a number of international trade agreements, under which the U.S. agrees to waive the BAA and other discriminatory provisions for products from countries that are parties to the agreement. These agreements include the World Trade Organization Government Procurement Agreement (WTO GPA), a plurilateral agreement to which Taiwan, among other countries, has acceded, the North American Free Trade Agreement (NAFTA), and a number of other bilateral and multilateral free trade agreements (FTAs).

### When could TAA apply?

The value of the acquisition is a determining factor in the applicability of the TAA, as the various international agreements set forth a dollar threshold for when they apply. In some cases, such as the WTO GPA, the threshold is periodically adjusted.

The below chart sets forth the current thresholds (as of January 2015) for applicability of the trade agreements most relevant to Allegion.

| Trade Agreement | Supply contract<br>(equal to or<br>exceeding) | Construction<br>contract (equal to<br>or exceeding) |
|-----------------|-----------------------------------------------|-----------------------------------------------------|
| WTO GPA         | \$204,000                                     | \$7,864,000                                         |
| NAFTA - Mexico  | \$79,507                                      | \$10,335,931                                        |

For purchases made through U.S. General Services Administration Schedule contracts, all acquisitions are covered by the TAA, dollar value of the individual order notwithstanding.

### FARS - Federal Acquisition Regulations

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the federal government.

### DFARS - Defense Federal Acquisition Regulations

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the Department of Defense (DoD).

### Construction project

Any federally funded new construction or renovation work involving a General Contractor is generally considered a construction contract. Often, the word "construction" is noted in the contract.

### COTS - Commercially available Off The Shelf

Any item, other than real property, that is of a type customarily used by the general public or nongovernmental purposes, and that 1) Has been sold, leased or licensed to the general public; or 2) Has been offered for sale, lease or license to the general public. Does not apply to Mexico end-products, as assembly and packaging is required in the United States.

### Manufacturer's certification of Buy America Compliance

Certificate of Compliance with 49 U.S.C. 5323(i)(1)  
Allegion can certify that the manufactured products listed within this catalog with a country of origin USA comply with the Buy America requirements of 49 U.S.C. 5323(j)(1) and the applicable regulations at 49 CFR Part 661 as of the date of this catalog. Allegion can provide a Buy America Certification letter for any of our brands within this catalog that are identified country of origin USA.

# Information required prior to requesting assistance

Your request for a BAA certification letter should include the following:

1. Project name: \_\_\_\_\_
2. Solicitation # (if applicable): \_\_\_\_\_
3. Total project size (dollar amount): \$ \_\_\_\_\_
4. Does the above project total size exceed the \$7.864 M threshold for BAA/WTO? ☐ Yes ☐ No
5. Is the project a DOT FAA (department of transportation or federal aviation authority)? ☐ Yes ☐ No
6. Does the above project total size exceed the \$10,335,931 threshold for NAFTA? ☐ Yes ☐ No
7. Federal project: ☐ Yes ☐ No
8. State project: (If yes, specify the state) ☐ Yes state: \_\_\_\_\_ ☐ No
9. City project: ☐ Yes ☐ No
10. HUD project: ☐ Yes ☐ No
11. US EPA project: ☐ Yes ☐ No
12. ARRA funded project: ☐ Yes ☐ No

13. List of specified products  
(Attach separate sheet if required. Project take-offs and quote request forms are acceptable for product descriptions.)

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

Submit completed form to: [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com)

**\*\*Please note this is only a worksheet to help provide and gather all necessary information for Buy American Act certification.\*\***



# Order transmittal cover letter

## **Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA)**

Note that orders requiring BAA/TAA compliant products MUST include this cover letter to be properly identified.

**Failure to include a Order Transmittal Cover Sheet or properly marking the order PRODUCTS REQUESTED WITH BAA COMPLIANCE or include the BA/BAA suffix when required could result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.**

## Additional costs and order requirements

### Locks

| Schlage             | Up charge     | BAA transmittal required | Note on order                                                  |
|---------------------|---------------|--------------------------|----------------------------------------------------------------|
| A Series            | \$25 per lock | x                        | Clearly mark order<br>“Products requested with BAA compliance” |
| AL Series           | \$25 per lock | x                        |                                                                |
| B250 Series         | \$12 per lock | x                        |                                                                |
| B500 Series         | \$12 per lock | x                        |                                                                |
| B600/700/800 Series | \$12 per lock | x                        |                                                                |
| CS200 Series        | \$25 per lock | x                        |                                                                |
| D Series            | \$25 per lock | x                        |                                                                |
| H Series            | \$25 per lock | x                        |                                                                |
| ND Series           | \$25 per lock | x                        |                                                                |
| L Series            | \$25 per lock | x                        |                                                                |
| S Series            | \$25 per lock | x                        |                                                                |
| S200 Series         | \$25 per lock | x                        |                                                                |

### Electronic locks, readers & accessories

| Schlage        | Up charge      | BAA transmittal required | Note on order                                                    |
|----------------|----------------|--------------------------|------------------------------------------------------------------|
| AD Series*     | \$100 per lock | x                        | Clearly mark order “Products requested with BAA compliance”      |
| Power supplies | \$34 per PS    | x                        | Must be clearly ordered with BAA suffix to ensure BAA compliance |
| PIM*           | \$25 per PIM   | x                        | Clearly mark order “Products requested with BAA compliance”      |
| PIB*           | \$25 per PIB   | x                        | Clearly mark order “Products requested with BAA compliance”      |

| Von Duprin            |             |   | Note on order                                                    |
|-----------------------|-------------|---|------------------------------------------------------------------|
| Power supplies        | \$32 per PS | x | Must be clearly ordered with BAA suffix to ensure BAA compliance |
| Power Transfers (EPT) | N/C per EPT | x |                                                                  |

\* Up charges only apply when ordering products that must have Country of Origin of USA and the project does not meet any thresholds where Trade Agreement Act (TAA) exceptions apply. See pages 4 and 5 for more details or contact [st-govtservices@allegion.com](mailto:st-govtservices@allegion.com) for more information.

### Closers

| LCN         | Up charge           | BAA transmittal required | Note on order                                                    |
|-------------|---------------------|--------------------------|------------------------------------------------------------------|
| 1250 Series | \$20 (on some SKUs) | x*                       | Must be clearly ordered with BAA suffix to ensure BAA compliance |
| 1450 Series | \$20 (on some SKUs) | x*                       |                                                                  |

\* BAA suffix added to the line item.

# Mechanical

## Locks

### Schlage

#### Cylindrical

| Product       | Description          | Function | Trim | Finish | BAA COO | TAA COO |
|---------------|----------------------|----------|------|--------|---------|---------|
| A Series * ^  | Grade 2, cylindrical | All      | All  | All    | USA     | Mexico  |
| AL Series * ^ | Grade 2, cylindrical | All      | All  | All    | USA     | Mexico  |
| D Series * ^  | Grade 1, cylindrical | All      | All  | All    | USA     | Mexico  |
| ND Series * ^ | Grade 1, cylindrical | All      | All  | All    | USA     | Mexico  |

#### Deadbolt

| Product                 | Description       | Function | Trim | Finish | BAA COO | TAA COO |
|-------------------------|-------------------|----------|------|--------|---------|---------|
| B250 Series * ^         | Grade 2, deadbolt | All      | All  | All    | USA     | Mexico  |
| B500 Series * ^         | Grade 2, deadbolt | All      | All  | All    | USA     | Mexico  |
| B600/700/800 Series * ^ | Grade 1, deadbolt | All      | All  | All    | USA     | Mexico  |

#### Interconnected/tubular

| Product          | Description         | Function | Trim | Finish | BAA COO | TAA COO |
|------------------|---------------------|----------|------|--------|---------|---------|
| CS200 Series * ^ | Interconnected lock | All      | All  | All    | USA     | Mexico  |
| H Series * ^     | Interconnected lock | All      | All  | All    | USA     | Mexico  |
| LT Series*       | Grade 2, tubular    | All      | All  | All    | USA     | -       |
| S Series * ^     | Grade 2, tubular    | All      | All  | All    | USA     | Mexico  |
| S200 Series * ^  | Interconnected lock | All      | All  | All    | USA     | Mexico  |

#### Mortise/multi-point

| Product         | Description      | Function | Trim | Finish | BAA COO | TAA COO |
|-----------------|------------------|----------|------|--------|---------|---------|
| L Series * ^    | Grade 1, mortise | All      | All  | All    | USA     | Mexico  |
| LM9200 Series * | Two-point lock   | All      | All  | All    | USA     | -       |
| LM9300 Series * | Three-point lock | All      | All  | All    | USA     | -       |

\* Available for complete locks and deadbolts only

^ See page 8 for additional cost and order requirements

## Falcon

### Cylindrical

| Product      | Description                             | Trim | Finish | TAA COO |
|--------------|-----------------------------------------|------|--------|---------|
| B Series     | Grade 2, standard duty, cylindrical     | All  | All    | Taiwan  |
| RU/RW Series | Grade 1, extra heavy duty, preassembled | All  | All    | Mexico  |
| T Series     | Grade 1, extra heavy duty, cylindrical  | All  | All    | Mexico  |
| W Series     | Grade 2, medium duty, cylindrical       | All  | All    | Taiwan  |
| X Series     | Grade 1, heavy duty, cylindrical        | All  | All    | Mexico  |

### Deadbolt

| Product     | Description       | Trim | Finish | TAA COO |
|-------------|-------------------|------|--------|---------|
| D100 Series | Grade 1, deadbolt | All  | All    | Mexico  |
| D200 Series | Grade 2, deadbolt | All  | All    | Mexico  |

### Mortise

| Product   | Description      | Trim | Finish | TAA COO |
|-----------|------------------|------|--------|---------|
| MA Series | Grade 1, mortise | All  | All    | Taiwan  |

Falcon locks listed on this page qualify for BAA projects above the qualifying designated country threshold.  
Other Falcon locks not listed here may qualify for BAA projects above the qualifying designated country threshold.  
See pages 4 and 5 for more details.

## Fusion

### Residential decorative

| Product                                       | Description                                         | Function | Trim | Finish | BAA COO | TAA COO |
|-----------------------------------------------|-----------------------------------------------------|----------|------|--------|---------|---------|
| Handlesets                                    | Tubular and mortise                                 | All      | All  | All    | USA     | -       |
| Entry plates                                  | Tubular and mortise                                 | All      | All  | All    | USA     | -       |
| Knobs and levers<br>(Excludes Elite products) | Keyed entry, interiors<br>(Excludes Elite products) | All      | All  | All    | USA     | -       |
| Deadbolts                                     | Various                                             | All      | All  | All    | USA     | -       |
| Elite                                         | Handlesets, interiors, keyed                        | All      | All  | All    | -       | Taiwan  |

## Portable security

### Schlage

#### Commercial padlocks

| Product number | Description                                 | Function       | Finish                  | BAA COO | TAA COO |
|----------------|---------------------------------------------|----------------|-------------------------|---------|---------|
| KS11D1200      | KS 11 Series, 1 1/2" shackle, less cylinder | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS11F1200      | KS 11 Series, 2" shackle, less cylinder     | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS21A1200      | KS 21 Series, 3/4" shackle, less cylinder   | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS21D1200      | KS 21 Series, 1 1/2" shackle, less cylinder | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS21F1200      | KS 21 Series, 2" shackle, less cylinder     | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS23D2200      | KS 23 Series, 1 1/2" shackle, less cylinder | K-N-K          | 606 Brass               | -       | Taiwan  |
| KS23D2300      | KS 23 Series, 1 1/2" shackle                | K-N-K cylinder | 606 Brass               | -       | Taiwan  |
| KS23F2200      | KS 23 Series, 2" shackle, less cylinder     | K-N-K          | 606 Brass               | -       | Taiwan  |
| KS23F2300      | KS 23 Series, 2" shackle                    | K-N-K cylinder | 606 Brass               | -       | Taiwan  |
| KS41D1200      | KS 41 Series, 1 1/2" shackle, less cylinder | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS41F1200      | KS 41 Series, 2" shackle, less cylinder     | SFIC           | 652 Chrome plated brass | -       | Taiwan  |
| KS43D2200      | KS 43 Series, 1 1/2" shackle, less cylinder | K-N-K          | 606 Brass               | -       | Taiwan  |
| KS43D2300      | KS 43 Series, 1 1/2" shackle                | K-N-K cylinder | 606 Brass               | -       | Taiwan  |

## Portable security

### Schlage (cont.)

#### Commercial padlocks (cont.)

| Product number | Description                                                                  | Function       | Finish    | BAA COO | TAA COO |
|----------------|------------------------------------------------------------------------------|----------------|-----------|---------|---------|
| KS43D3200      | KS 43 Series, 1 1/2" shackle, less cylinder                                  | FSIC           | 606 Brass | -       | Taiwan  |
| KS43F2200      | KS 43 Series, 2" shackle, less cylinder                                      | K-N-K          | 606 Brass | -       | Taiwan  |
| KS43F2300      | KS 43 Series, 2" shackle                                                     | K-N-K cylinder | 606 Brass | -       | Taiwan  |
| KS43F3200      | KS 43 Series, 2" shackle, less cylinder                                      | FSIC           | 606 Brass | -       | Taiwan  |
| KS72F2300      | KS 72 Series, 2" shackle                                                     | K-N-K cylinder | 652 Steel | -       | Taiwan  |
| 851226KA       | Solid steel 63.5mm padlock, 2" shackle, (KA)-with cylinder 5 pin             |                | 652 Steel | -       | Taiwan  |
| 994831         | Solid steel KA padlock, 2.5"x63.5mm, 2" shackle (2 pack)-with cylinder 5 pin |                | 652 Steel | -       | Taiwan  |
| 855156         | Solid steel shackle-less padlock, 2 7/8"x1 1/2" -with cylinder 5 pin         |                | 652 Steel | -       | Taiwan  |

#### Padlock accessories - Shackles

| Product number | Description                                 | Function | Finish | BAA COO | TAA COO |
|----------------|---------------------------------------------|----------|--------|---------|---------|
| KZ11A10        | Steel, 3/4" shackle, 1/4" dia.              | -        | Chrome | -       | Taiwan  |
| KZ11D10        | Steel, 1 1/2" shackle, 1/4" dia.            | -        | Chrome | -       | Taiwan  |
| KZ11D20        | Steel, 1 1/2" shackle, 5/16" dia.           | -        | Chrome | -       | Taiwan  |
| KZ11F10        | Steel, 2" shackle, 1/4" dia.                | -        | Chrome | -       | Taiwan  |
| KZ11F40        | Steel, 2" shackle, 3/8" dia.                | -        | Chrome | -       | Taiwan  |
| KZ11G10        | Steel, 4" shackle, 1/4" dia.                | -        | Chrome | -       | Taiwan  |
| KZ11G20        | Steel, 4" shackle, 5/16" dia.               | -        | Chrome | -       | Taiwan  |
| KZ11G40        | Steel, 4" shackle, 3/8" dia.                | -        | Chrome | -       | Taiwan  |
| KZ12D10        | Brass, 1 1/2" shackle, 1/4" dia.            | -        | -      | -       | Taiwan  |
| KZ12D20        | Brass, 1 1/2" shackle, 5/16" dia.           | -        | -      | -       | Taiwan  |
| KZ12D40        | Brass, 1 1/2" shackle, 3/8" dia.            | -        | -      | -       | Taiwan  |
| KZ12G10        | Brass, 4" shackle, 1/4" dia.                | -        | -      | -       | Taiwan  |
| KZ12G20        | Brass, 4" shackle, 5/16" dia.               | -        | -      | -       | Taiwan  |
| KZ12G40        | Brass, 4" shackle, 3/8" dia.                | -        | -      | -       | Taiwan  |
| KZ13D10        | Stainless steel, 1 1/2" shackle, 1/4" dia.  | -        | Chrome | -       | Taiwan  |
| KZ13D20        | Stainless steel, 1 1/2" shackle, 5/16" dia. | -        | Chrome | -       | Taiwan  |
| KZ13D40        | Stainless steel, 1 1/2" shackle, 3/8" dia.  | -        | Chrome | -       | Taiwan  |
| KZ13F10        | Stainless steel, 2" shackle, 1/4" dia.      | -        | Chrome | -       | Taiwan  |
| KZ13F20        | Stainless steel, 2" shackle, 5/16" dia.     | -        | Chrome | -       | Taiwan  |
| KZ13F40        | Stainless steel, 2" shackle, 3/8" dia.      | -        | Chrome | -       | Taiwan  |

#### Security cable locks

| Product number | Description                             | Function       | Finish    | BAA COO | TAA COO |
|----------------|-----------------------------------------|----------------|-----------|---------|---------|
| KC215A130      | Locking cable, 2' x 5/8", less cylinder | SFIC           | 407 Satin | -       | Taiwan  |
| KC215B130      | Locking cable, 4' x 5/8", less cylinder | SFIC           | 407 Satin | -       | Taiwan  |
| KC215E220      | Locking cable                           | K-N-K cylinder | 407 Satin | -       | Taiwan  |

# Cylinders

## Schlage

| Product number | Description                                                                                         | Function                        | BAA COO |
|----------------|-----------------------------------------------------------------------------------------------------|---------------------------------|---------|
| 09-409         | Classic conventional bulk pack cylinder kit                                                         | Key-in-knob                     | USA     |
| 09-410         | Classic conventional bulk pack cylinder kit                                                         | Rim                             | USA     |
| 09-411         | Classic conventional bulk pack cylinder kit                                                         | Full size interchangeable core  | USA     |
| 09-412         | Classic conventional bulk pack cylinder kit                                                         | Mortise (specify length)        | USA     |
| 09-416         | Conventional bulk pack AL Series tailpieces                                                         | Parts                           | USA     |
| 09-418         | Conventional bulk pack D Series knobs tailpieces                                                    | Parts                           | USA     |
| 09-484         | Bulk pack of 20-001 mortise cylinders                                                               | Mortise                         | USA     |
| 09-485         | Bulk pack of 30-001 mortise cylinders                                                               | Mortise                         | USA     |
| 09-751         | Everest conventional bulk pack cylinder kit                                                         | Key-in-knob/lever               | USA     |
| 09-752         | Everest conventional bulk pack cylinder kit                                                         | Rim                             | USA     |
| 09-753         | Everest conventional bulk pack cylinder kit                                                         | Full size interchangeable core  | USA     |
| 09-754         | Everest conventional bulk pack cylinder kit                                                         | Mortise (specify length)        | USA     |
| 09-756         | Everest conventional and Primus bulk pack tailpieces A Series except Orbit style knob               | Parts                           | USA     |
| 09-757         | Everest conventional and Primus bulk pack tailpieces A Series Orbit style knob                      | Parts                           | USA     |
| 09-764         | Primus/Primus XP bulk pack cylinder kit                                                             | Key-in-knob/lever               | USA     |
| 09-765         | Primus/Primus XP bulk pack cylinder kit                                                             | Rim                             | USA     |
| 09-766         | Primus/Primus XP bulk pack cylinder kit                                                             | Full size interchangeable core  | USA     |
| 09-767         | Primus/Primus XP Everest bulk pack cylinder kit                                                     | Mortise (specify length)        | USA     |
| 09-833         | Primus/Primus XP Classic bulk pack cylinder kit                                                     | Key-in-knob                     | USA     |
| 09-834         | Primus/Primus XP Classic bulk pack cylinder kit                                                     | Rim                             | USA     |
| 09-835         | Primus/Primus XP Classic bulk pack cylinder kit                                                     | Mortise                         | USA     |
| 09-836         | Primus/Primus XP Classic bulk pack cylinder kit                                                     | Full size interchangeable core  | USA     |
| 20-001         | L Series sectional trim conventional L9060 outside                                                  | Conventional                    | USA     |
| 20-002         | Mortise cylinder conventional L9060                                                                 | Conventional                    | USA     |
| 20-009         | Conventional mortise cylinder for Corbin Russwin master ring                                        | Conventional                    | USA     |
| 20-013         | Cylinders for Adams Rite MS, 4500 and 4700 Series , Lori 4500, CR DL3000 conventional               | Conventional                    | USA     |
| 20-021         | Exit devices and aluminum doors conventional cylinder vertical                                      | Conventional                    | USA     |
| 20-022         | Exit devices and aluminum doors conventional cylinder horizontal                                    | Conventional                    | USA     |
| 20-030         | Letter/mail box cylinder Classic and Everest                                                        | Classic Everest letter/mail box | USA     |
| 20-033         | Letter/mail box cylinder Classic and Everest                                                        | Classic Everest letter/mail box | USA     |
| 20-057         | Interchangeable core rim cylinders for exit devices conventional                                    | Conventional rim                | USA     |
| 20-059         | Mortise cylinders with straight cam for exit devices housing less core                              | FSIC housing                    | USA     |
| 20-060         | L series full size IC core Adams Rite 4500, 4700 Series housing less core                           | FSIC Adams Rite                 | USA     |
| 20-061         | Mortise cylinders with straight cam for exit devices conventional                                   | Conventional                    | USA     |
| 20-062         | Exit device full size IC conventional core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite                      | USA     |
| 20-066         | Exit device full size IC housing less core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite                      | USA     |
| 20-069         | Letter/mail box cylinder Classic and Everest                                                        | Letter/mail box                 | USA     |
| 20-079         | Exit device rim cylinder IC core conventional housing less core                                     | Conventional                    | USA     |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                                | Function     | BAA COO |
|----------------|--------------------------------------------------------------------------------------------|--------------|---------|
| 20-090         | L Series cylinder only Adams Rite 4070 Series housing less core                            | Adams Rite   | USA     |
| 20-091         | L Series conventional core Adams Rite 4070 Series                                          | Conventional | USA     |
| 20-172         | Cabinet locks and padlocks conventional                                                    | Door         | USA     |
| 20-174         | Cabinet locks and padlocks conventional                                                    | Drawer       | USA     |
| 20-500         | L Series sectional trim Primus UL437 L9060 outside                                         | Primus       | USA     |
| 20-500-XP      | L Series sectional trim Primus XP UL437 L9060 outside                                      | Primus XP    | USA     |
| 20-501         | L Series L and N Primus UL 437 L9060 outside                                               | Primus       | USA     |
| 20-501-XP      | L Series L and N Primus XP UL 437 L9060 outside                                            | Primus XP    | USA     |
| 20-505         | Primus UL 437 mortise cylinder for Corbin Russwin master ring                              | Primus       | USA     |
| 20-505-XP      | Primus XP UL 437 mortise cylinder for Corbin Russwin master ring                           | Primus XP    | USA     |
| 20-506         | Primus UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000            | Primus       | USA     |
| 20-506-XP      | Primus XP UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000         | Primus XP    | USA     |
| 20-508         | Primus UL 437 mortise cylinder for Adams Rite 4070 Series                                  | Primus       | USA     |
| 20-508-XP      | Primus XP UL 437 mortise cylinder for Adams Rite 4070 Series                               | Primus XP    | USA     |
| 20-509         | Exit device and aluminum door Primus UL 437 listed cylinder with vertical                  | Primus       | USA     |
| 20-509-XP      | Exit device and aluminum door Primus XP UL 437 listed cylinder with vertical               | Primus XP    | USA     |
| 20-510         | Exit device and aluminum door Primus UL 437 listed cylinder horizontal                     | Primus       | USA     |
| 20-510-XP      | Exit device and aluminum door Primus XP UL 437 listed cylinder horizontal                  | Primus XP    | USA     |
| 20-515         | L Series L and N escutcheon Primus UL 437 lockout                                          | Primus       | USA     |
| 20-515-XP      | L Series L and N escutcheon Primus XP UL 437 lockout                                       | Primus XP    | USA     |
| 20-516         | Exit device and aluminum door Primus UL 437 listed lockout cylinder horizontal             | Primus       | USA     |
| 20-516-XP      | Exit device and aluminum door Primus XP UL 437 listed lockout cylinder horizontal          | Primus XP    | USA     |
| 20-517         | L Series L and N escutcheon Primus UL 437 lockout                                          | Primus       | USA     |
| 20-517-XP      | L Series L and N escutcheon Primus XP UL 437 lockout                                       | Primus XP    | USA     |
| 20-518         | Primus UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000    | Primus       | USA     |
| 20-518-XP      | Primus XP UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP    | USA     |
| 20-519         | Primus UL 437 for Sargent 7L, 10, 65 line levers                                           | Primus       | USA     |
| 20-519-XP      | Primus XP UL 437 for Sargent 7L, 10, 65 line levers                                        | Primus XP    | USA     |
| 20-520         | Primus UL 437 for Sargent 7, 8, 9 line knobs                                               | Primus       | USA     |
| 20-520-XP      | Primus XP UL 437 for Sargent 7, 8, 9 line knobs                                            | Primus XP    | USA     |
| 20-523         | Primus UL 437 for Yale 5300, 5400, 6200 knobs                                              | Primus       | USA     |
| 20-523-XP      | Primus XP UL 437 for Yale 5300, 5400, 6200 knobs                                           | Primus XP    | USA     |
| 20-524         | A Series Primus UL 437 listed high security cylinder, non-Orbit style knob                 | Primus       | USA     |
| 20-524-XP      | Primus UL 437 for Sargent 6                                                                | Primus XP    | USA     |
| 20-526         | Primus XP UL 437 for Sargent 6                                                             | Primus       | USA     |
| 20-526-XP      | Primus UL 437 for Corbin Russwin CK4200, UT5200                                            | Primus XP    | USA     |
| 20-527         | Primus XP UL 437 for Corbin Russwin CK4200, UT5200                                         | Primus       | USA     |
| 20-527-XP      | AL Series Primus UL 437 high security cylinder                                             | Primus XP    | USA     |
| 20-528         | AL Series Primus UL 437 high security cylinder                                             | Primus       | USA     |
| 20-528-XP      | AL Series Primus XP UL 437 high security cylinder                                          | Primus XP    | USA     |
| 20-529         | B250 Series Primus UL 437 high security cylinder                                           | Primus       | USA     |
| 20-529-XP      | B250 Series Primus XP UL 437 high security cylinder                                        | Primus XP    | USA     |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                 | Function         | BAA<br>COO |
|----------------|-----------------------------------------------------------------------------|------------------|------------|
| 20-531         | Primus UL 437 complete cylinder and housing                                 | Primus           | USA        |
| 20-531-XP      | Primus XP UL 437 complete cylinder and housing                              | Primus XP        | USA        |
| 20-539         | Primus UL 437 for Corbin Russwin CL3400, CL3600                             | Primus           | USA        |
| 20-539-XP      | Primus XP UL 437 for Corbin Russwin CL3400, CL3600                          | Primus XP        | USA        |
| 20-542         | B861, B864 Primus UL 437                                                    | Primus           | USA        |
| 20-542-XP      | B861, B864 Primus XP UL 437                                                 | Primus XP        | USA        |
| 20-543         | B861, B864 Primus UL 437                                                    | Primus           | USA        |
| 20-543-XP      | B861, B864 Primus XP UL 437                                                 | Primus XP        | USA        |
| 20-544         | B860, B863 Primus UL 437                                                    | Primus           | USA        |
| 20-544-XP      | B860, B863 Primus XP UL 437                                                 | Primus XP        | USA        |
| 20-545         | B862 Primus UL 437                                                          | Primus           | USA        |
| 20-545-XP      | B862 Primus XP UL 437                                                       | Primus XP        | USA        |
| 20-546         | B862 Primus UL 437                                                          | Primus           | USA        |
| 20-546-XP      | B862 Primus XP UL 437                                                       | Primus XP        | USA        |
| 20-547         | Primus UL 437 for Yale 5300LN, 5400LN, 6400LN levers                        | Primus           | USA        |
| 20-547-XP      | Primus XP UL 437 for Yale 5300LN, 5400LN, 6400LN levers                     | Primus XP        | USA        |
| 20-548         | D Knobs Primus UL 437 listed high security cylinder                         | Primus           | USA        |
| 20-548-XP      | D Knobs Primus XP UL 437 listed high security cylinder                      | Primus XP        | USA        |
| 20-550         | D Series lever Primus UL 437 listed high security cylinder                  | Primus           | USA        |
| 20-550-XP      | D Series lever Primus XP UL 437 listed high security cylinder               | Primus XP        | USA        |
| 20-552         | S Lever Primus UL 437 listed high security cylinder only                    | Primus           | USA        |
| 20-552-XP      | S Lever Primus XP UL 437 listed high security cylinder only                 | Primus XP        | USA        |
| 20-565         | Cylinders for ND Series locksets Primus UL437                               | Primus           | USA        |
| 20-565-XP      | Cylinders for ND Series locksets Primus XP UL 437                           | Primus XP        | USA        |
| 20-572         | Cabinet locks and padlocks Primus UL                                        | Door/Primus      | USA        |
| 20-572-XP      | Cabinet locks and padlocks Primus XP UL                                     | Door/Primus XP   | USA        |
| 20-574         | Cabinet locks and padlocks Primus UL                                        | Drawer/Primus    | USA        |
| 20-574-XP      | Cabinet locks and padlocks Primus XP UL                                     | Drawer/Primus XP | USA        |
| 20-587         | L Series sectional trim Primus UL 437                                       | Primus           | USA        |
| 20-587-XP      | L Series sectional trim Primus XP UL 437                                    | Primus XP        | USA        |
| 20-589         | L escutcheon with concealed shell cylinder Primus UL 437                    | Primus           | USA        |
| 20-589-XP      | L escutcheon with concealed shell cylinder Primus XP UL 437                 | Primus XP        | USA        |
| 20-593         | L Series L and N escutcheon Primus UL 437                                   | Primus           | USA        |
| 20-593-XP      | L Series L and N escutcheon Primus XP UL 437                                | Primus XP        | USA        |
| 20-700         | L Series sectional trim Primus lockout L9060 outside                        | Primus           | USA        |
| 20-700-XP      | L Series sectional trim Primus XP lockout L9060 outside                     | Primus XP        | USA        |
| 20-701         | L9060 outside L and N Primus                                                | Primus           | USA        |
| 20-701-XP      | L9060 outside L and N Primus XP                                             | Primus XP        | USA        |
| 20-705         | Primus mortise cylinder for Corbin Russwin master ring                      | Primus           | USA        |
| 20-705-XP      | Primus XP mortise cylinder for Corbin Russwin master ring                   | Primus XP        | USA        |
| 20-706         | Primus cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000    | Primus           | USA        |
| 20-706-XP      | Primus XP cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP        | USA        |
| 20-708         | Primus cylinder mortise Adams Rite 4070 Series                              | Primus           | USA        |
| 20-708-XP      | Primus XP cylinder mortise Adams Rite 4070 Series                           | Primus XP        | USA        |
| 20-709         | Exit device and alum door Primus cylinder vertical                          | Primus           | USA        |
| 20-709-XP      | Exit device and alum door Primus XP cylinder vertical                       | Primus XP        | USA        |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                           | Function  | BAA<br>COO |
|----------------|---------------------------------------------------------------------------------------|-----------|------------|
| 20-710         | Exit device and alum door Primus cylinder horizontal                                  | Primus    | USA        |
| 20-710-XP      | Exit device and alum door Primus XP cylinder horizontal                               | Primus XP | USA        |
| 20-715         | L Series L and N escutcheon Primus lockout                                            | Primus    | USA        |
| 20-715-XP      | L Series L and N escutcheon Primus XP lockout                                         | Primus XP | USA        |
| 20-716         | Exit device and aluminum door Primus lockout cylinder horizontal                      | Primus    | USA        |
| 20-716-XP      | Exit device and aluminum door Primus XP lockout cylinder horizontal                   | Primus XP | USA        |
| 20-717         | L Series sectional trim Primus lockout                                                | Primus    | USA        |
| 20-717-XP      | L Series sectional trim Primus XP lockout                                             | Primus XP | USA        |
| 20-718         | Primus lockout mortise cylinder Adams Rite MS 4500, 4700, Lori 4500, and CR DL3000    | Primus    | USA        |
| 20-718-XP      | Primus XP lockout mortise cylinder Adams Rite MS 4500, 4700, Lori 4500, and CR DL3000 | Primus XP | USA        |
| 20-719         | Primus cylinder for Sargent 7L, 10, 65 levers                                         | Primus    | USA        |
| 20-719-XP      | Primus XP cylinder for Sargent 7L, 10, 65 levers                                      | Primus XP | USA        |
| 20-720         | Primus cylinder for Sargent 7, 8, 9 levers                                            | Primus    | USA        |
| 20-720-XP      | Primus XP cylinder for Sargent 7, 8, 9 levers                                         | Primus XP | USA        |
| 20-722         | L Series Primus core Adams Rite 4070 Series                                           | Primus    | USA        |
| 20-722-XP      | L Series Primus XP core Adams Rite 4070 Series                                        | Primus XP | USA        |
| 20-723         | Primus cylinder for Yale 5300, 5400, 6200 knobs                                       | Primus    | USA        |
| 20-723-XP      | Primus XP cylinder for Yale 5300, 5400, 6200 knobs                                    | Primus XP | USA        |
| 20-724         | A Series 20-724 Primus cylinder, non-Orbit                                            | Primus    | USA        |
| 20-724-XP      | A Series 20-724 Primus XP cylinder, non-Orbit                                         | Primus    | USA        |
| 20-726         | Primus for Sargent 6                                                                  | Primus    | USA        |
| 20-726-XP      | Primus XP for Sargent 6                                                               | Primus XP | USA        |
| 20-727         | Primus cylinder for Corbin Russwin CL3400, CL3600                                     | Primus    | USA        |
| 20-727-XP      | Primus XP cylinder for Corbin Russwin CL3400, CL3600                                  | Primus XP | USA        |
| 20-728         | AL Series Primus cylinder                                                             | Primus    | USA        |
| 20-728-XP      | AL Series 20-728 Primus XP cylinder                                                   | Primus XP | USA        |
| 20-729         | B250 Series Primus cylinder only                                                      | Primus    | USA        |
| 20-729-XP      | B250 Series Primus XP cylinder only                                                   | Primus XP | USA        |
| 20-731         | B250, B400, Primus cylinder less housing                                              | Primus    | USA        |
| 20-731-XP      | B250, B400, Primus XP cylinder less housing                                           | Primus XP | USA        |
| 20-739         | Primus for Corbin Russwin CL3400, CL3600                                              | Primus    | USA        |
| 20-739-XP      | Primus XP for Corbin Russwin CL3400, CL3600                                           | Primus XP | USA        |
| 20-740         | Primus full size IC core                                                              | Primus    | USA        |
| 20-740-XP      | Primus XP full size IC core                                                           | Primus XP | USA        |
| 20-741         | Primus full size IC core less logo                                                    | Primus    | USA        |
| 20-741-XP      | Primus XP full size IC core less logo                                                 | Primus XP | USA        |
| 20-742         | B761, B764 Primus                                                                     | Primus    | USA        |
| 20-742-XP      | B761, B764 Primus XP                                                                  | Primus XP | USA        |
| 20-743         | B761, B764 Primus                                                                     | Primus    | USA        |
| 20-743-XP      | B761, B764 Primus XP                                                                  | Primus XP | USA        |
| 20-744         | B760, B763 Primus                                                                     | Primus    | USA        |
| 20-744-XP      | B760, B763 Primus XP                                                                  | Primus XP | USA        |
| 20-745         | B762 Primus                                                                           | Primus    | USA        |
| 20-745-XP      | B762 Primus XP                                                                        | Primus XP | USA        |
| 20-746         | B762 Primus                                                                           | Primus    | USA        |
| 20-746-XP      | B762 Primus XP                                                                        | Primus XP | USA        |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                                      | Function     | BAA COO |
|----------------|--------------------------------------------------------------------------------------------------|--------------|---------|
| 20-747         | Primus CYL for Yale 5300LN, 5400LN, 6400LN levers                                                | Primus       | USA     |
| 20-747-XP      | Primus XP cylinder for Yale 5300LN, 5400LN, 6400LN levers                                        | Primus XP    | USA     |
| 20-748         | D knobs Primus cylinder                                                                          | Primus       | USA     |
| 20-748-XP      | D knobs Primus XP cylinder                                                                       | Primus XP    | USA     |
| 20-750         | D lever Primus cylinder                                                                          | Primus       | USA     |
| 20-750-XP      | D lever Primus XP cylinder                                                                       | Primus XP    | USA     |
| 20-752         | S lever Primus cylinder                                                                          | Primus       | USA     |
| 20-752-XP      | S lever Primus XP cylinder                                                                       | Primus XP    | USA     |
| 20-757         | Exit device interchangeable core rim cylinders Primus                                            | Primus       | USA     |
| 20-757-XP      | Exit device interchangeable core rim cylinders Primus XP                                         | Primus XP    | USA     |
| 20-763         | Mortise cylinders with straight cam for exit devices Primus                                      | Primus       | USA     |
| 20-763-XP      | Mortise cylinders with straight cam for exit devices Primus XP                                   | Primus XP    | USA     |
| 20-765         | ND Series locksets Primus                                                                        | Primus       | USA     |
| 20-765-XP      | ND Series locksets Primus XP                                                                     | Primus XP    | USA     |
| 20-766         | Exit device full size IC Primus core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000    | Primus       | USA     |
| 20-766-XP      | Exit device full size IC Primus XP core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP    | USA     |
| 20-771         | Mortise cylinders with straight cam for exit devices Primus                                      | Primus       | USA     |
| 20-771-XP      | Mortise cylinders with straight cam for exit devices Primus XP                                   | Primus XP    | USA     |
| 20-772         | Cabinet locks and padlocks Primus                                                                | Primus       | USA     |
| 20-772-XP      | Cabinet locks and padlocks Primus XP                                                             | Primus XP    | USA     |
| 20-774         | Cabinet locks and padlocks                                                                       | Primus       | USA     |
| 20-774-XP      | Cabinet locks and padlocks                                                                       | Primus XP    | USA     |
| 20-776         | Primus L Series core full size IC                                                                | Primus       | USA     |
| 20-776-XP      | Primus XP L Series core full size IC                                                             | Primus XP    | USA     |
| 20-782         | L and N Escutcheon L9060 outside Primus core                                                     | Primus       | USA     |
| 20-782-XP      | L and N Escutcheon L9060 outside Primus XP core                                                  | Primus XP    | USA     |
| 20-783         | L9060 Primus core rose trim                                                                      | Primus       | USA     |
| 20-783-XP      | L9060 Primus XP core rose trim                                                                   | Primus XP    | USA     |
| 20-787         | L Series sectional trim Primus                                                                   | Primus       | USA     |
| 20-787-XP      | L Series sectional trim Primus XP                                                                | Primus XP    | USA     |
| 20-789         | L escutcheon with concealed shell cylinder Primus                                                | Primus       | USA     |
| 20-789-XP      | L escutcheon with concealed shell cylinder Primus XP                                             | Primus XP    | USA     |
| 20-793         | L Series L and N escutcheon Primus                                                               | Primus       | USA     |
| 20-793-XP      | L Series L and N escutcheon Primus XP                                                            | Primus XP    | USA     |
| 20-798         | Primus core L Series mortise full size IC                                                        | Primus       | USA     |
| 20-798-XP      | Primus XP core L Series mortise full size IC                                                     | Primus XP    | USA     |
| 21-002         | B Series knobs 6 pin conventional                                                                | Conventional | USA     |
| 21-003         | A Series 21-003 conventional hotel function (A85) with indicator, non-Orbit                      | Conventional | USA     |
| 21-020         | AL Series 6 pin conventional cylinder standard                                                   | Conventional | USA     |
| 21-021         | AL Series conventional hotel function AL85 with occupancy indicator                              | Conventional | USA     |
| 22-001         | B100, B250, B400, 5 point cylinder only                                                          | Conventional | USA     |
| 22-002         | B250 series 6 pin conventional cylinder only                                                     | Conventional | USA     |
| 22-003         | B500 conventional single cylinder                                                                | Conventional | USA     |
| 22-004         | B500 conventional single cylinder                                                                | Conventional | USA     |
| 22-017         | 5 Pin cylinder outside housing                                                                   | Conventional | USA     |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                                         | Function                       | BAA COO |
|----------------|-----------------------------------------------------------------------------------------------------|--------------------------------|---------|
| 22-018         | 5 pin cylinder inside housing                                                                       | Conventional                   | USA     |
| 22-019         | B250 6 pin conventional cylinder outside housing                                                    | Conventional                   | USA     |
| 22-020         | 6 pin cylinder inside housing                                                                       | Conventional                   | USA     |
| 22-062         | B250 IC core housing less core                                                                      | Conventional                   | USA     |
| 22-642         | B600, 700, 800 conventional cylinder housing not included                                           | Conventional                   | USA     |
| 22-643         | B600, 700, 800 conventional cylinder housing not included                                           | Conventional                   | USA     |
| 22-644         | B600, 700, 800 conventional cylinder housing not included                                           | Conventional                   | USA     |
| 22-645         | B600, 700, 800 conventional cylinder housing not included                                           | Conventional                   | USA     |
| 22-646         | B600, 700, 800 conventional cylinder housing not included                                           | Conventional                   | USA     |
| 23-000         | ND Series locksets hotel function                                                                   | Conventional                   | USA     |
| 23-001         | D knobs 6 pin conventional cylinder (standard)                                                      | Conventional                   | USA     |
| 23-003         | D knobs conventional hotel function (D85) with occupancy indicator                                  | Conventional                   | USA     |
| 23-003-098     | D knobs conventional hotel function (D85) with indicator, 2 1/2" door                               | Conventional                   | USA     |
| 23-013         | D levers 6 pin conventional cylinder (standard)                                                     | Conventional                   | USA     |
| 23-014         | D levers conventional hotel function (D85) with occupancy indicator                                 | Conventional                   | USA     |
| 23-030         | Full size IC core conventional                                                                      | Conventional                   | USA     |
| 23-031         | Full size IC core conventional less logo                                                            | Conventional                   | USA     |
| 23-065         | ND Series locksets 6 pin conventional cylinder (standard)                                           | Conventional                   | USA     |
| 24-119         | Conventional cylinder for Sargent 7L, 10, 65 levers                                                 | Conventional                   | USA     |
| 24-120         | Conventional cylinder for Sargent 7, 8, 9 knobs                                                     | Conventional                   | USA     |
| 24-123         | Conventional cylinder for Yale 5300, 5400, 6200 knobs                                               | Conventional                   | USA     |
| 24-126         | Conventional cylinder for Sargent 6                                                                 | Conventional                   | USA     |
| 24-127         | Conventional cylinder for Corbin Russwin ck4200, ut5200                                             | Conventional                   | USA     |
| 24-139         | Conventional cylinder for Corbin Russwin CL3400, CL3600                                             | Conventional                   | USA     |
| 24-147         | Conventional cylinder for Yale 5300LN, 5400LN, 6400LN levers                                        | Conventional                   | USA     |
| 26-021         | L9060P L and N outside conventional                                                                 | Conventional                   | USA     |
| 26-023         | L9080P Outside L escutcheon conventional                                                            | Conventional                   | USA     |
| 26-072         | Conventional cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000                      | Conventional                   | USA     |
| 26-073         | Conventional mortise cylinder Adams Rite 4070 Series                                                | Conventional                   | USA     |
| 26-091         | Exit device conventional mortise cylinders straight cam                                             | Conventional                   | USA     |
| 26-094         | Exit device conventional mortise cylinders straight cam housing less core                           | Conventional                   | USA     |
| 26-098         | Exit device full size IC conventional core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Conventional                   | USA     |
| 30-001         | L Series sectional trim conventional                                                                | Conventional                   | USA     |
| 30-002         | L Series sectional trim conventional L9485, L9486 hotel function                                    | Conventional                   | USA     |
| 30-004         | L Escutcheon with concealed shell cylinder conventional                                             | Conventional                   | USA     |
| 30-005         | L9485, L9486 hotel function L and N conventional L escutcheon                                       | Conventional                   | USA     |
| 30-007         | L and N escutcheon L Series mortise locks housing less core full size IC                            | Conventional                   | USA     |
| 30-008         | L Series full size IC core L and N escutcheon conventional                                          | Conventional                   | USA     |
| 30-010         | L9485, L9486 hotel function L and N escutcheon conventional                                         | Conventional                   | USA     |
| 30-016         | L Series mortise cylinder only housing less core full size IC                                       | Conventional                   | USA     |
| 30-021         | L Series L and N Escutcheon conventional                                                            | Conventional                   | USA     |
| 30-022         | L9485, L9486 hotel function L and N conventional                                                    | Conventional                   | USA     |
| 30-030         | L9060p outside L and N escutcheon conventional                                                      | Conventional                   | USA     |
| 30-032         | L9060 outside housing less core mortise cylinder                                                    | Conventional                   | USA     |
| 30-120         | Full size IC core conventional for hotel function                                                   | Conventional<br>(specify hand) | USA     |
| 30-121         | Full size IC core less log for L9485, L9486 hotel                                                   | Conventional                   | USA     |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Cylinders

## Schlage (cont.)

| Product number | Description                                                                                       | Function                 | BAA COO |
|----------------|---------------------------------------------------------------------------------------------------|--------------------------|---------|
| 30-137         | L Series sectional trim L9485, L9486 housing less core                                            | Conventional             | USA     |
| 30-138         | L Series sectional trim conventional                                                              | Conventional             | USA     |
| 30-140         | L Series sectional trim L9485, L9486 hotel function conventional                                  | Conventional             | USA     |
| 40-500         | UL 437 Primus/Primus XP multiple tail piece key-in-knob/lever                                     | Primus                   | USA     |
| 40-500-XP      | UL 437 Primus/Primus XP multiple tail piece key-in-knob/lever                                     | Primus XP                | USA     |
| 40-700         | Primus/Primus XP multiple tail piece key-in-knob/lever                                            | Primus                   | USA     |
| 40-700-XP      | Primus/Primus XP multiple tail piece key-in-knob/lever                                            | Primus XP                | USA     |
| 80-036         | Small format interchangeable core, 7 pin, restricted, uncombined                                  | Everest® B/Everest 29™ R | USA     |
| 80-037         | Small format interchangeable core, 7 pin, restricted, combined                                    | Everest® B/Everest 29™ R | USA     |
| 80-101         | L Series sectional trim SFIC housing less core                                                    | SFIC                     | USA     |
| 80-102         | Exit device SFIC mortise cylinder housing less core                                               | SFIC                     | USA     |
| 80-103         | Exit device housing less core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000            | Adams Rite               | USA     |
| 80-104         | L and N escutcheon L9060 outside mortise locks SFIC housing less core                             | SFIC                     | USA     |
| 80-105         | Exit device SFIC housing less core for Adams Rite 4070 Series deadlocks                           | SFIC                     | USA     |
| 80-108         | L and N escutcheon L9060 outside mortise locks SFIC housing less core                             | SFIC                     | USA     |
| 80-109         | L Series sectional trim SFIC construction keyed disposable                                        | SFIC                     | USA     |
| 80-110         | Exit device mortise cylinder disposable                                                           | Disposable const. core   | USA     |
| 80-111         | Exit device disposable construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite               | USA     |
| 80-112         | L Series sectional trim SFIC construction keyed disposable                                        | SFIC                     | USA     |
| 80-113         | Exit device SFIC disposable construction core for Adams Rite 4070 Series deadlocks                | SFIC                     | USA     |
| 80-115         | L and N escutcheon L9060 outside mortise locks SFIC construction keyed disposable                 | SFIC                     | USA     |
| 80-116         | Exit device SFIC disposable construction core                                                     | SFIC                     | USA     |
| 80-129         | Exit device SFIC less core                                                                        | SFIC                     | USA     |
| 80-131         | L and N escutcheon L Series sectional trim SFIC construction keyed                                | SFIC                     | USA     |
| 80-132         | Exit device SFIC mortise cylinder keyed construction core                                         | SFIC                     | USA     |
| 80-133         | Exit device keyed construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000      | Construction core        | USA     |
| 80-134         | L and N escutcheon L Series sectional trim SFIC construction keyed                                | SFIC                     | USA     |
| 80-135         | Exit device SFIC keyed construction core for Adams Rite 4070 Series deadlocks                     | SFIC                     | USA     |
| 80-138         | L and N escutcheon L9060 outside mortise locks SFIC construction keyed                            | SFIC                     | USA     |
| 80-159         | Exit device SFIC keyed construction core                                                          | SFIC                     | USA     |
| 80-301         | L Series sectional trim SFIC Everest restricted                                                   | Everest® B/Everest 29™ R | USA     |
| 80-302         | Exit device mortise cylinder everest restricted                                                   | Everest® B/Everest 29™ R | USA     |
| 80-303         | Exit device Everest restricted core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000      | Everest® B/Everest 29™ R | USA     |
| 80-304         | L and N escutcheon L9060 outside mortise locks SFIC Everest restricted                            | Everest® B/Everest 29™ R | USA     |
| 80-305         | Exit device SFIC everest restricted for Adams Rite 4070 deadlocks                                 | Everest® B/Everest 29™ R | USA     |
| 80-308         | L and N escutcheon L Series mortise locks SFIC Everest restricted                                 | Everest® B/Everest 29™ R | USA     |
| 80-329         | Exit device SFIC core Everest restricted                                                          | Everest® B/Everest 29™ R | USA     |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

# Closers

## LCN

### Door closers

| Product       | Description                                                          | Arm | Screw pack | Finish | BAA COO |
|---------------|----------------------------------------------------------------------|-----|------------|--------|---------|
| 1250 ♦        | Mounts hinge side, top jamb, and parallel arm - non-sized            | All | All        | All    | USA     |
| 1261 ♦        | Mounts hinge side, top jamb and parallel arm - non-sized             | All | All        | All    | USA     |
| 1450 ♦        | Mounts hinge side, top jamb, and parallel arm - non-sized            | All | All        | All    | USA     |
| 1461 ♦        | Mounts hinge side, top jamb and parallel arm - non-sized             | All | All        | All    | USA     |
| 2010 ♦        | Concealed (in header) mount, sized cylinder                          | All | All        | All    | USA     |
| 2030 Series ♦ | Concealed (in header) mount, sized cylinder                          | All | All        | All    | USA     |
| 2210 ♦        | High security, concealed (in header) mount                           | All | All        | All    | USA     |
| 3030 ♦        | Series concealed (in door) mount, sized cylinder                     | All | All        | All    | USA     |
| 3130 Series ♦ | Series concealed (in door) mount, sized cylinder                     | All | All        | All    | USA     |
| 4010 Series ♦ | Hinge side mount, size 6 or non-sized cylinders                      | All | All        | All    | USA     |
| 4020 Series ♦ | Top jamb mount, size 6 or non-sized cylinders                        | All | All        | All    | USA     |
| 4031 ♦        | Mounts hinge side, top jamb and parallel arm - non-sized             | All | All        | All    | USA     |
| 4040XP ♦      | Mounts hinge side, top jamb and parallel arm - non-sized             | All | All        | All    | USA     |
| 4050 ♦        | Mounts hinge side, top jamb, and parallel arm - non-sized            | All | All        | All    | USA     |
| 4110 Series ♦ | Parallel arm mount, size 6 or non-sized cylinders                    | All | All        | All    | USA     |
| 4210 Series ♦ | Series high security, push side mount, size 6 or non-sized cylinders | All | All        | All    | USA     |
| 4510 Series ♦ | Series high security, push side mount, size 6 or non-sized cylinders | All | All        | All    | USA     |
| 5010 ♦        | Concealed (in header) mount, sized cylinder                          | All | All        | All    | USA     |
| 5030 Series ♦ | Concealed (in header) mount, sized cylinder                          | All | All        | All    | USA     |
| 6030 ♦        | Concealed (in narrow header) double action sized cylinder            | All | All        | All    | USA     |

\* Refer to page 8 for additional cost and order requirements.

\* Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

### Automatic operators

| Product       | Description                                                                   | Arm | Screw pack | Finish | BAA COO |
|---------------|-------------------------------------------------------------------------------|-----|------------|--------|---------|
| 2610 Series ♦ | Pneumatic auto equalizer, concealed mount, sized cylinder                     | All | All        | All    | USA     |
| 2810 Series ♦ | Senior swing - single door, overhead concealed mount                          | All | All        | All    | USA     |
| 2850 Series ♦ | Senior swing - simultaneous pair, overhead concealed mount                    | All | All        | All    | USA     |
| 2860 Series ♦ | Senior swing - independent pair, overhead concealed mount                     | All | All        | All    | USA     |
| 4630 Series ♦ | Electric auto equalizer - top jamb (pull side) mount, non-sized               | All | All        | All    | USA     |
| 4640 Series ♦ | Electric auto equalizer - top jamb (push side) mount, non-sized               | All | All        | All    | USA     |
| 4810 Series ♦ | Pneumatic auto equalizer - top jamb (pull side) mount, non-sized              | All | All        | All    | USA     |
| 4820 Series ♦ | Pneumatic auto equalizer - top jamb (push side) mount, non-sized              | All | All        | All    | USA     |
| 4840 Series ♦ | Pneumatic auto equalizer - parallel arm (pull side) mount, non-sized          | All | All        | All    | USA     |
| 9130 Series ♦ | Benchmark - single door, surface (pull side) mount                            | All | All        | All    | USA     |
| 9140 Series ♦ | Benchmark - single door, surface (push side) mount                            | All | All        | All    | USA     |
| 9150 Series ♦ | Benchmark - pair door, surface (push side) mount                              | All | All        | All    | USA     |
| 9530 Series ♦ | Senior swing - single door, surface (pull side) mount                         | All | All        | All    | USA     |
| 9540 Series ♦ | Senior swing - single door, surface (push side) mount                         | All | All        | All    | USA     |
| 9550 Series ♦ | Senior swing - simultaneous pair, surface (pull, push or double egress) mount | All | All        | All    | USA     |
| 9560 Series ♦ | Senior swing - independent pair, surface (pull, push or double egress) mount  | All | All        | All    | USA     |

\* Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for plated finishes to standard lead time.

# Closers

## LCN (cont.)

### Fire/life safety

| Product         | Description                                   | Arm | Screw pack | Finish | BAA<br>COO |
|-----------------|-----------------------------------------------|-----|------------|--------|------------|
| 3130SE ♦        | Concealed mounted - sized cylinder            | All | All        | All    | USA        |
| 4040SE Series ♦ | Hinge side mount, non-sized cylinders         | All | All        | All    | USA        |
| 4310ME Series ♦ | Electronic release with multi point hold open | All | All        | All    | USA        |
| 4410ME Series ♦ | Electronic release with multi point hold open | All | All        | All    | USA        |

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

## Falcon

### Door closers

| Product       | Description                                                   | Screw pack | Finish       | TAA<br>COO |
|---------------|---------------------------------------------------------------|------------|--------------|------------|
| SC60 Series   | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All        | All standard | Taiwan     |
| SC70 Series   | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All        | All standard | Taiwan     |
| SC80 Series   | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All        | All standard | Taiwan     |
| SC90 Series   | Mounts hinge side, top jamb or parallel arm, fixed sizes      | All        | All standard | Taiwan     |
| OHC100 Series | Overhead concealed                                            | All        | All standard | Taiwan     |

Note: Falcon closers listed on this page qualify for BAA projects above the qualifying designated country threshold. See "When could BAA apply?" on page 4 and 5 for more details.

### Automatic operators

| Product     | Description                                             | Arm | Screw pack | Finish | BAA<br>COO |
|-------------|---------------------------------------------------------|-----|------------|--------|------------|
| 8230 Series | Electro mechanical - flush or surface (pull side) mount | All | All        | All    | USA        |
| 8240 Series | Electro mechanical - flush or surface (push side) mount | All | All        | All    | USA        |

## Exit devices

### Von Duprin

#### Exit device

| Product          | Description                                                                                                                                            | Type       | Function | Trim | Finish | BAA<br>COO |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------|------|--------|------------|
| 22 Series        | Rim, surface vertical rod                                                                                                                              | Exit, fire | All      | All  | All    | USA        |
| 33A/35A Series   | Rim, surface vertical rod, concealed vertical rod, concealed vertical cable                                                                            | Exit, fire | All      | All  | All    | USA        |
| 55 Series        | Rim, concealed vertical rod, wood door concealed vertical rod, mortise lock                                                                            | Exit, fire | All      | All  | All    | USA        |
| 88 Series        | Rim, surface vertical rod, concealed vertical rod, mortise lock                                                                                        | Exit, fire | All      | All  | All    | USA        |
| 94/95 Series     | Concealed vertical rod, mortise lock                                                                                                                   | Exit, fire | All      | All  | All    | USA        |
| 98/99 Series     | Rim, surface vertical rod, concealed vertical rod, concealed vertical cable, Wood door concealed vertical rod, Surface three point latch, mortise lock | Exit, fire | All      | All  |        | USA        |
| XP98/99 Series ‡ | Rim                                                                                                                                                    | Exit, fire | All      | All  | All    | USA        |

‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

#### Mullions/other

| Product      | Description                                                                  | Finish         | BAA<br>COO |
|--------------|------------------------------------------------------------------------------|----------------|------------|
| 2670 GUARD-X | Exit alarm lock                                                              | US28, 313, 315 | USA        |
| 4954         | Steel mullion - prepped for (2) 299 strikes                                  | SP28, SP313    | USA        |
| KR4954       | Steel mullion w/keyed removable option - prepped for (2) 299 strikes         | SP28, SP313    | USA        |
| 9954         | Steel mullion - prepped for (2) 499f or 268 strikes                          | SP28, SP313    | USA        |
| KR9954       | Steel mullion w/keyed removable option - prepped for (2) 499f or 268 strikes | SP28, SP313    | USA        |
| 576A         | Mortise lock strike, 55/88/98/9975, pairs 1 3/4" dr - optional               | All            | USA        |

# Exit devices

## Falcon

### Exit device

| Product        | Description                          | Type       | Function | Trim | Finish | BAA<br>COO |
|----------------|--------------------------------------|------------|----------|------|--------|------------|
| 19-R Series    | Rim, non-handed                      | Exit, fire | All      | All  | All    | USA        |
| 19-V Series    | Reversible vertical rod              | Exit, fire | All      | All  | All    | USA        |
| 24-R Series    | Rim, narrow stile                    | Exit, fire | All      | All  | All    | USA        |
| 24-V Series    | Surface vertical rod, narrow stile   | Exit, fire | All      | All  | All    | USA        |
| 24-C Series    | Concealed vertical rod, narrow stile | Exit, fire | All      | All  | All    | USA        |
| 24-CWDC Series | Wood door concealed vertical rod     | Exit, fire | All      | All  | All    | USA        |
| 25-R Series    | Rim, wide stile                      | Exit, fire | All      | All  | All    | USA        |
| 25-V Series    | Surface vertical rod, wide stile     | Exit, fire | All      | All  | All    | USA        |
| 25-M Series ‡  | Mortise, wide stile                  | Exit, fire | All      | All  | All    | USA        |
| 25-C Series    | Concealed vertical rod, wide stile   | Exit, fire | All      | All  | All    | USA        |
| 25-CWDC Series | Wood door concealed vertical rod     | Exit, fire | All      | All  | All    | USA        |
| XX-R Series    | Rim, single point                    | Exit, fire | All      | All  | All    | USA        |
| XX-V Series    | Reversible vertical rod              | Exit, fire | All      | All  | All    | USA        |
| XX-C Series    | Reversible concealed vertical rod    | Exit, fire | All      | All  | All    | USA        |
| XX-M Series    | Reversible mortise                   | Exit, fire | All      | All  | All    | USA        |
| 1490 Series    | Pushpad, hurricane rated             | Exit       | All      | All  | All    | USA        |
| 1590 Series    | Rim, pushpad                         | Exit       | All      | All  | All    | USA        |
| 1690 Series    | Concealed vertical rod               | Exit       | All      | All  | All    | USA        |
| 1790 Series    | Rim                                  | Exit       | All      | All  | All    | USA        |
| 1990           | Concealed vertical rod, cross bar    | Exit       | All      | All  | All    | USA        |
| 2090           | Rim, cross bar                       | Exit       | All      | All  | All    | USA        |
| 2390           | Mid-panel, concealed vertical rod    | Exit       | All      | All  | All    | USA        |

‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

### Mullion

| Product   | Description                         | Finish | BAA<br>COO |
|-----------|-------------------------------------|--------|------------|
| 2923      | For use with all rim devices        | Prime  | USA        |
| 4023      | For use with all rim devices        | SP28   | USA        |
| KR-4023   | Keyed removable option              | SP28   | USA        |
| F4023     | For use with fire rated rim devices | SP28   | USA        |
| KR-F-4023 | Keyed removable option              | SP28   | USA        |

## Auxiliary hardware

### Glynn-Johnson

#### Overhead holders and stops

All overhead holders and stops by Glynn-Johnson meet BAA requirements with a country of origin of USA.  
The list below displays the most common items.

#### 70 Series

| Product | Description                                       | Finish | BAA COO |
|---------|---------------------------------------------------|--------|---------|
| 704H    | 70 Series, size 4, hold-open - heavy-duty surface | All    | USA     |
| 704S    | 70 Series, size 4, stop-only - heavy-duty surface | All    | USA     |

#### 81 Series heavy-duty surface

| Product | Description                                       | Finish | BAA COO |
|---------|---------------------------------------------------|--------|---------|
| 814H    | 81 Series, size 4, hold-open - heavy-duty surface | All    | USA     |
| 814S    | 81 Series, size 4, stop-only - heavy-duty surface | All    | USA     |

#### 90 Series

| Product | Description                                       | Finish | BAA COO |
|---------|---------------------------------------------------|--------|---------|
| 903H    | 90 Series, size 3, hold-open - heavy-duty surface | All    | USA     |
| 904H    | 90 Series, size 4, hold-open - heavy-duty surface | All    | USA     |
| 905H    | 90 Series, size 5, hold-open - heavy-duty surface | All    | USA     |
| 906H    | 90 Series, size 6, hold-open - heavy-duty surface | All    | USA     |
| 903S    | 90 Series, size 3, stop-only - heavy-duty surface | All    | USA     |
| 904S    | 90 Series, size 4, stop-only - heavy-duty surface | All    | USA     |
| 905S    | 90 Series, size 5, stop-only - heavy-duty surface | All    | USA     |
| 906S    | 90 Series, size 6, stop-only - heavy-duty surface | All    | USA     |

#### 100 Series

| Product    | Description                                                        | Finish | BAA COO |
|------------|--------------------------------------------------------------------|--------|---------|
| 103H, 104H | 70 Series, size 4, hold-open - heavy-duty surface                  | All    | USA     |
| 105H, 106H | 100 Series, size 5 or 6, hold-open - heavy-duty concealed          | All    | USA     |
| 103S, 104S | 100 Series, size 3 or 4, stop-only - heavy-duty concealed          | All    | USA     |
| 105S, 106S | 100 Series, size 5 or 6, stop-only - heavy-duty concealed          | All    | USA     |
| 106F       | 100 Series, size 5 or 6, friction hold-open - heavy-duty concealed | All    | USA     |
| 106HP      | 100 Series, size 5 or 6, internal hold-open - heavy-duty concealed | All    | USA     |

#### 410 Series

| Product | Description                                           | Finish | BAA COO |
|---------|-------------------------------------------------------|--------|---------|
| 413H    | 410 Series, size 3, hold-open - medium-duty concealed | All    | USA     |
| 414H    | 410 Series, size 4, hold-open - medium-duty concealed | All    | USA     |
| 413S    | 410 Series, size 3, stop-only - medium-duty concealed | All    | USA     |
| 414S    | 410 Series, size 4, stop-only - medium-duty concealed | All    | USA     |

#### 450 Series

| Product | Description                                        | Finish | BAA COO |
|---------|----------------------------------------------------|--------|---------|
| 451H    | 450 Series, size 1, hold-open- medium-duty surface | All    | USA     |
| 452H    | 450 Series, size 2, hold-open- medium-duty surface | All    | USA     |
| 453H    | 450 Series, size 3, hold-open- medium-duty surface | All    | USA     |
| 454H    | 450 Series, size 4, hold-open- medium-duty surface | All    | USA     |
| 455H    | 450 Series, size 5, hold-open- medium-duty surface | All    | USA     |
| 451S    | 450 Series, size 1, stop-only- medium-duty surface | All    | USA     |
| 452S    | 450 Series, size 2, stop-only- medium-duty surface | All    | USA     |
| 453S    | 450 Series, size 3, stop-only- medium-duty surface | All    | USA     |
| 454S    | 450 Series, size 4, stop-only- medium-duty surface | All    | USA     |
| 455S    | 450 Series, size 5, stop-only- medium-duty surface | All    | USA     |

## Auxiliary hardware

### Glynn-Johnson (cont.)

#### Push/pull latch

| Product         | Description                        | Finish | BAA COO |
|-----------------|------------------------------------|--------|---------|
| HL6-2           | Push/pull latch                    | All    | USA     |
| HL6-5           | Push/pull latch - 5" backset       | All    | USA     |
| HL6-9000 Series | Push/pull mortise lock combination | All    | USA     |

### Ives

#### Hinges

| Product                  | Description                                                    | Finish   | TAA COO |
|--------------------------|----------------------------------------------------------------|----------|---------|
| BAA 5BB1 4.5 x 4.5       | Five knuckle, ball bearing, standard weight                    | 630, 652 | Taiwan  |
| BAA 5BB1 4.5 x 4.5 NRP   | Five knuckle, ball bearing, standard weight, non-removable pin | 630, 652 | Taiwan  |
| BAA 5BB1 4.5 x 4.5 TW8   | Five knuckle, ball bearing, standard weight - 8" through-wire  | 630, 652 | Taiwan  |
| BAA 5BB1HW 4.5 x 4.5     | Five knuckle, ball bearing, heavy weight                       | 630, 652 | Taiwan  |
| BAA 5BB1HW 4.5 x 4.5 NRP | Five knuckle, ball bearing, heavy weight, non-removable pin    | 630, 652 | Taiwan  |
| BAA 5BB1HW 4.5 x 4.5 TW8 | Five knuckle, ball bearing, heavy weight - 8" through-wire     | 630, 652 | Taiwan  |
| BAA 5BB1HW 5 x 4.5       | Five knuckle, ball bearing, heavy weight                       | 630, 652 | Taiwan  |
| BAA 5BB1HW 5 x 4.5 NRP   | Five knuckle, ball bearing, heavy weight, non-removable pin    | 630, 652 | Taiwan  |
| BAA 5BB1HW 5 x 4.5 TW8   | Five knuckle, ball bearing, heavy weight, 8" through-wire      | 652      | Taiwan  |
| BAA 5BB1HWBSC 4.5        | Five knuckle, ball bearing, heavy weight, swing clear          | 652      | Taiwan  |

#### Continuous hinges

| Product | Description                                                | Finish      | BAA COO | TAA COO |
|---------|------------------------------------------------------------|-------------|---------|---------|
| 600*    | Concealed hinge - pin and barrel                           | USP         | -       | Canada  |
| 602*    | Full surface, flush mount - pin and barrel                 | USP         | -       | Canada  |
| 611*    | Swing clear - pin and barrel                               | USP         | -       | Canada  |
| 700*    | Concealed hinge - pin and barrel                           | US32D       | -       | Canada  |
| 702*    | Full surface, flush mount - pin and barrel                 | US32D       | -       | Canada  |
| 705*    | Concealed hinge - pin and barrel                           | US32D       | -       | Canada  |
| 711*    | Swing clear, flush mount, surface hinge - pin and barrel   | US32D       | -       | Canada  |
| 715*    | Concealed hinge, flush mounted, half wrap - pin and barrel | US32D       | -       | Canada  |
| 700CS*  | Concealed hinge - pin and barrel                           | US32D       | -       | Canada  |
| 711CS*  | Swing clear, flush mount, surface hinge - pin and barrel   | US32D       | -       | Canada  |
| 715CS*  | Concealed hinge, flush mounted, half wrap - pin and barrel | US32D       | -       | Canada  |
| 045XY*  | Heavy duty, half surface - geared                          | US28, 313AN | USA     | -       |
| 046XY*  | Heavy duty, half surface - geared                          | US28, 313AN | USA     | -       |
| 053XY*  | Heavy duty, half surface - geared                          | US28, 313AN | USA     | -       |
| 054XY*  | Heavy duty, half surface - geared                          | US28, 313AN | USA     | -       |
| 112HD*  | Heavy duty, full mortise - geared                          | US28, 313AN | USA     | -       |
| 157XY*  | Heavy duty, full mortise - geared                          | US28, 313AN | USA     | -       |
| 210XY*  | Heavy duty, full surface, swing clear - geared             | US28, 313AN | USA     | -       |
| 224HD*  | Heavy duty, full mortise - geared                          | US28, 313AN | USA     | -       |

\* Standard lengths include: 83", 85", 95", 120". Custom lengths and all options also available. (i.e. EPT cut-out)

#### Pivots

| Product             | Description                                 | Finish             | BAA COO | TAA COO |
|---------------------|---------------------------------------------|--------------------|---------|---------|
| 7212-7212V-7222 INT | Intermediate pivot for 7212, 7212v and 7222 | SP28, SP313, US26D | -       | Taiwan  |
| 7215 Pivot set      | ¾" Offset pivots, jamb-mounted bottom       | SP28, SP313, US26D | -       | Taiwan  |
| 7215-7226-7227 INT  | Intermediate pivot for 7215, 7226 and 7227  | SP28, SP313, US26D | -       | Taiwan  |
| 7222 Pivot set      | ¾" Offset pivots, floor-mounted bottom      | SP28, SP313, US26D | -       | Taiwan  |

**Note:** Ives hinges listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold. See pages 4 and 5 for more details.

## Auxiliary hardware

### Ives (cont.)

#### Pivots (cont.)

| Product        | Description           | Finish             | BAA COO | TAA COO |
|----------------|-----------------------|--------------------|---------|---------|
| 7253 Pivot set | Center-hung pivot set | SP28, SP313, US26D | -       | Taiwan  |
| 7255 Pivot set | Center-hung pivot set | SP28, SP313, US26D | -       | Taiwan  |
| 7259 BTM       | Bottom pivot for 7259 | US26D              | USA     | -       |

**Note:** Ives hinges listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold. See pages 4 and 5 for more details.

#### Protection plates, push/pull plates, and pulls

| Product      | Description                           | Finish | BAA COO |
|--------------|---------------------------------------|--------|---------|
| 8200         | Push plate                            | All    | USA     |
| 8302-10      | Pull plate - 10" grip                 | All    | USA     |
| 8302-8       | Pull plate - 8" grip                  | All    | USA     |
| 8311-5       | Pull plate - 5" grip                  | All    | USA     |
| 8400, 8402   | Kickplate - all sizes                 | All    | USA     |
| VR810, VR814 | Vandal resistant trim - all functions | All    | USA     |
| VR900, VR904 | Vandal resistant trim - all functions | All    | USA     |
| VR910, VR914 | Vandal resistant trim - all functions | All    | USA     |

#### Carry bars

| Product | Description | Finish | BAA COO |
|---------|-------------|--------|---------|
| CB1     | Carry bar   | All    | USA     |

#### Invisible latches

| Product | Description                                                             | Finish | BAA COO | TAA COO |
|---------|-------------------------------------------------------------------------|--------|---------|---------|
| CL11    | Invisible latch, $\frac{7}{16}$ " x $1\frac{1}{4}$ " x $1\frac{7}{8}$ " | All    | -       | Taiwan  |
| CL12    | Invisible latch, $\frac{9}{16}$ " x $1\frac{1}{4}$ " x $2\frac{1}{4}$ " | All    | -       | Taiwan  |
| CL14    | Auxiliary pusher for invisible latches                                  | All    | USA     | -       |
| CL21A   | Four-way catch — full size doors w/hook plate                           | All    | -       | Taiwan  |
| CL22    | Three-way catch                                                         | All    | -       | Taiwan  |

#### Coordinators

| Product | Description                             | Finish | BAA COO | TAA COO |
|---------|-----------------------------------------|--------|---------|---------|
| COR7G   | Gravity arm coordinator - 7" projection | All    | -       | Taiwan  |
| COR9G   | Gravity arm coordinator - 9" projection | All    | -       | Taiwan  |
| COR32   | Coordinator - 32" overall length        | All    | USA     | -       |
| COR42   | Coordinator - 42" overall length        | All    | USA     | -       |
| COR52   | Coordinator - 52" overall length        | All    | USA     | -       |
| COR60   | Coordinator - 60" overall length        | All    | USA     | -       |
| COR72   | Coordinator - 72" overall length        | All    | USA     | -       |

#### Dust proof strikes

| Product | Description                        | Finish | TAA COO |
|---------|------------------------------------|--------|---------|
| DP1     | Dust-proof strike - threshold only | All    | Taiwan  |
| DP2     | Dust-proof strike                  | All    | Taiwan  |

## Auxiliary hardware

### Ives (cont.)

#### Door viewer

| Product | Description                                                                                            | Finish | TAA COO |
|---------|--------------------------------------------------------------------------------------------------------|--------|---------|
| U696    | UL Listed door viewer (150°) - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> " | All    | Taiwan  |
| 698     | Wide Angle door viewer - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "       | All    | Taiwan  |
| U698    | Wide Angle door viewer - Fits 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "       | All    | Taiwan  |
| 700     | Door viewer (120°) - 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "                | All    | Taiwan  |
| U700    | UL Listed door viewer (120°) - 1 <sup>3</sup> / <sub>8</sub> " - 2 <sup>1</sup> / <sub>16</sub> "      | All    | Taiwan  |
| 701     | Door viewer (120°) - Fits 2 <sup>1</sup> / <sub>8</sub> " - 2 <sup>5</sup> / <sub>8</sub> "            | All    | Taiwan  |
| U701    | UL Listed door viewer - Fits 2 <sup>1</sup> / <sub>8</sub> " - 2 <sup>5</sup> / <sub>8</sub> "         | All    | Taiwan  |

#### Flush bolts

| Product | Description                                              | Finish | BAA COO |
|---------|----------------------------------------------------------|--------|---------|
| FB31P   | Automatic flush bolt — pair metal                        | All    | USA     |
| FB32    | Automatic flush bolt w/aux. fire latch metal             | All    | USA     |
| FB41P   | Automatic flush bolt — pair wood                         | All    | USA     |
| FB42    | Automatic flush bolt w/aux. fire latch wood              | All    | USA     |
| FB51P   | Constant latching top flush bolt — pair metal            | All    | USA     |
| FB52    | Constant latching top flush bolt w/aux. fire latch metal | All    | USA     |
| FB61P   | Constant latching top flush bolt — pair wood             | All    | USA     |
| FB62    | Constant latching top flush bolt w/aux. fire latch wood  | All    | USA     |

#### Filler bars

| Product | Description                     | Finish | BAA COO |
|---------|---------------------------------|--------|---------|
| FL20    | Filler bar — 20" overall length | All    | USA     |
| FL32    | Filler bar — 32" overall length | All    | USA     |
| FL44    | Filler bar — 44" overall length | All    | USA     |

#### Floor/door stops and holders

| Product                | Description                                                                                                        | Finish | TAA COO |
|------------------------|--------------------------------------------------------------------------------------------------------------------|--------|---------|
| FS13, FS17             | Dome stop                                                                                                          | All    | Taiwan  |
| R14                    | Dome stop riser                                                                                                    | All    | Taiwan  |
| FS434                  | Floor stop                                                                                                         | US2C   |         |
| FS18L                  | Security floor stop — 3 <sup>1</sup> / <sub>2</sub> " bumper                                                       | -      | Taiwan  |
| FS18S                  | Security floor stop                                                                                                | -      | Taiwan  |
| FS9                    | Semi-Automatic floor holder — 1 <sup>1</sup> / <sub>2</sub> " or less door to floor clearance                      | All    | Taiwan  |
| FS40, FS41, FS42, FS43 | Automatic floor holder — <sup>1</sup> / <sub>2</sub> " to 2 <sup>1</sup> / <sub>16</sub> " door to floor clearance | All    | Taiwan  |
| FS544-4"               | Kick down door holder — iron                                                                                       | All    | Taiwan  |
| FS555-5"               | Kick down door holder — iron                                                                                       | All    | Taiwan  |
| FS1153                 | Plunger-type door holder — 1 <sup>5</sup> / <sub>8</sub> " throw                                                   | US28   | Taiwan  |
| FS1154                 | Plunger-type door holder — 1 <sup>1</sup> / <sub>4</sub> " throw                                                   | All    | Taiwan  |

## Auxiliary hardware

### Ives (cont.)

#### Lock guards

| Product | Description                  | Finish | BAA COO |
|---------|------------------------------|--------|---------|
| LG1     | Lock guard with security pin | All    | USA     |
| LG10    | Lock guard                   | All    | USA     |
| LG13    | Lock guard                   | All    | USA     |
| LG14    | Lock guard                   | All    | USA     |

#### Mounting brackets

| Product | Description                           | Finish | BAA COO | TAA COO |
|---------|---------------------------------------|--------|---------|---------|
| MB1     | Mounting bracket — stops over 2 1/2"  | All    | USA     | -       |
| MB2     | Mounting bracket — stops up to 2 1/2" | All    | USA     | -       |

#### Roller latches

| Product      | Description                               | Finish | TAA COO |
|--------------|-------------------------------------------|--------|---------|
| RL30, RL30-A | Roller latch                              | All    | Taiwan  |
| RL32, RL32-A | Roller latch                              | All    | Taiwan  |
| RL36, RL36A  | Roller latch, light-duty, mortise         | US32D  | Taiwan  |
| RL38         | Roller latch, light-duty, surface mounted | US32D  | Taiwan  |
| RL1152       | Combination roller latch/applied stop     | All    | Taiwan  |

#### Locking bolts

| Product       | Description                               | Finish      | BAA COO | TAA COO |
|---------------|-------------------------------------------|-------------|---------|---------|
| SB1630B       | 8" Steel bottom bolt                      | US2G, US26D | -       | Taiwan  |
| SB1630BL-1289 | 8" Locking bottom bolt                    | All         | USA     | -       |
| SB1630BL-1360 | 8" Locking bottom bolt                    | All         | USA     | -       |
| SB1630T       | 8" Steel top bolt                         | US2G, US26D | -       | Taiwan  |
| SB1630TB      | 8" Steel bolt with top and bottom strikes | US2G, US26D | -       | Taiwan  |
| SB1630TL-1289 | 8" Locking top bolt                       | All         | USA     | -       |
| SB1630TL-1360 | 8" Locking top bolt                       | All         | USA     | -       |

#### Silencers

| Product | Description                     | Finish | TAA COO   |
|---------|---------------------------------|--------|-----------|
| SR64    | Door silencers for metal frames | Gray   | Hong Kong |
| SR65    | Door silencers for wood frames  | Gray   | Hong Kong |

#### Wall stops/holders

| Product     | Description                               | Finish | TAA COO |
|-------------|-------------------------------------------|--------|---------|
| WS11, WS11X | Wall stop for drywall, masonry mounting   | All    | Taiwan  |
| WS33, WS33X | Automatic holder and stop universal       | US26D  | Taiwan  |
| WS20, WS20X | Automatic holder and stop universal       | All    | Taiwan  |
| WS40        | Wall stop for drywall, masonry mounting   | All    | Taiwan  |
| WS45        | Manual holder and stop (drywall, masonry) | All    | Taiwan  |

## Auxiliary hardware

### Zero

#### Automatic door bottom

| Product | Description                                                            | Function        | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|---------|------------------------------------------------------------------------|-----------------|---------------------|------------|------------|
| 360     | Aluminum with neoprene seal, mortised, heavy duty                      | Sill protection | AA                  | USA        | -          |
| 361     | Aluminum with neoprene seal, surface-mounted, heavy duty               | Sill protection | AA, D, G            | USA        | -          |
| 362     | Aluminum with neoprene seal, semi-mortised, heavy duty                 | Sill protection | AA, D, G            | USA        | -          |
| 364     | Aluminum with neoprene seal, mortised, heavy duty                      | Sill protection | AA                  | USA        | -          |
| 365     | Aluminum with neoprene seal, surface-mounted, heavy duty               | Sill protection | AA, D, G            | USA        | -          |
| 366     | Aluminum with neoprene seal, semi-mortised, heavy duty                 | Sill protection | AA, D, G            | USA        | -          |
| 367     | Aluminum with neoprene seal, surface-mounted, heavy duty, high sound   | Sill protection | AA, D, G            | USA        | -          |
| 368     | Aluminum with neoprene seal, semi-mortised, heavy duty, high sound     | Sill protection | AA, D, G            | USA        | -          |
| 369     | Aluminum with neoprene seal, mortised, heavy duty, high sound          | Sill protection | AA                  | USA        | -          |
| 350     | Aluminum with neoprene seal, mortised, regular duty                    | Sill protection | AA                  | USA        | Canada     |
| 351     | Aluminum with neoprene seal, surface-mounted, regular duty             | Sill protection | AA, D, G            | USA        | Canada     |
| 351X    | Aluminum with neoprene seal, surface-mounted, regular duty, lead-lined | Sill protection | AA, D, G            | USA        | Canada     |
| 352     | Aluminum with neoprene seal, semi-mortised, regular duty               | Sill protection | AA, D               | USA        | Canada     |
| 320     | Aluminum with neoprene seal, mortised, regular duty                    | Sill protection | AA                  | USA        | -          |
| 321     | Aluminum with neoprene seal, surface mounted, regular duty, handed     | Sill protection | AA, D               | USA        | Canada     |
| 323     | Aluminum with neoprene seal, mortised, regular duty, handed            | Sill protection | AA                  | USA        | -          |
| 354     | Aluminum with silicone seal, mortised, regular duty, handed            | Sill protection | A                   | USA        | Canada     |
| 355     | Aluminum with silicone seal, mortised, regular duty                    | Sill protection | A                   | USA        | Canada     |
| 3541    | Aluminum with neoprene seal, mortised, regular duty, handed            | Sill protection | A                   | USA        | Canada     |
| 3551    | Aluminum with neoprene seal, mortised, regular duty                    | Sill protection | A                   | USA        | Canada     |
| 3552    | Aluminum with nylon brush seal, mortised, regular duty                 | Sill protection | A                   | USA        | Canada     |

#### Door sweeps

| Product | Description                                                             | Function        | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|---------|-------------------------------------------------------------------------|-----------------|---------------------|------------|------------|
| 39      | Aluminum with 1/8" x 1 3/8" neoprene seal                               | Sill protection | A, D                | USA        | -          |
| 39W     | Aluminum with 1/8" x 2" neoprene seal                                   | Sill protection | A, D                | USA        | -          |
| 339     | Aluminum with 1/8" x 1 3/8" neoprene, fire seal                         | Sill protection | AA, D, G            | USA        | -          |
| 339W    | Aluminum with 1/8" x 2" neoprene seal                                   | Sill protection | AA, D, G            | USA        | -          |
| 329     | Aluminum with 1/8" x 1" beveled neoprene seal                           | Sill protection | AA, D, G            | USA        | -          |
| 639W    | Aluminum with 1/8" x 4" neoprene seal                                   | Sill protection | A, D                | USA        | -          |
| 477     | Aluminum with neoprene seal, 5/8" long lip                              | Sill protection | AA, D, G            | USA        | -          |
| 8194    | Aluminum with neoprene seal, 3/8" long lip                              | Sill protection | AA, D               | USA        | Canada     |
| 153     | Aluminum with neoprene seal                                             | Sill protection | A, D                | USA        | Canada     |
| 253     | Aluminum with neoprene seal, mortised                                   | Sill protection | A                   | USA        | Canada     |
| 253FS   | Aluminum with intumescent fire seal                                     | Sill protection | A                   | USA        | Canada     |
| 111FS   | Aluminum door shoe with intumescent seal                                | Sill protection | A                   | USA        | -          |
| 339FS   | Aluminum with neoprene and intumescent fire seal                        | Sill protection | AA, D               | USA        | -          |
| 521FS   | Aluminum with silicone and intumescent fire seal, up to 1 1/4" undercut | Sill protection | A                   | USA        | -          |
| 110     | Aluminum with pile brush seal, surface mounted                          | Sill protection | A                   | USA        | -          |
| 254     | Aluminum with pile brush seal, mortised                                 | Sill protection | A                   | USA        | Canada     |
| 8192    | Aluminum with nylon brush seal, 5/8" long brush                         | Sill protection | AA, D               | USA        | Canada     |
| 8193    | Aluminum with nylon brush seal, 3/8" long brush                         | Sill protection | AA, D               | USA        | Canada     |
| 96      | Aluminum with nylon brush seal, 1 1/8" long brush                       | Sill protection | A                   | USA        | -          |
| 8149    | Aluminum with nylon brush seal, 5/8" long brush                         | Sill protection | AA                  | USA        | -          |
| 8198    | Aluminum rain drip with nylon brush seal, 3/8" (exposed) long brush     | Sill protection | AA, D, G            | USA        | -          |

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized

<sup>2</sup> Colors available: Black, Brown, Clear, Grey, White.

<sup>3</sup> Regular or DB (Double Bearing). Options: HT (Hospital Tip), SC (School Option).

## Auxiliary hardware

### Zero (cont.)

#### Perimeter seals

| Product | Description                                                | Function                 | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|---------|------------------------------------------------------------|--------------------------|---------------------|------------|------------|
| 770     | Aluminum with neoprene, adjustable fire/sound seal         | Head and jamb protection | AA, D               | USA        | –          |
| 170     | Aluminum with neoprene, adjustable fire/sound seal         | Head and jamb protection | AA, D, G            | USA        | –          |
| 7770    | Aluminum with double neoprenes, adjustable fire/sound seal | Head and jamb protection | AA, D, G            | USA        | Canada     |
| 870     | Aluminum with silicone, adjustable fire seal               | Head and jamb protection | AA, D               | USA        | –          |
| 475     | Aluminum with neoprene bulb fire/smoke seal                | Head and jamb protection | AA, D, G            | USA        | –          |
| 328     | Aluminum with neoprene, fire seal                          | Head and jamb protection | AA, D, G            | USA        | –          |

#### Thresholds

| Product | Description                                                                                                  | Function              | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|---------|--------------------------------------------------------------------------------------------------------------|-----------------------|---------------------|------------|------------|
| 544     | Aluminum saddle threshold 4" x 1/4", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 545     | Aluminum saddle threshold 5" x 1/4", ADA compliant                                                           | Utility threshold     | A, D                | USA        | –          |
| 546     | Aluminum saddle threshold 6" x 1/4", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 547     | Aluminum saddle threshold 7" x 1/4", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 548     | Aluminum saddle threshold 8" x 1/4", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 654     | Aluminum saddle threshold 4" x 1/2", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 164     | Aluminum saddle threshold 4" x 1/2", ADA compliant                                                           | Utility threshold     | A, STST             | USA        | –          |
| 655     | Aluminum saddle threshold 5" x 1/2", ADA compliant                                                           | Utility threshold     | A                   | USA        | –          |
| 8655    | Aluminum saddle threshold 5" x 1/2", ADA compliant                                                           | Utility threshold     | A                   |            | Canada     |
| 656     | Aluminum threshold 6" x 1/2", ADA compliant                                                                  | Utility threshold     | A                   |            | Canada     |
| 657     | Aluminum saddle threshold 7" x 1/2", for floor closer applications                                           | Utility threshold     | A                   |            | Canada     |
| 6570    | Aluminum threshold 7" x 1/2", ADA compliant                                                                  | Utility threshold     | A                   | USA        | –          |
| 522     | Aluminum carpet divider threshold 1 7/16" x 1/2"; wood or rubber insert available for thermal break function | Carpet divider        | A                   | USA        | –          |
| 622     | Aluminum half saddle threshold 1 15/16" x 1/2", ADA compliant                                                | Half saddle threshold | A                   |            | Canada     |
| 564     | Aluminum rabbetted threshold 3 11/16" x 1/2" with neoprene seal                                              | Rabbetted threshold   | A, D                | USA        | Canada     |
| 566     | Aluminum rabbetted threshold 5" x 1/2" with neoprene seal, ADA compliant                                     | Rabbetted threshold   | A                   | USA        | –          |
| 568     | Aluminum rabbetted threshold 6" x 1/2" with neoprene seal, ADA compliant                                     | Rabbetted threshold   | A                   | USA        | –          |
| 65      | Aluminum rabbetted threshold 5" x 1/2" with neoprene seal, for latchtrack hardware, ADA compliant            | Rabbetted threshold   | A                   | USA        | Canada     |
| 672     | Aluminum floor plate threshold 2" x 1/4"                                                                     | Adjustable threshold  | A                   | USA        | –          |
| 673     | Aluminum floor plate threshold 3" x 1/4"                                                                     | Adjustable threshold  | A                   | USA        | –          |
| 674     | Aluminum floor plate threshold 4" x 1/4"                                                                     | Adjustable threshold  | A                   | USA        | –          |
| 675     | Aluminum floor plate adjustable threshold 5" x 1/4"                                                          | Adjustable threshold  | A                   | USA        | –          |
| 676     | Aluminum floor plate adjustable threshold 6" x 1/4"                                                          | Adjustable threshold  | A                   | USA        | –          |
| 678     | Aluminum floor plate adjustable threshold 8" x 1/4"                                                          | Adjustable threshold  | A                   | USA        | –          |
| 6710    | Aluminum floor plate adjustable threshold 10" x 1/4"                                                         | Adjustable threshold  | A                   | USA        | –          |
| 2673    | Traction tread aluminum stair nosing 3" x 1/4", fire rated                                                   | Adjustable threshold  | A                   | USA        | –          |
| 2676    | Traction tread aluminum stair nosing 6" x 1/4", fire rated                                                   | Adjustable threshold  | A                   | USA        | Canada     |
| 3672    | Traction tread aluminum plate 2" x 1/4", fire rated                                                          | Adjustable threshold  | A                   | USA        | –          |

<sup>1</sup> Finish: A = MILL Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel

<sup>2</sup> Colors available: Black, Brown, Clear, Grey, White.

<sup>3</sup> Regular or DB (Double Bearing). Options: HT (Hospital Tip), SC (School Option).

## Auxiliary hardware

### Zero (cont.)

#### Meeting stiles

| Product        | Description                                                                                  | Function | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|----------------|----------------------------------------------------------------------------------------------|----------|---------------------|------------|------------|
| 383            | Aluminum astragal with neoprene seals, one door active                                       | Astragal | AA, D               | USA        | Canada     |
| 55, 155        | Adjustable surface aluminum astragal with brush seal                                         | Astragal | AA, D               | USA        | -          |
| 41             | Aluminum with pile brush seal exterior security astragal, one door active                    | Astragal | AA, D               | USA        | Canada     |
| 55, 555        | Adjustable surface aluminum astragal with silicone fire seal, both doors active              | Astragal | AA, D               | USA        | -          |
| 56, 557        | Adjustable mortised aluminum astragal with silicone fire seal, both doors active             | Astragal | AA, D               | USA        | -          |
| 383FS          | Aluminum astragal with neoprene seal/intumescent, one door active                            | Astragal | AA, D               | USA        | Canada     |
| 56, 156        | Adjustable mortised aluminum astragal with brush seal, both doors active                     | Astragal | AA, D, G            | USA        | -          |
| 55FS, 555FS    | Adjustable surface aluminum astragal with intumescent/silicone fire seal, both doors active  | Astragal | AA, D               | USA        | -          |
| 1840           | Aluminum astragal with sponge neoprene seal, one door active                                 | Astragal | AA, D               | USA        | Canada     |
| 56FS, 557FS    | Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active | Astragal | AA, D, G            | USA        | -          |
| 3056FS, 3557FS | Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active | Astragal | AA, D, G            | USA        | -          |
| 140FS          | Aluminum astragal with intumescent/neoprene fire seals, one door active                      | Astragal | A                   | USA        | -          |
| 322            | Aluminum astragal with sponge neoprene fire seals, one door active                           | Astragal | A                   | USA        | Canada     |
| 326            | Aluminum astragal with neoprene seals, both doors active                                     | Astragal | AA, D, G            | USA        | -          |

#### Hinges

| Product | Description                                                       | Function         | Finish <sup>1</sup> | BAA<br>COO | TAA<br>COO |
|---------|-------------------------------------------------------------------|------------------|---------------------|------------|------------|
| 910     | Anodized aluminum, edge mount, geared, fire rated <sup>3</sup>    | Continuous hinge | AA, D               | USA        | -          |
| 930     | Anodized aluminum, swing clear, full surface, geared <sup>3</sup> | Continuous hinge | AA, D               | USA        | -          |

#### Weatherstripping

| Product | Description                                                        | Function   | Finish                  | BAA<br>COO | TAA<br>COO |
|---------|--------------------------------------------------------------------|------------|-------------------------|------------|------------|
| 188S    | Self-adhesive silicone bulb fire/smoke seal, 1/2" x 1/4"           | Door seals | <sup>2</sup>            | USA        | -          |
| 119W    | Self-adhesive cushion spring seal, 1 1/8" wide                     | Door seals | Bronze, Stainless steel | USA        | -          |
| 488S    | Self-adhesive silicone bulb fire/smoke seal, 3/8" x 3/16"          | Door seals | <sup>2</sup>            | USA        | -          |
| 8144S   | Self-adhesive silicone batwing type fire/smoke seal, 7/16" x 7/16" | Door seals | Black, White            | USA        | -          |
| 118     | Self-adhesive cushion spring seal, 9/16" wide                      | Door seals | Bronze, Stainless steel | USA        | -          |
| 119     | Self-adhesive cushion spring seal, 3/4" wide                       | Door seals | Bronze                  | USA        | -          |
| 8145S   | Self-adhesive silicone bulb and fin, fire seal, 1/2" x 3/16"       | Door seals | Black                   | USA        | -          |
| 117S    | Self-adhesive silicone with fin, fire seal, 13/32" wide            | Door seals | Black                   | USA        | -          |
| 8054S   | Kerf pressure silicone seal, Ø 1/4" bulb                           | Door seals | Black, White            | USA        | -          |

<sup>1</sup> Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized

<sup>2</sup> Colors available: Black, Brown, Clear, Grey, White.

<sup>3</sup> Regular or DB (Double Bearing) options

# Doors and frames

## Steelcraft

### Metal doors

| Product            | Description                | Gauge           | BAA COO |
|--------------------|----------------------------|-----------------|---------|
| L Series †         | Laminated core             | 14, 16, 18 & 20 | USA     |
| LS Series          | Stainless steel            | 14, 16 & 18     | USA     |
| SL Series          | Square edge laminated core | 18 & 20         | USA     |
| B Series †         | Steel stiffened core       | 14, 16 & 18     | USA     |
| T Series           | Temperature rise           | 14, 16, 18 & 20 | USA     |
| CE Series          | Embossed panel             | 16, 18 & 20     | USA     |
| A14 Series         | Full glass                 | 14              | USA     |
| H Series           | Hurricane rated            | 14 & 16         | USA     |
| Paladin™ PW Series | Tornado resistant          | 14              | USA     |
| GRAINTECH™ Series  | Embossed wood grain panels | 16 & 18         | USA     |
| INPACT™ Series     | Integrated door system     | 16 & 18         | USA     |

### Metal frames

| Product            | Description         | Gauge       | BAA COO |
|--------------------|---------------------|-------------|---------|
| F Series           | Flush frame         | 12, 14 & 16 | USA     |
| FS Series          | Stainless steel     | 14 & 16     | USA     |
| FN Series          | Flush frame         | 14 & 16     | USA     |
| MU Series          | Multi-use frame     | 14 & 16     | USA     |
| FE & DE Series     | Double egress frame | 14 & 16     | USA     |
| DW Series          | Drywall frame       | 14 & 16     | USA     |
| K Series           | Drywall frame       | 14 & 16     | USA     |
| Paladin™ FP Series | Tornado resistant   | 14          | USA     |

### Architectural stick

| Product   | Description     | Gauge   | BAA COO |
|-----------|-----------------|---------|---------|
| F Series  | Flush frame     | 14 & 16 | USA     |
| MU Series | Multi-use frame | 14 & 16 | USA     |
| FN Series | Flush frame     | 14 & 16 | USA     |

## Falcon

### Metal doors

| Product   | Description | Gauge | BAA COO |
|-----------|-------------|-------|---------|
| SZ Series | Flush door  | 18    | USA     |

† Meets A.T.F.P. Bomb blast criteria when used with Schlage or Falcon Grade 1 cylindrical or mortise locks only. Approved under ASTM F1642 test method.

# Electronics

## Locks

### Schlage

#### Networked

| Product  | Description                                                                                          | Function | Finish | BAA<br>COO | TAA<br>COO |
|----------|------------------------------------------------------------------------------------------------------|----------|--------|------------|------------|
| AD-300 ▲ | Networked hardwired - direct RS-485 connection or Wiegand or clock & data                            | All      | All    | USA        | Mexico     |
| AD-301 ▲ | FIPS 201-1/PIV compliant - Networked hardwired - direct RS-485 connection or Wiegand or clock & data | All      | All    | USA        | Mexico     |
| AD-400 ▲ | Networked wireless - 900 MHz, secure encrypted data transmission                                     | All      | All    | USA        | Mexico     |
| AD-401 ▲ | FIPS 201-1/PIV compliant - Networked wireless - 900 MHz, secure encrypted data transmission          | All      | All    | USA        | Mexico     |

▲ Complete locks only. See page 8 for additional cost and order requirements.

#### Standalone

| Product  | Description                                                | Function | Finish | BAA<br>COO | TAA<br>COO |
|----------|------------------------------------------------------------|----------|--------|------------|------------|
| AD-200 ▲ | Offline - rights on lock                                   | All      | All    | USA        | Mexico     |
| AD-201 ▲ | FIPS 201-1/PIV compliant - Offline - rights on lock        | All      | All    | USA        | Mexico     |
| AD-250 ▲ | Offline - rights on cards                                  | All      | All    | USA        | Mexico     |
| CO-100   | Offline; keypad only, manually programmable only           | All      | All    | -          | Mexico     |
| CO-200   | Offline; user access rights stored in lock                 | All      | All    | -          | Mexico     |
| CO-220   | Offline; user access rights stored in lock                 | All      | All    | -          | Mexico     |
| CO-250   | Offline; user access rights stored on magnetic stripe card | All      | All    | -          | Mexico     |

▲ Complete locks only. See page 8 for additional cost and order requirements.

#### Wireless

| Product    | Description                                                            | Function | Finish | BAA<br>COO | TAA<br>COO |
|------------|------------------------------------------------------------------------|----------|--------|------------|------------|
| NDE Series | Wireless cylindrical lock - 2.4GHz, secure encrypted data transmission | All      | All    | -          | Mexico     |

Note: Items on this page have BAA options in Allegion Electronic Security price book.

## Schlage (cont.)

### Accessories

| Product     | Description                                                                      | Finish | BAA<br>COO | TAA<br>COO |
|-------------|----------------------------------------------------------------------------------|--------|------------|------------|
| ANT400      | Antenna for PIMs used with wireless AD devices                                   | -      | -          | Israel     |
| CT5000      | Standalone controller                                                            | -      | -          | Mexico     |
| ECK400      | Elevator kit includes ANT400-REM-I/O, WRI400, PIM400-TD2, 593-PI                 | -      | -          | Mexico     |
| GCK400      | Wireless gate kit includes WRI400, PIM400-TD2, ANT-REM-I/O, MGB+MCA5, 593-PI     | -      | -          | Mexico     |
| HHD         | Hand Held Device                                                                 | -      | -          | Korea      |
| PIB300-2D ▲ | Panel interface board for AD-300/301 hardwired locks - Wiegand integrations only | -      | USA        | Mexico     |
| PIM400 ▲    | Panel interface module for AD-400/401 wireless locks                             | -      | USA        | Mexico     |
| REPTR400    | Wireless Repeater to extend the distance from WAPM to PIM                        | -      | -          | Mexico     |
| RLBD        | Dry contact board for either PIM400-TD2 or PIB300-2D                             | -      | USA‡       | Mexico     |
| TK400       | Wireless test kit for testing signal strength at WAPM                            | -      | -          | Mexico     |
| WPR-400     | Wireless portable reader - 900 MHZ, secure encrypted data transmission           | -      | -          | Mexico     |
| WRI400      | Wireless reader interface for traditional hardwired openings                     | -      | -          | Mexico     |

▲ See page 8 for additional cost and order requirements

‡ Must be selected as option for PIM400 or PIB300-2D at time of order to qualify under BAA.

## Readers and credentials

### aptiQ

#### Networked readers

| Product   | Description                                                  | Finish | BAA COO |
|-----------|--------------------------------------------------------------|--------|---------|
| SM10**    | Smart mini-mullion reader                                    | All    | USA     |
| MT11**    | Multi-technology mullion reader                              | All    | USA     |
| MT15**    | Multi-technology single gang reader                          | All    | USA     |
| MTK15**   | Multi-technology single gang reader with keypad              | All    | USA     |
| MTMS15**  | Multi-technology single gang reader with Magswipe            | All    | USA     |
| MTMSK15** | Multi-technology single gang reader with keypad and Magswipe | All    | USA     |

\*\* FIPS 201-1 Compliant. By default, readers are configured with 75 bit format. Configuration to other approved output formats is available.

#### Credentials

##### 13.56 MHz MIFARE Technology

| Product number | Description                                                                   | Finish | BAA<br>COO |
|----------------|-------------------------------------------------------------------------------|--------|------------|
| 9420           | Clamshell; 2.5k bit memory/ISO 14443                                          | -      | USA        |
| 9451           | Clamshell; 1K byte/8k bit memory/ISO 14443                                    | -      | USA        |
| 9520           | ISO glossy white; 2.5k bit memory/ISO 14443; Composite                        | -      | USA        |
| 9520M1         | ISO glossy white with mag stripe; 2.5k bit memory/ISO 14443; Composite        | -      | USA        |
| 9551           | ISO glossy white; 1K byte/8k bit memory/ISO 14443; Composite                  | -      | USA        |
| 9551M1         | ISO glossy white with mag stripe; 1K byte/8k bit memory/ISO 14443; Composite  | -      | USA        |
| 9558           | ISO glossy white; 4K byte/32k bit memory/ISO 14443; Composite                 | -      | USA        |
| 9558M1         | ISO glossy white with mag stripe; 4K byte/32k bit memory/ISO 14443; Composite | -      | USA        |
| 9651           | Keytag; 1K byte/8k bit memory/ISO 14443                                       | -      | USA        |
| 9751           | PVC patch; 1K byte/8k bit memory/ISO 14443                                    | -      | USA        |
| 9758           | PVC patch; 4K byte/32k bit memory/ISO 14443                                   | -      | USA        |

## Readers and credentials

### aptiQ (cont.)

#### Credentials (cont.)

##### Multi-Technology: 125kHz Proximity and 13.56MHz Contactless MIFARE Smart Card Technology

| Product number | Description                                                                           | Finish | BAA COO |
|----------------|---------------------------------------------------------------------------------------|--------|---------|
| 9951           | ISO glossy white; Combo 125KHz/13.56MHz MIFARE 1K byte/8k bit memory                  | -      | USA     |
| 9951M1         | ISO glossy white with mag stripe; Combo 125KHz/13.56MHz MIFARE 1K byte/8k bit memory  | -      | USA     |
| 9958           | ISO glossy white; Combo 125KHz/13.56MHz MIFARE 4K byte/32k bit memory                 | -      | USA     |
| 9958M1         | ISO glossy white with mag stripe; Combo 125KHz/13.56MHz MIFARE 4K byte/32k bit memory | -      | USA     |

##### 13.56MHz Single Frequency MIFARE DESFire EV1 Smart Technology

| Product number | Description                                                        | Finish | BAA COO |
|----------------|--------------------------------------------------------------------|--------|---------|
| 8420           | Clamshell; 2K byte/16K bit memory/ISO 14443                        | -      | USA     |
| 8520           | ISO glossy white; 2K byte/16K bit memory/ISO 14443                 | -      | USA     |
| 8520M1         | ISO glossy white with mag stripe; 2K byte/16K bit memory/ISO 14443 | -      | USA     |
| 8440           | Clamshell; 4K byte/32K bit memory/ISO 14443                        | -      | USA     |
| 8540           | ISO glossy white; 4K byte/32K bit memory/ISO 14443                 | -      | USA     |
| 8540M1         | ISO glossy white with mag stripe; 4K byte/32K bit memory/ISO 14443 | -      | USA     |
| 8480           | Clamshell; 8K byte/64K bit memory/ISO 14443                        | -      | USA     |
| 8580           | ISO glossy white; 8K byte/64K bit memory/ISO 14443                 | -      | USA     |
| 8580M1         | ISO glossy white with mag stripe; 8K byte/64K bit memory/ISO 14443 | -      | USA     |
| 8620           | Keyfob; 2K byte/16K bit memory/ISO 14443                           | -      | USA     |
| 8640           | Keyfob; 4K byte/32K bit memory/ISO 14443                           | -      | USA     |
| 8680           | Keyfob; 8K byte/64K bit memory/ISO 14443                           | -      | USA     |
| 8720           | PVC patch - 35 mm; 2K byte/16K bit memory/ISO 14443                | -      | USA     |
| 8740           | PVC patch - 35 mm; 4K byte/32K bit memory/ISO 14443                | -      | USA     |
| 8780           | PVC patch - 35 mm; 8K byte/64K bit memory/ISO 14443                | -      | USA     |

##### Multi-Technology: 125kHz Proximity and 13.56MHz MIFARE DESFire EV1 Contactless Smart Card Technology

| Product number | Description                                                                      | Finish | BAA COO |
|----------------|----------------------------------------------------------------------------------|--------|---------|
| 8920           | ISO glossy white; Combo 125 KHz/13.56 MHz 2K byte/16K bit memory                 | -      | USA     |
| 8920M1         | ISO glossy white with mag stripe; Combo 125 KHz/13.56 MHz 2K byte/16K bit memory | -      | USA     |
| 8940           | ISO glossy white; Combo 125 KHz/13.56 MHz 4K byte/32K bit memory                 | -      | USA     |
| 8940M1         | ISO glossy white with mag stripe; Combo 125 KHz/13.56 MHz 4K byte/32K bit memory | -      | USA     |
| 8980           | ISO glossy white; Combo 125 KHz/13.56 MHz 8K byte/64K bit memory                 | -      | USA     |
| 8980 M1        | ISO glossy white with mag stripe; Combo 125 KHz/13.56 MHz 8K byte/64K bit memory | -      | USA     |

### XceedID

#### Credentials

##### 125kHz Single Frequency Proximity Technology

| Product number | Description                              | Finish | BAA COO |
|----------------|------------------------------------------|--------|---------|
| 7410           | Clamshell; HID Prox compatible           | -      | USA     |
| 7510           | ISO card; HID Prox compatible; Composite | -      | USA     |
| 7510M1         | ISO card; HID Prox compatible; Composite | -      | USA     |
| 7610           | Keyfob; HID Prox compatible              | -      | USA     |
| 7010           | PVC disk – 35mm; HID Prox compatible     | -      | USA     |

# Biometrics

## Schlage

### Access control

| Product | Description       | BAA COO |
|---------|-------------------|---------|
| HK-2    | HandKey II reader | USA     |
| HK-CR   | HandKey CR reader | USA     |

### Time & attendance

| Product      | Description                                                                                  | BAA COO |
|--------------|----------------------------------------------------------------------------------------------|---------|
| GT-400       | GT-400 Time and attendance reader                                                            | USA     |
| HP-1000      | HandPunch time and attendance reader with memory for 50 users                                | USA     |
| HP-1000-E    | HandPunch time and attendance reader with Ethernet and memory for 100 users                  | USA     |
| HP-1000-E-XL | HandPunch time and attendance reader with Ethernet and memory for 100 users, break compliant | USA     |
| HP-1000-XL   | HandPunch time and attendance reader with memory for 50 users, break compliant               | USA     |
| HP-2000      | HandPunch time and attendance reader with memory for 512 users                               | USA     |
| HP-2000-XL   | HandPunch time and attendance reader with memory for 512 users, break compliant              | USA     |
| HP-3000      | HandPunch time and attendance reader with memory for 512 users                               | USA     |
| HP-3000-E    | HandPunch time and attendance reader with Ethernet and memory for 512 users                  | USA     |
| HP-3000-E-XL | HandPunch time and attendance reader with Ethernet and memory for 530 users, break compliant | USA     |
| HP-3000-XL   | HandPunch time and attendance reader with memory for 530 users, break compliant              | USA     |
| HP-4000      | HandPunch time and attendance reader with memory for 530 users                               | USA     |
| HP-4000-S    | HandPunch time and attendance reader with memory for 530 users, includes handheld scanner    | USA     |

### Spares and accessories

#### F Series

| Product        | Description                                                               | BAA COO |
|----------------|---------------------------------------------------------------------------|---------|
| BR-100         | 5V Relay                                                                  | USA     |
| DC-200         | Data converter for 4 wire system, USB to RS-422 (HP only)                 | USA     |
| EN-200         | Ethernet Communication module 10baseT                                     | USA     |
| FX-ENCL        | Polyethylene with UV resist outdoor enclosure (supersedes model # HURCNE) | USA     |
| HN-2-T1        | HandNet tier one: Up to 5 HandKeys                                        | USA     |
| HN-2-T2        | HandNet tier two: Up to 25 HandKeys                                       | USA     |
| HN-2-T3        | HandNet tier three: Unlimited HandKeys                                    | USA     |
| MD-500         | Internal 14.4K Baud dial-up modem                                         | USA     |
| S-PC-1KE-RB    | Spare main board for HP-1000-E                                            | USA     |
| S-PC-1KE-XL-RB | Spare main board for HP-1000-E-XL                                         | USA     |
| S-PC-1K-RB     | Spare main board for HP-1000                                              | USA     |
| S-PC-1K-XL-RB  | Spare main board for HP-1000-XL                                           | USA     |
| S-PC-2K-RB     | Spare main board for HP-2000                                              | USA     |
| S-PC-2K-XL-RB  | Spare main board for HP-2000-XL                                           | USA     |
| S-PC-3K-RB     | Spare main board for HP-3000                                              | USA     |
| S-PC-3K-XL-RB  | Spare main board for HP-3000-XL                                           | USA     |
| S-PC-4K-RB     | Spare main board for HP-4000                                              | USA     |
| S-PC-HK2-RB    | HandKey II main PCB battery backup ready                                  | USA     |
| S-PC-HKCR-RB   | HandKey CR main PCB battery backup ready                                  | USA     |
| S-PL-F         | Platen overlay with antimicrobial and blue hand outline                   | USA     |
| S-PL-F30       | Complete platen assembly with antimicrobial and blue hand outline         | USA     |

## Spares and accessories (cont.)

### F Series

| Product        | Description                                            | BAA COO |
|----------------|--------------------------------------------------------|---------|
| S-TP-1000      | HP-1000 Top panel assembly                             | USA     |
| S-TP-1000-E    | HP-1000-E Top panel assembly                           | USA     |
| S-TP-1000-E-XL | HP-1000-E-XL Top panel assembly                        | USA     |
| S-TP-1000-XL   | HP-1000-XL Top panel assembly                          | USA     |
| S-TP-2000      | HP-2000 Top panel assembly                             | USA     |
| S-TP-2000-XL   | HP-2000-XL Top panel assembly                          | USA     |
| S-TP-3000      | HP-3000 Top panel assembly                             | USA     |
| S-TP-3000-XL   | HP-3000-XL Top panel assembly                          | USA     |
| S-TP-4000      | HP-4000 Top panel assembly                             | USA     |
| S-TP-CR        | HandKey CR Top panel assembly                          | USA     |
| S-TP-HK        | ID3D-R Top panel assembly                              | USA     |
| S-TP-HK2       | HandKey II Top panel assembly                          | USA     |
| S-TP-HP        | HandPunch Top panel assembly                           | USA     |
| TM-100         | Table-top secure mount for F Series                    | USA     |
| TX-ENCL        | Metal watertight enclosure (supersedes model # TSNAMI) | USA     |

### G Series

| Product   | Description                                        | BAA COO |
|-----------|----------------------------------------------------|---------|
| GX-ENCL   | Polyethylene with UV resist outdoor enclosure      | USA     |
| S-CP-BLUE | Replacement set (2) of caps for G HandPunch - BLUE | USA     |
| S-CP-GRAY | Replacement set (2) of caps for G HandPunch        | USA     |

Related spares, options and accessories listed below MUST be ordered and installed in the HandReaders in order to meet BAA compliance.

### F Series

| Product | Description                                                                                                                              | BAA COO |
|---------|------------------------------------------------------------------------------------------------------------------------------------------|---------|
| BB-200  | Operational battery backup with power management board for reader with serial numbers below 1345000                                      | USA     |
| BB-250  | Battery backup available only at the time of initial purchase                                                                            | USA     |
| INT-HTR | “Outdoor platen heater. Factory option only, not available for field installation<br>Includes 24 VDC power supply to operate HandReader” | USA     |
| PROX    | Externally mounted HID ProxPoint RF reader                                                                                               | USA     |
| PS-110  | Power supply. 120 VAC to 13.5 VDC with connector                                                                                         | USA     |
| PS-220  | Power supply. 220 VAC to 13.5 VDC with connector                                                                                         | USA     |
| SC-100  | Integrated side mounted Mifare smart card reader with external clear acrylic card holder                                                 | USA     |
| MTR-G   | Integrated multitechnology reader for GT 400                                                                                             | USA     |
| PS-110  | Power supply. 120 VAC to 13.5 VDC with connector                                                                                         | USA     |

### G Series

| Product   | Description                                                                                                                            | BAA COO |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------|---------|
| BB-300    | Operational battery backup with power management board                                                                                 | USA     |
| GT-BCR    | Integrated barcode reader for GT 400                                                                                                   | USA     |
| INT-HTR-G | Outdoor platen heater. Factory option only, not available for field installation<br>Includes 24 VDC power supply to operate HandReader | USA     |

# System components and accessories

## Schlage

### Pushbuttons/keyswitches

| Product    | Description                        | BAA<br>COO |
|------------|------------------------------------|------------|
| 621 Series | 1 1/4" Heavy duty pushbuttons      | USA        |
| 623 Series | 1 5/8" Heavy duty pushbuttons      | USA        |
| 625 Series | 2 3/4" Heavy duty pushbuttons      | USA        |
| 630 Series | 1 1/4" Extreme duty pushbuttons    | USA        |
| 650 Series | 653 Series heavy duty keyswitches  | USA        |
| 700 Series | 700 Series entry level pushbuttons | USA        |

### Door position switch

| Product  | Description                 | BAA<br>COO |
|----------|-----------------------------|------------|
| 674-OH   | Overhead door floor mount   | USA        |
| 679-05   | Wood door and frame         | USA        |
| 679-05HM | Hollow metal door and frame | USA        |
| 679-05WD | Wood door and metal frame   | USA        |
| 7764     | Concealed/flush mount - UL  | USA        |
| 7766     | Surface mount - UL          | USA        |

### Electronic horns

| Product | Description            | TAA<br>COO |
|---------|------------------------|------------|
| 1910-1  | Selica horn, 12/24 VDC | Mexico     |

### Power supplies

| Product    | Description         | BAA<br>COO |
|------------|---------------------|------------|
| PS902BAA ▲ | Power supply, 2 Amp | USA        |
| PS904BAA ▲ | Power supply, 4 Amp | USA        |
| PS906BAA ▲ | Power supply, 6 Amp | USA        |

▲ See page 8 for additional cost and order requirements. (Option board selections must be made for power supply at time of order. See page 36.)

## System components and accessories

PS900 Option boards listed below MUST be ordered with power supply in order to meet BAA compliance

### Schlage and Von Duprin

#### Power supply option boards - PS900

| Product    | Description                                                                                                      |
|------------|------------------------------------------------------------------------------------------------------------------|
| 900-4R     | 4 Independently controlled relays                                                                                |
| 900-4R FA  | 4 Independently controlled relays with FA                                                                        |
| 900-2RS    | 2 Relay board specifically for controlling Von Duprin exit devices                                               |
| 900-2RS FA | 2 Relay board specifically for controlling Von Duprin exit devices                                               |
| 900-4RL    | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays         |
| 900-4RL FA | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA |
| 900-8F     | 8 Fuse protected outputs                                                                                         |
| 900-8F FA  | 8 Fuse protected outputs with FA                                                                                 |
| 900-8P     | 8 PTC protected outputs                                                                                          |
| 900-8P FA  | 8 PTC protected outputs with FA                                                                                  |
| 900-BBK    | Battery backup kit (includes two 7A/hr batteries)                                                                |
| 900-BB     | Battery backup board only                                                                                        |
| 900-FA     | Fire alarm relay (EIR) module                                                                                    |

#### Power supply accessories - PS900

| Product | Description                                        |
|---------|----------------------------------------------------|
| 900-BAT | Backup battery pack (includes two 7A/hr batteries) |
| 900-KL  | Key lock                                           |

## System components and accessories

### Von Duprin

#### Electric strikes

| Product | Description                            | Finish | BAA COO |
|---------|----------------------------------------|--------|---------|
| 6111    | Rim exit device strike 6"              | All    | USA     |
| 6112    | Rim exit device strike 9"              | All    | USA     |
| 6113    | Rim exit device strike 6"              | All    | USA     |
| 6114    | Rim night latch strike 7 1/2"          | All    | USA     |
| 6121    | Rim exit device strike 9 7/8"          | All    | USA     |
| 6210    | Mortise lock strike 4 7/8"             | All    | USA     |
| 6211    | Mortise/cylindrical lock strike 4 7/8" | All    | USA     |
| 6211AL  | Mortise/cylindrical lock strike 4 7/8" | All    | USA     |
| 6211WF  | Mortise/cylindrical lock strike 4 7/8" | All    | USA     |
| 6212    | Mortise/cylindrical lock strike 6 3/8" | All    | USA     |
| 6212WF  | Mortise/cylindrical lock strike 6 3/8" | All    | USA     |
| 6213    | Mortise/cylindrical lock strike 6"     | All    | USA     |
| 6214    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6215    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6216    | Mortise with deadbolt strike 9"        | All    | USA     |
| 6221    | Mortise/cylindrical lock strike 6"     | All    | USA     |
| 6222    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6223    | Mortise/cylindrical lock strike 6"     | All    | USA     |
| 6224    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6224AL  | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6225    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6226    | Mortise/cylindrical lock strike 9"     | All    | USA     |
| 6300    | Rim exit device strike                 | All    | USA     |

#### Electric power transfers (EPTs)

| Product     | Description              | Finish      | BAA COO |
|-------------|--------------------------|-------------|---------|
| EPT-2BAA ▲  | EPT - Two 18 gauge wires | SP28, SP313 | USA     |
| EPT-10BAA ▲ | EPT - Ten 24 gauge wires | SP28, SP313 | USA     |
| 788 Series  | 3/8" Armored door cords  | -           | USA     |
| 798 Series  | 1/2" Armored door cords  | -           | USA     |

▲ See page 8 for order requirements.

#### Power supplies

| Product    | Description                      | Finish | BAA COO |
|------------|----------------------------------|--------|---------|
| PS914BAA ▲ | High in rush power supply, 4 Amp | -      | USA     |

▲ See page 8 for additional cost and order requirements. Option board selections must be made for power supply at time of order.

## Allegion production sites

### **Falcon and Schlage**

115 de la Carretera Transpeninsular  
Ensenada-La Paz  
Ensenada, Baja California, Mexico 22890

### **Falcon and Schlage - Components**

Calle Los Olivos #698  
Col Chavez  
Tecate, Baja California, Mexico 21440

### **Falcon and Von Duprin**

2720 Tobey Drive  
Indianapolis, IN 46219

### **Glynn-Johnson and Ives**

8506-A E. 30th St.  
Indianapolis, IN 46219

### **LCN**

121 W. Railroad Ave.  
Princeton, IL 61356

### **Schlage and aptiQ**

3899 Hancock Expressway  
Colorado Springs, CO 80911

### **Schlage - Finishing**

El Florido Industrial Park  
Tijuana, Baja California, Mexico 22680

### **Schlage Residential**

2119 E. Kansas City Road  
Olathe, KS 66061

### **Steelcraft**

9017 Blue Ash Road  
Cincinnati, OH 45242

### **Steelcraft**

13770 Ramona Ave.  
Chino, CA 91710

### **Zero International**

391 Concord Ave.  
Bronx, NY

## About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit [www.allegion.com](http://www.allegion.com)

*aptiQ* ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN