
About Brey-Krause Manufacturing Co.



Located in Bethlehem, PA

Brey-Krause manufactures a comprehensive line of commercial washroom accessories that are 100% made in the USA. Since 1909, Brey-Krause has maintained a reputation for producing quality products at competitive prices in a timely manner. With over 100 years of experience, Brey-Krause continues its tradition of manufacturing excellence.

Innovative engineering is a hallmark of Brey-Krause products, from cost-effective product enhancements to installation improvements. Our engineers will assist in the design, development and production of special and standard products. The 68,000 square foot manufacturing facility is equipped with a full range of state-of-the-art fabrication equipment. Brey-Krause has the manufacturing expertise and flexibility to resolve problems and satisfy customer needs.

Skilled customer service representatives provide expert advice and product information for all of your project needs. Product samples, technical data sheets, and prompt price quotes are available upon request.

Visit us at www.breykrause.com for more details.

Distributor Package

The distributor package is a grouping of our most popular products. These are the frequently ordered items that we feel stocking distributors should have access to at all times. Every product in the distributor package is in stock on our shelves and ready to ship the same day your order is placed (some restrictions apply).



5 Pack Grab Bars Brey-Krause maintains "ready to ship" stock on 1-1/4" (D-77 Series) and 1-1/2" (D-78 Series) diameter straight grab bars in several lengths and are packaged 5 bars to a box.

D-7812-05-SS 18" 5 pack D-7813-05-SS 24" 5 pack (D-77 available) D-7816-05-SS 36" 5 pack (D-77 available) D-7815-05-SS 42" 5 pack (D-77 available) D-7817-05-SS 48" 5 pack (D-77 available) D-7821-05-SS 30" 5 pack




Universal Frame Mirror

Convert easily to fixed or adjustable tilt mirrors thereby reducing your inventory carrying costs. (See Mirrors section for size details)



Double Roll Toilet Tissue Dispenser (Surface Mount) C-1040-SS

22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"



Surface Mount Seat Cover Dispenser C-1031-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, and hinged with a stainless steel piano hinge for easy loading of contents. 11-1/2" H x 15" W x 2-1/2" Depth



C-Fold Paper Towel Dispenser C-1030-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, heavy duty stainless steel piano hinge, and a refill indicator slot on both sides of the cabinet. 14-1/2" H x 11" W x 4" Depth



Sanitary Napkin Disposal C-1010-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. The bottom panel is fitted with a tumbler lock and hinged with a stainless steel piano hinge for easy removal of contents. The lid is also attached with a stainless steel piano hinge. 10-1/2" H x 8-7/8" W x 3-7/8" Depth

Grab Bar Flange Styles


Grab bars are fabricated from 18 ga. (.049) stainless steel tube and are available in a variety of flange styles (depicted below) and bar configurations (on next page). **To Order:**

Specify the type of flange and tube diameter required by flange number (below).

Specify the shape and size of bar by bar # (next page).

Choose the finish of the bar: SS = Satin Finish BS = Bright Stainless (Other finishes and Powder Coating are available.)

Optional: choose a non-slip gripping surface: P = Peened K = Knurled



www.breykrause.com


Grab Bars

NOTE: Grab bar lengths and bends can be modified to meet architectural requirements. Grab bar numbers in red are fabricated with slip supports for installation flexibility. Large grab bars can be specified with two piece construction and splice kits to allow shipment via UPS. Welded toilet paper holders can be factory installed on most bars.

Bar Numbers


Straight grab bars - numbers are as follows:

- 10 = 12'' straight $14 = 32^{"}$ straight $15 = 42^{\text{"}} \text{ straight}$ 11 = 16'' straight 12 = 18'' straight $16 = 36^{\circ}$ straight
- $17 = 48^{\text{"}} \text{ straight}$ 13 = 24'' straight 21 = 30'' straight




Specify center supports when required.

Shower & Tub Bars



Grab Bars



Mirrors

Brey-Krause universal frame mirrors set a new standard in quality and installation ease. The innovative design and fabrication method results in a mirror with superior breakage and moisture resistance.

Mirrors are fabricated from one piece, 18 ga., 5/8" x 5/8", satin finish, stainless steel angle frame with tightly mitered corners. Mirror edges are protected by cushioned adhesive strips to prevent damage. The mirror back is galvanized steel and sealed by continuously applied industrial adhesive. Mirror is secured to wall by 2 vandal/theft resistant brackets. The 1/4" float glass mirror is silvered and copper electrolytic plated by galvanic process. Mirrors meet Fed. Spec. DDM-411, DD-G-451d, ANSI 2-97.1-1983 and CPSC-Cat 2-16 CFR.



Universal Frame Mirror

T-1016-20-SS16" Wide X 20" MirrorT-1016-24-SS16" Wide X 24" MirrorT-1018-24-SS18" Wide X 24" MirrorT-1018-30-SS18" Wide X 30" MirrorT-1018-36-SS18" Wide X 36" MirrorT-1024-30-SS24" Wide X 30" MirrorT-1024-36-SS24" Wide X 36" Mirror

Note: Custom mirror sizes available for large quantity projects. Call the factory for details and quotes.

3-in-1 Mirror

With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.


See the **Reference Section** for more information.

The following frames require the Universal Frame Mirror listed above.

Adjustable Tilt Mirror Brackets

Use the Adjustable Tilt Mirror Brackets to convert the universal frame mirror to an adjustable tilt mirror.

T-1050-SS Adjustable Tilt Mirror Brackets





Fixed Tilt Mirror Frame

Converts Brey-Krause universal frame mirrors (see sizes available below) to a fixed tilt mirror.

Fixed Tilt Mirror Frame (Frame only) T-1118-30-SS 18" Wide x 30" Tall Fixed Tilt Frame T 1118-36 SS 18" Wide x 26" Tall Fixed Tilt Frame

T-1118-36-SS 18" Wide x 36" Tall Fixed Tilt Frame T-1124-36-SS 24" Wide x 36" Tall Fixed Tilt Frame

Fixed Tilt Mirror Kit (Frame and mirror) T-1218-30-SS 18" Wide x 30" Tall Fixed Tilt Mirror Kit T-1218-36-SS 18" Wide x 36" Tall Fixed Tilt Mirror Kit T-1224-36-SS 24" Wide x 36" Tall Fixed Tilt Mirror Kit



Exposed Mount Shelf (18 ga.) K-4031-16-SS 5" deep x 16" wide K-4031-18-SS 5" deep x 18" wide K-4031-24-SS 5" deep x 24" wide

Mirror Shelving

Shelves are constructed from satin finish, stainless steel with a 3/8" front lip. Integral brackets are screw mounted for added strength. Shelves are fabricated from water-jet cut blanks with smooth edges for added safety.



Concealed Mount Shelf (16 ga.) K-4032-16-SS 5" deep x 16" wide K-4032-18-SS 5" deep x 18" wide K-4032-24-SS 5" deep x 24" wide

Bathroom Accessories

Retractable Clothesline S-5030-SS

5-5030-55



Stainless steel, satin finish reel assembly, anodized aluminum hook & keeper, Extends to fit 72" opening

Line: 5/64" braided nylon seine twine

Overall Size: 3" dia. flange x 1-45/64" Depth Tumbler/ Toothbrush Holder S-4019-SS



18 ga. stainless steel, satin finish, holds four toothbrushes and a tumbler cup, front edge hemmed for safety

Overall Size: 1-11/16" H x 4-1/2" W x 2-7/8" Depth (hole diameter - 2-1/4")

Toothbrush Holder/ Soap Dish S-4018-SS



18 ga. stainless steel, satin finish, holds four toothbrushes and mini soap bar in center, front edge hemmed for safety

Overall Size: 1-11/16" H x 4-1/2" W x 2-7/8" Depth

Heavy-Duty Liquid Soap Dispenser s-0125-ss

Liquid Soap Dispenser (Horizontal Mount) S-0120-SS Liquid Soap Dispenser (Vertical Mount) S-0121-SS



16 ga. stainless steel, satin finish, hand pump with sight glass, tumbler lock on refill lid

> Capacity: 40 oz.

Overall Size: 7-1/8" H x 4-1/2" W x 3-5/8" D (Spout extends to 5-1/16")



20 ga. stainless steel, satin finish, hand pump with sight glass, lock on refill lid

> Capacity: 40 oz.

Overall Size: 4-7/8" H x 8-1/8" W x 3" D (Spout extends to 4-3/8")



20 ga. stainless steel, satin finish, hand pump with sight glass, lock on refill lid

> Capacity: 40 oz.

Overall Size: 8-1/8" H x 4-7/8" W x 3" D (Spout extends to 4-3/8")

Bathroom Accessories

C-Fold Paper Towel Dispenser C-1030-SS



22 ga. stainless steel, satin finish, tumbler lock, piano hinge, refill indicator slot on both sides of cabinet

> Capacity: 400 C-Fold paper towels

Overall Size: 14-1/2" H x 11" W x 4" Depth

Sanitary Napkin Disposal c-1010-ss



22 ga. stainless steel, satin finish, tumbler lock, piano hinge for easy removal of contents - lid also has piano hinge

> Capacity: 1.6 Gallons

Overall Size: 10-1/2" H x 8-7/8" W x 3-7/8" Depth

Waste Can



22 ga. stainless steel, satin finish, top edge is hemmed for safety.

Capacity: 12 Gallons

Overall Size: 23" H x 15-3/4" W x 8" Depth

Surface Mount Seat Cover Dispenser C-1031-SS




22 ga. stainless steel, satin finish, fitted with tumbler lock, piano hinge for easy refill of contents

> Capacity: Maximum 500 sheets

Overall Size: 11-1/2" H x 15" W x 2-1/2" Depth

Stainless Accessories



These accessories are fabricated from stainless steel, and available in satin and bright finishes. Powder coated finishes are available by special order.

The 4900 series mounting system is concealed as the post is welded to the mounting bracket and flange to form an integral unit. The post assembly mounts on a stainless steel wall plate and is secured with a set screw on the bottom.

4900 Series

Soap Dish



With Drain - S-4910 Without Drain - S-4911

Double Hook



S-4932 Projects 2"

Towel Pin



S-4948 Projects 4 1/4"

Utility Shelf



S-4973 Projects 6 3/16" Available in 18", 24", and 30"



Soap Dish and Bar

Round 9" Bar - S-4912 Soap Dish same as S-4910

Hat and Coat Hook

S-4935

Toilet Paper Holder

Chrome Plastic Roller - S-4950

White Plastic Roller - S-4953

Towel Supply Shelf

Without drying rod - S-4972

With drying rod - S-4974

With drying rod & braces - S-4977

Available in 18", 24", and 30"

Tumbler Toothbrush Holder





S-4920 4 1/4" x 3"; 2 1/4" hole for tumbler, 6 toothbrush holes

Towel Bar

Round 3/4" Bar - S-4942

Square 3/4" Bar - S-4943

Double Toilet Paper

Holder

Chrome Plastic Roller - S-4959

White Plastic Roller - S-4958

Paper Towel Roll

Holder

S-4955

For 12" L x 6" diameter

rollSpring-loaded, non-

locking rod

Available in 18", 24", and 30"

Single Hook



S-4931 Projects 2" S-4933 Projects 4 1/8"

Towel Ring



S-4944 1/4" rod; 4 7/8" wide, 4 9/16" high; Projects 2"

Door Bumper



S-4947

Finish codes


BS- Bright Stainless SS- Satin Stainless AG- Antimicrobial

To Order

Specify the part number, finish code and length where applicable. Example: S-4942-24-SS

www.breykrause.com

Stainless Accessories



These accessories are fabricated from stainless steel, and available in satin and bright finishes.

All accessories are mounted directly to the wall surface. The mount is concealed by a snap-on escutcheon plate that is 2-5/8" x 1-3/4".

4500 Series

Soap Dish



With Drain - S-4510 Without Drain - S-4511

Double Hook



S-4532 Projects 2"



Soap Dish and Bar

Round 9" Bar - **S-4512** Soap Dish same as S-4510

Hat and Coat Hook



S-4535

Tumbler Toothbrush Holder



S-4520 4 1/4" x 3"; 2 1/4" hole for tumbler, 6 toothbrush holes

Towel Bar

Round 3/4" Bar - S-4542

Square 3/4" Bar - S-4543

Available in 18", 24", and 30"





S-4531 Projects 1 7/8" **S-4533** Projects 4 1/8"



S-4544 1/4" rod; 4 7/8" wide, 4 9/16" high; Projects 1 3/4"

Towel Pin



S-4548 Projects 4-1/4"

Towel Supply Shelf



Without drying rod - **S-4572** With drying rod - **S-4574** With drying rod and braces - **S-4577** Available in 18", 24", and 30"





Chrome Plastic Roller - **S-4550** White Plastic Roller - **S-4553**





S-4573 Projects 6 3/16" Available in 18", 24", and 30"



Double Toilet Paper



Chrome Plastic Roller - S-4559 White Plastic Roller - S-4558


Finish codes

BS- Bright Stainless SS- Satin Stainless AG- Antimicrobial

To Order

Specify the part number, finish code and length where applicable. Example: S-4542-24-SS

Stainless and Brass Accessories



The Sophisticate Series combines the strength and durability of commercial washroom accessories with the aesthetic appeal of residential design. The Sophisticate Series utilizes the time-tested and durable strength of stainless steel with the beauty of genuine polished brass. A full line of surface mounted accessories, grab bars, shower rods and bath accessories are available.


Sophisticate Series



www.breykrause.com

Available in 18", 24", and 30"

Brass Accessories



The 3700 series brass bathroom accessories are fabricated from solid brass and available in a satin chrome, bright chrome, or natural brass finish. Natural brass finishes are clear powder coated to preserve the finish and provide lasting beauty.

Accessories are mounted with a mounting bracket which is screwed to the wall. The escutcheon plate then covers the mounting bracket and is fixed in place with a set screw in the post.

Soap Dish



With Drain - **B-3710** Without Drain - **B-3711** Tumbler Toothbrush Holder

B-3720

Single Hook



B-3731 1-3/4" Projection

Single Hook



B-3736 5" Projection

Double Hook



B-3730 2 1/16" Projection

Towel Bar



Round - **B-3740** Square - **B-3743** Available in 18", 24", and 30"

Towel Ring



B-3744 1/4" rod; 5" wide, 4 1/4" high; Projects 2 1/4"

Toilet Paper Holder



B-3750

Double Toilet Paper Holder



B-3759

Finish codes

BC- Bright Chrome SC- Satin Chrome

Recessed Washroom Accessories

The 2600 series washroom accessories are fabricated from stainless steel, and available in satin or bright finishes. Brass units and powder coated finishes are available by special order. The standard recessed shell is 6-1/4" x 6-1/4" with a required wall opening of 5-1/4" x 5-1/4" x 2". The heavy duty recessed shell is 7-1/8" x 5" with a required wall opening of 6-3/4" x 3-3/4" x 2-3/4". Drywall mounting clamps and tile lugs sold separately.

S-2680: Rectangular Recessed Tissue Dispenser Box





Overall Size: 11-7/8" x 6-1/8" x 4" **Rough Wall Opening:** 10-3/4" x 5-1/4" x 4"

S-2681: Square Recessed Tissue Dispenser Box





Overall Size: 6-1/2" x 6 -1/2" Rough Wall Opening: 5-1/2" x 5-1/2" x 5-1/2"

S-2652

Recessed Toilet Tissue Dispenser with Storage

Faceplate snaps off for quick and easy refilling





Overall Size: 6-5/8" x 6-5/8"

Hood protects paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper. S-2676 - Hinged Hood Surface Mount Double Recess Shell





S-2612 22 ga. stainless steel with plastic dish S-2611: 22 ga. stainless steel without plastic dish



Toilet Paper Holder



S-2650 S-2651 (w/ hinged hood) 22 ga. stainless steel with a chrome plastic roller. S-2640: same as S-2650, but with chrome plated posts.

Heavy Duty Soap Dish

S-2634 20 ga. stainless steel with soap lip and bar Mortar mount shown with welded lugs S-2634-01: 20 ga. stainless steel with soap lip with drywall mounting clamp. S-2630: 20 ga. stainless steel with soap lip and without bar. S-2630-01: 20 ga. stainless steel with soap lip, without bar with drywall mounting clamp. S-2632: Heavy Duty Soap Dish only, with mortar mount welded lugs



Overall Size: 6-1/2" x 6-1/2" Rough Wall Opening: 5-1/2" x 5-1/2" x 4"

Heavy duty plastic spindle holds rolls up to 4-1/2". Recessed mounting cabinet measures 5" x 5" x 3-15/16", and is deep enough to hold a spare roll.

Soap Dish and Bar




S-2615
22 ga. stainless steel with plastic dish
S-2614: 22 ga. stainless steel without plastic dish
S-2645: 22 ga. stainless steel with plastic dish with chrome plated posts.
S-2644: 22 ga. stainless steel with chrome plated posts.

Mounting Systems

Recessed units can be mounted using either a dry wall clamp, or tile-type lugs.

Dry Wall Clamp S-2609-01





www.breykrause.com

Recessed Washroom Accessories

S-2659 Recessed Double Toilet Tissue Dispenser



Overall Size: 12-1/2" x 6-1/4 " Rough Wall Opening: 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.





Overall Size: 12-1/2" x 6-1/4 " **Rough Wall Opening:** 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

S-2661 Vertical Recessed Double Toilet Tissue Dispenser



Overall Size: 6-1/4 " x 12-1/2" Rough Wall Opening: 5 1/4" x 11-1/2" x 2" 22 ga. stainless steel. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

S-2661-01 Vertical Hinged Hood Recessed Double Toilet Tissue Dispenser



Overall Size: 6-1/4 " x 12-1/2" Rough Wall Opening: 5 1/4" x 11-1/2" x 2" 22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.



Double Roll Toilet

Tissue Dispenser

(Surface Mount)

C-1040-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"







C-1040-01-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting frontcover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"

Mounting Systems

Recessed units can be mounted using either a dry wall clamp, or tile-type lugs (sold separately).








Dry Wall Clamp

S-2609-01



Tile Type Lugs

S-2601-01

Note: Double dispensers require two (2) clamps / lug sets per unit

Shower and Tub Seats

Shower and tub seats are constructed to meet A.D.A. accessibility guidelines. Folding shower seats utilize a self-locking mechanism. One-piece phenolic tops are 1/2" thick. White poly tops are 1/2" thick, and stainless steel tops are 14 gauge. Seat frames are fabricated from stainless steel. Other models and sizes are available upon request.



The unique Brey-Krause design eliminates having to stock multiple shower seats or pre-determine the handing required. The Brey-Krause "reversible handing" shower seats enable one shower seat to be simply installed in either the left-hand or the right-hand configuration. See the Reference Section in the back of the catalog for a detailed explanation.



S-6215-SS 18" X 16" folding shower seat with one-piece white poly top

S-6216-SS 18" X 16" folding shower seat with one-piece stainless steel top

S-6276-SS 18" X 16" folding shower seat with onepiece woodgrain phenolic top

S-6275-SS 18" X 16" folding shower seat with one-piece ivory phenolic top



S-6278-SS 32-1/2" x 16-1/4" Folding tub seat with one-piece woodgrain phenolic top

S-6277-SS 32 1/2" x 16-1/4" Folding tub seat with one-piece ivory phenolic top

S-6017-SS 32 1/2" x 16 1/4" Folding tub seat with one-piece white poly top



Reversible Handing

S-6212-SS 32" X 22-1/2" folding shower seat with one-piece white poly top

S-6280-SS 32" X 22-1/2" folding shower seat with one-piece woodgrain phenolic top

S-6279-SS 32" X 22-1/2" folding shower seat with one-piece ivory phenolic top



S-6202-SS Left hand 32" X 22-1/2" folding shower seat with one-piece stainless top

S-6203-SS Right hand 32" X 22-1/2" folding shower seat with one-piece stainless top





S-6018-SS 9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with white poly top (shown above)

S-6096-SS

9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with 16 ga. stainless steel top S-6095-SS 11 ga. 8" x 23-3/4" removable stainless steel tub seat with integral stiffening flange

Note: All removeable tub seats require that a dimensions sheet be completed when ordering. Contact factory for details.

Shower Rod Flanges



Flat, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .180 thick x 3" dia. stainless steel.

S-4673: 1" Hole S-4674: 1-1/4" Hole Finishes: SS, BS



Formed, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4640: 1" Hole S-4642: 1-1/4" Hole Finishes: SS, BS



Formed round exposed mount flange (no welded collar). Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4651: 1" Hole S-4656: 1-1/4" Hole S-4657: 1-1/2" Hole Finishes: SS, BS



Solid one piece round exposed mount flange (light & heavy duty) One flange has a set screw (supplied) hole to the secure shower rod. Made from cast brass.

B-2960: 1" Hole (light) - 2.219 dia. **B-2961:** 1" Hole (heavy) - 2.562 dia. **B-2965:** 1-1/4" Hole - 2.625 dia. Finishes: BC, SC, SB, BB



Formed light duty round exposed mount flange with formed collar. Identical pairs. Flange is 2.75" dia. stainless steel.

S-4660: 1" Hole **S-4665:** 1-1/4" Hole Finishes: SS, BS



Formed light duty round exposed mount flange (no formed collar.) Identical pairs. Flange is 3" dia. x .420" depth stainless steel.

S-4661: 1" Hole **S-4666:** 1-1/4" Hole Finishes: SS, BS



Formed round concealed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Zinc plated mounting plate and set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel

> S-4669: 1" Hole S-4671: 1-1/4" Hole Finishes: SS, BS



Formed, round concealed mount flange (no welded collar) Zinc plated concealed mount back plate & set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel

> S-4693: 1" Hole S-4679: 1-1/4" Hole S-4698: 1-1/2" Hole Finishes: SS, BS



Formed, round concealed mount snap-on flange and cover. Flange has a welded collar concealed by snap-on cover. Made from 3" dia. x .078" thick stainless steel.

> **S-4691:** 1" Hole **S-4696:** 1-1/4" Hole Finishes: SS, BS

Shower Rod Flanges, Rods & Accessories



Formed oval concealed mount snap-on flange and cover. Flange has welded light duty collar and is concealed by a snap-on cover that snaps onto flange after mounting. Made from stainless steel.

S-4690: 1" Hole S-4695: 1-1/4" Hole Finishes: SS, BS



Formed round exposed mount break-away flange. Spring loaded design releases shower rod under load. Made from stainless steel. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

> S-4650: 1" Hole Break-away Flange Finishes: SS, BS



Solid concealed mount collar flange (supplied) and mounting plate. One flange has a set screw to secure the shower rod. Brass collar screws onto brass mounting plate. **Note:** Stainless Steel version is also available (SS, BS)

B-4360: 1" Hole B-4365: 1 1/4" Hole Finishes: BC, SC, SB, BB, SS, BS



Solid one piece exposed mount 45 degree flange. One flange has a set screw (supplied) to secure shower rod. Made from cast brass.

> **B-2946:** 1" Hole **B-2948:** 1-1/4" Hole Finishes: BC, SC, SB, BB (45°)

Heavy Duty Towel Bars



Solid one piece 90 degree T-connector. Two set screws (supplied) secure the rod. Made from cast brass.

D-6060: 1" Hole D-6062: 1-1/4" Hole Finishes: BC, SC, SB, BB (Tee)



SC- Satin Chrome-Plated Brass BC- Bright Chrome-Plated Brass BB- Bright Brass SB- Satin Brass AG- Antimicrobial - available for all bars Other finishes available

Finish codes BS- Bright Stainless Steel SS- Satin Stainless Steel SN- Satin Nickel-Plated Brass

Shower Rods

XX = length of tube

Tube Diameter: 1" Stainless

U-1024-XX" Wall/Gauge: .035/20 - Finishes: SS, BS

U-1025-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Tube Diameter: 1-1/4" Stainless

U-1029-XX" Wall/Gauge: .035/20 - Finishes: SS, BS

U-1030-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Tube Diameter: 1-1/2" Stainless


U-1040-XX" Wall/Gauge: .049/18 - Finishes: SS, BS

Curved Shower Rods

Brey-Krause's heavy-duty curved Shower Rods are offset by 6-7/32 inches and greatly increase the space available behind the shower curtain. Their solid construction using heavy-gauge materials and welded flanges protect against vandals and excessive wear. Our curved shower rods a similar design and materials to those used in our grab bars. They are **specified to fit 60**" **openings** with custom lengths available by special request. Call the factory for more details.

The bars are fabricated from either 1" or 1 1/4" diameter 18 gauge (.049 wall) stainless steel tubing, and available in satin stainless (SS), bright stainless (BS), and several powder-coated finishes.

Note: The shower rod and flanges are sold as one unit.



The Brey-Krause curved shower rod provides unique mounting flanges that **adjust to fit wall openings between 58-5/8" to 61-1/2" width when your opening is not exactly 60"** (custom rod lengths are available upon request)



Hooks

Our hooks are fabricated from stainless steel and solid brass and can be installed for for commercial or residential use. Hooks are available in a variety of finishes (see finish coode list below). Special hooks and stainless steel hook strips can be fabricated to meet your requirements.



Door Hardware


Brey-Krause door plates, corner guards, and kickplates are generally fabricated from 18 gauge, stain finish stainless steel. Plates are countersunk with holes for mounting. Corner guards, kickplates, and door guards are fabricated for either adhesive or fastener mounting (not included). The standard items are depicted below, however these items can be custom fabricated to your specifications.

Finish codes

- **BS- Bright Stainless**
- SS- Satin Stainless
- AG- Antimicrobial
- PC Powder Coated

Push/Pull Plates:





Partition Hardware

Brey-Krause manufactures a wide variety of stainless steel partition hardware, fabricated from stainless steel with a satin finish. Partition hardware requires approximately two weeks for production. For special sizes or finishes, contact the factory.

Pilaster Shoe	Pilaster Shoe	Pilaster Shoe		Pilaster Floor Anchor	
K-8010-SS 3" X 3-3/8" X 1" K-8011-SS 3" X 3-3/8" X 1-1/4" 22 ga., welded 1 piece unit	K-8015-SS 3" X 3-3/8" X 1" K-8016-SS 3" X 3-3/8" X 1-1/4" 22 ga., square 4 piece unit	K-8020-SS 3" X 3-3/8" X 1" K-8021-SS 3" X 3-3/8" X 1-1/4" 22 ga., round 4 piece unit		K-8080-SS 3/4" X 3" X 3" 18 ga.	
Headrail Bracket	U-Channel Wall Bracket	Headrail/Wall Bracket		Pilaster Headrail Bracket	
	· · ·				
K-8050-SS	K-8055-SS	K-8070-SS		K-8072-SS	
58" X 1" K-8051-SS	58" X 1" K-8056-SS	1" K-8071-SS		1" K-8073-SS	
58" X 1-1/4"	58" X 1-1/4"	1-1/4"		1-1/4"	
18 ga.	18 ga.	18 ga.		18 ga.	
F-Bracket	T- Bracket	U-Bracket	Door Pull	Bumper Hook	
			ļ	~	
K-8074-SS	K-8076-SS	K-8088-SS	K-8081-SS		
1" K-8075-SS	1" K-8077-SS	1" K-8089-SS	4" Overall	Chrome-plated brass hook with	
1-1/4"	1-1/4"	1-1/4"		3" projection.	
14 ga. Corner Purse Shelf	14 ga. Pedestal Support	14 ga. Fixed Part	tition Support	Adjustable Partition	
	Τ		Ī	Support	
K-4090-SS	K-8065-SS)60-SS	K-8061-SS	
18 ga. shelf is 7" deep x 10" wide	18" high, with 2 8" x 8 plates with 4 mounting ho		be is 18 gauge /ith 16 gauge	Support adjusts from 10"-14".	
with a 1" returned edge on all 3 sides.	welded to 11 ga. stainles support tube.	ss mounting	bracket and T por flange.	ube is 18 ga. stainless with 16 ga. mounting bracket and 7 ga. floor flange.	

www.breykrause.com

Stainless Shelving

Part # + Width(") + Finish

36

Shelves and brackets are fabricated from stainless steel.

Standard sizes are 6" deep by 18", 24" or 36" wide. Corners are welded and ground smooth for added strength and safety.

Shelves can be fabricated in a wide range of sizes. Contact the factory for details on custom sizes.



Example:

K-4040 -

Specify part number, width and finish.

Finish codes

+ Finish - SS = K-4040-36-SS



K-4040Shelf top has a 3/8" returned edge on all 4 sides.18 ga. utility shelf with 16 gauge welded bracketsFinish: SSDepth: 6"



K-4050
Shelf top has a 3/4" returned edge on all 4 sides. Front edge is hemmed for added safety.
18 ga. utility shelf with 16 gauge welded brackets
Finish: SS Depth: 6"



Shelf top has a 3-1/2" wall flange and a 1/2" raised front lip.Finish: SSDepth: 6"

- K-6060: 11 ga. shelf exposed mount
- K-6061: 11 ga. shelf concealed mount
- K-6066: 11 ga. shelf with toothbrush slots, exposed mount
- K-6067: 11 ga. shelf with toothbrush slots, concealed mount



Shelf top has a 3-1/2" backsplash and a 1/2" raised front lip. **Finish:** SS **Depth:** 6" **K-6062:** 11 ga. shelf with backsplash, exposed mount **K-6063:** 11 ga. shelf with backsplash, concealed mount



K-4030 Shelf top has a 3/4" returned edge on the back and 3/8" returned edge on the front. End brackets are integral with shelf. 18 ga. 1 piece utility shelf. Finish: SS Depth: 6"



K-4090 Corner shelf is 7" deep with 10" sides and a 1" returned edge on all 3 sides 18 ga. corner shelf/purse shelf Finish: SS Depth: 6"



K-4070 (LH) 16 ga. shelf bracket left hand Finish: SS Depth: 6" Shelf brackets are 3 3/4" high with a projection of approximately 5 1/4". Other sizes available upon request. Finish: SS Depth: 3 3/4" x 5 3/4"

K-4071 (RH) 16 ga. shelf bracket right hand Finish: SS Depth: 6"

Janitorial Accessories

K-1001-24-SS

Shelves, brackets and hooks are fabricated from satin finish stainless steel. Janitorial accessories can be fabricated in other sizes to meet architectural requirements.

- SS

Specify part number, size and finish.

Part # + Length(") + Finish

Finish codes

BS- Bright Stainless SS- Satin Stainless

- SC- Satin Chrome
- BC- Bright Chrome
- AG- Antimicrobial




K-1001 - 24

To Order:

Example:

Mop and Broom Holder18 ga. stainless steel channel. Projects 3-1/2"
with spring loaded rubber cams.K-1001: Mop & broom holder with 3 holders
Finish: SSSize: 24"K-1002: Mop & broom holder with 4 holders
Finish: SSSize: 36"K-1002-48: Mop & broom holder with 5 holders
Finish: SSSize: 48"

Utility Shelf K-4050 Shelf top has a 3/4" returned edge on all 4 sides and is 6" deep with 16 ga. stainless steel brackets. Finish: SS Size: 36"





Utility Shelf

Shelf with hooks, mop and broom holders. 18 ga. stainless steel shelf 8" deep with spring loaded rubber cams.
Finish: SS
K-1030: 34" Utility shelf with 3 holders and 4 hooks
K-1031: 44" Utility shelf with 4 holders and 5 hooks

Anti-Ligature Accessories

The Brey-Krause line of anti-ligature accessories was designed to reduce the risk of self-harm by occupants. They are ideal for use in various applications including correctional and psychiatric institutions, as well as schools and military facilities.

These heavy-duty accessories are fabricated from satin finish stainless steel.

Security Grab Bar with closure plate

1-1/2" diameter, 18 ga. stainless steel tube with welded11 ga. closure plate. Exposed and concealed flanges are available. (Concealed flange shown)



Concealed	Exposed
D-7210-SEC	D-7510-SEC
D-7211-SEC	D-7511-SEC
D-7212-SEC	D-7512-SEC
D-7213-SEC	D-7513-SEC
D-7221-SEC	D-7521-SEC
D-7221-SEC	D-7521-SEC
D-7221-SEC	D-7521-SEC
D-7216-SEC	D-7516-SEC
D-7215-SEC	D-7515-SEC
D-7217-SEC	D-7517-SEC

Break-Away Shower Flange



S-4650-SS Spring loaded design releases shower rod under load. 1" dia. rod. Mounts with #10 oval head screw.

Hooded Toilet Paper Holder



S-4052-SS One piece housing is fabricated from 14 ga. stainless steel satin finish. Spindle assembly is fabricated from 7 ga. stainless steel with a 3/16" padlock hole. (padlock and fasteners not included) Heavy Duty Recessed Soap Dish



S-2632-SS 20 ga. stainless steel, beveled for secure fit, dimpled for soap.

S-2631-SS Rear wall concealed mount S-2633-SS Soap Dish with Bar

Recessed Toilet Paper Holder



S-4080-SS 14 ga. face plate, 18 ga. cylinder, welded construction, stainless steel, 8" x 8" face plate, 5" inside diameter, 4" depth Heavy Duty Recessed Tumbler



S-2620-SS 20 ga. stainless steel, beveled for secure fit.

S-2621-SS Rear wall concealed mount

Security Mirror



T-8010-BS 12" x 14" Frameless one piece exposed mount mirror 16 ga. polished bright stainless steel mirror

Anti-Ligature Accessories

Security Hooks

These security hooks have pivoting ball joints that release when excessive force is applied. Flanges are constructed of 11 gauge stainless steel, and back plates for hook strips use one-piece 14 gauge stainless steel. They are ideal for use in various applications including correctional and psychiatric institutions, as well as schools and military facilities.

Concealed Mount Security Towel Hook



S-4039-SS

3" dia. x 2.5" projection (2) 1/4"-20 1-1/2" mounting tee nuts welded to back (hardware not included- access behind wall necessary for installation)

Concealed Mount Security Hook Strip



S-4037-SS

6" H x 18" W x 2.5" projection
(6) 1/4"-20 1-1/2" mounting tee nuts welded to back
(hardware not included- access behind wall necessary for installation)

Exposed Mount Security Towel Hook



S-4040-SS

3" dia. x 2.5" projection Includes (3) 1/4"-20 1-1/2" pin in Torx screws

Hook Strip Shelf



K-4038-18-SS

5" H x 18" W x 8" projection 18 gauge stainless steel construction (hardware not included)

Exposed Mount Security Hook Strip



S-4038-SS

6" H x 18" W x 2.5" projection Includes (6) 1/4"-20 1-1/2" pin in Torx screws



Shelf shown mounted above (hook strip sold separately)

Security and Vandal Resistant Accessories

Wall sleeves and rear wall mounting kits are available. Anchors are not included.

Security Towel Bar



S-4042-24-SS 1" Dia. x 24" 16 ga. stainless steel tube with welded 11 ga. end brackets.

> S-4041-24-SS Concealed mount

Security Double Towel Bar



S-4043-24-SS 1" Dia. x 24" 16 ga. stainless steel tubes with welded 11 ga. end brackets. Security Toilet Paper Holder



S-4050-SS 7 ga. stainless steel with 16 ga. 1" dia. tube. Exposed shown, concealed also available.

Surface Mounted Toothbrush Holder



S-4020-SS 11 ga. stainless steel. Exposed shown, concealed also available. Surface Mount Soap Dish



S-4010-SS 11 ga. stainless steel with 3 drain holes and raised edges to hold soap.

S-4011-SS Concealed mount

Surface Mount Tumbler



S-4022-SS 11 ga. stainless steel, holds 4 brushes and cup.

> S-4023-SS Concealed mount

Heavy Duty Curtain Hook



S-0152-SS 11 ga. stainless steel for 1" dia. rod. Double Roll Toilet Tissue Dispenser (Surface Mount)



C-1040-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4" Double Roll Toilet Tissue Dispenser w/ Hinged Hoods (Surface Mount)



C-1040-01-SS 22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock. 4 13/16" x 13 1/4" x 4"

www.breykrause.com

Security and Vandal Resistant Accessories

Security Mirrors

T-8010-BS 12" x 14"

Frameless one piece exposed mount mirror 16 ga. polished bright stainless steel mirror.

T-8013-SS 12" x 14"

Framed seamless corner construction exposed mount mirror. 16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.

Two Concealed Mount Sizes Available:

T-8014-SS 12" x 14" T-8014-01-SS 18" x 24"



Security Seats

Stainless steel heavy-duty shower seat capable of supporting over 500 pounds for use in security and bariatric facilities. The seat top is fabricated from 14 ga. stainless steel and available in an L-shape or rectangular-shape. All seat tops lock in the upright position using a locking hasp. (Padlock not included)

S-6204-SS L-Shaped Left Hand- 32" x 23" L-projection



OptionsS-6501-SSRectangular 16" x 32" - Left Hand Locking HaspS-6503-SSRectangular 16" x 38" - Left Hand Locking Hasp

S-6205-SS L-Shaped Right Hand- 32" x 23" L-projection



Options:S-6502-SSRectangular 16" x 32" - Right Hand Locking HaspS-6504-SSRectangular 16" x 38" - Right Hand Locking Hasp



Locked in up position when seat is not used



Lock Hinge Assembly shown while seat is in use



www.breykrause.com

Color Options



NOTE: Due to printing variances, the actual color of the material may differ.

Reference: Grab Bar Mounting Kits

Installation

To Order Fasteners:

Choose the appropriate mounting kits based on the wall construction and the type of grab bar flanges to be installed. One mounting kit is required for each flange.

Flanges						
Wall	Oval Exposed	Round Exposed	Round Exposed	Concealed	Oval Snap-On	Round Snap-On
Wood Backing	D-1504-01 (Two) #10 x 2" Oval Head SS Sheet Metal Screws	D-1502-01 (Three) #10 x 2" Oval Head SS Sheet Metal Screws	D-1503-01 (Three) #10 x 2" Pan Head SS Sheet Metal Screws	D-1508-01 (Two) #10 x 2" Pan Head SS Sheet Metal Screws	D-1506-01 (Two) #12 x 2" Pan Head SS Sheet Metal Screws	D-1509-01 (Two) #10 x 2" Pan Head SS Sheet Metal Screws
1" Toilet Partition	D-1524-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1569-01-SS (One) 3 ¼" Dia. 11 Guage SS Plate with 3/8" Threaded Stud & Nut	D-1526-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1527-02-SS (One) 3 ¼" Dia. 16 Guage SS Plate with Coupling Nuts & Screws
Through Wall	Consult Factory					
Dry Wall	D-1544-01 (Two) #10 – 24 x 3" SS Machine Screws with Toggles	D-1542-01 (Three) #10 – 24 x 3" SS Machine Screws with Toggles	D-1550-01 (Three) #10 – 24 x 3" ZP Machine Screw with Toggle	D-1548-01 (One) 3/8" – 16 x 3" ZP Machine Screw with Toggle	D-1546-01 (Two) #10 – 24 x 3" ZP Machine Screw with Toggle	D-1546-01 (Two) #10 – 24 x 3" ZP Machine Screw with Toggle
Masonry Wall	D-1554-01 (Two) #10 – 24 SS Machine Screws with Expansion Shields	D-1552-01 (Three) #10 – 24 SS Machine Screws with Expansion Shields	D-1560-01 (Three) #10 – 24 ZP Machine Screws with Expansion Shields	D-1558-01 (Three) 3/8" – 16 x 3" ZP Machine Screw with Expansion Shield	D-1556-01 (Three) #10 – 24 SS Machine Screws with Expansion Shields	D-1561-01 (Two) #10 – 24 ZP Machine Screws with Expansion Shields
In-Wall Plate	Several Types Available Consult Factory					

Kit D-1523-02-SS

1" toilet partition and round exposed flange.



Kit D-1569-01-SS

1" toilet partition and concealed flange.



Reference: Railings

To Order Railings:

We can quote most accurately if you supply the railing number, total footage and prints. Our engineers will work with you to help meet your specific design requirements. Railings are available in numerous configurations. The most popular types are shown below. Other types are available by special request.

Railing Number Designations					
			ailing Numbe		
Railing Type	Flange	1″	1 ¼″	1 1⁄2″	
		Diameter	Diameter	Diameter	
Q	A Oval Exposed	D-6583	D-6785	D-7987	
R	B/C Round Exposed	D-7383 D-4483	D-7485 D-4585	D-7587 D-4687	
	D Concealed	D-6983	D-7185	D-7287	
Straight Back Slip Supports	E/F Snap-On	D-8983 D-7683	D-9085 D-7785	D-9187 D-7887	
	B/C Round Exposed	D-7382 D-4482	D-7484 D-4584	D-7586 D-4686	
	D Concealed	D-6982	D-7184	D-7286	
Underslung Slip Supports	E/F Snap-On	D-8982 D-7682	D-9084 D-7784	D-9186 D-7886	
R	A Oval Exposed	D-6593	D-6795	D-7997	
	B/C Round Exposed	D-7393 D-4493	D-7495 D-4595	D-7597 D-4697	
	D Concealed	D-6993	D-7195	D-7297	
Straight Back Welded Supports	E/F Snap-On	D-8993 D-7693	D-9095 D-7795	D-9197 D-7897	
	B/C Round Exposed	D-7392 D-4492	D-7494 D-4592	D-7596 D-4696	
Q Q	D Concealed	D-6992	D-7194	D-7296	
Underslung Welded Supports	E/F Snap-On	D-8992 D-7692	D-9094 D-7794	D-9196 D-7896	


Recommended Construction

Span:

Recommended maximum span between supports is 60" for 1-1/2" tubing and 48" for 1-1/4" tubing. Recommended height is 33".

Wall Clearance:

Railings are fabricated with 1-1/2" wall clearance unless otherwise specified.



Reference: Railings

Component Selection

Tubing:

Railings are generally fabricated from 18 gauge (.049) satin finish stainless steel tubing and are available in 1", 1-1/4" or 1-1/2" outside diameter. Brass tubing and other finishes are available by special request.


Flanges: (See grab bar mounting kits in the Technical Notes for flange details)

Flange types (A, B, & C) are exposed screw mount. Type (D) has a concealed flange which locks to a tenon plate with stainless steel set screws after the tenon plate has been mounted. Types (E & F) are snap-on flanges which install like the exposed flanges. Snap-on flanges have factory installed covers which snap over the flanges completely concealing the mounting screws. Other flanges are available by special order.

Ends:

Flanged end returns (-10) are the most common railing ends specified. (-15) stops approximately 1/4" from the wall and requires a support within 7" - 9". An adjacent wall mount (-40) may be used on a surface 90 degrees to the axis of the railing providing there is a sufficient space for mounting the flange.






-10 Flanged End Return

-15 End Return

-40 Adjacent Wall Mount

Supports:

Supports can be welded directly to the railing or can be the slip type which allows them to be positioned in the field. 18 gauge x 1" diameter tubing is used to fabricate underslung (-20) & (-25) or straight back (-30) & (-35) supports. The recommended maximum span between supports is 60" for 1 1/2" tubing and 48" for 1 1/4" tubing.



Bends:


Railings can be fabricated to fit a wide variety of corridors. Bend angles are available to accommodate changes in direction as well as elevation.

Joints & Sectioning:

Railings can be fabricated up to 20 foot lengths upon request. Two sections of tubing can be joined using (-20) or (-30) slip supports (-75) with sheet metal screws or epoxy or by using an internal sleeve (-70) with epoxy adhesive.



-70 Splice with Internal Sleeve



Reference: Reversible Shower Seat

Construction:

Brey-Krause L-shaped A.D.A. compliant shower seats are available with reversible handing and a choice of seat top. Reversible shower seat tops may be specified with a one piece ivory or woodgrain phenolic top or with a solid white poly top. The phenolic tops have CNC-machined grooves and holes that provide superior drainage and a more natural appearance, particularly the woodgrain finish. The L-shaped seat can be converted to a rectangular seat by removing the handed portion and replacing it with decorative plastic plugs.



Instead of having to stock multiple shower seats or pre-determine the handing required, the Brey-Krause "reversible handing" shower seats enables the handing to be determined during installation.





Right Hand

Left Hand

This innovative design enables one shower seat to be configured in either the left-hand or the right-hand configuration

S-6212-SS White Poly S-6279-SS Ivory-Phenolic S-6280-SS Woodgrain Phenolic

Seats are constructed to meet or exceed A.D.A. barrier-free accessibility guidelines. Folding seats utilize a self locking mechanism to help secure them when not in use. Overall dimensions are 32" x 23".

Reference: Mirrors

These easy steps.

3-in-1 Mirror

With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.

How does a universal frame mirror become a fixed tilt mirror?





The universal frame mirror snaps easily into the fixed tilt frame.



Uses the same mounting brackets as the universal frame mirror.



Brey-Krause Mirrors Save You Time and Money!

How? They...

- Install in half the time of conventional universal frame mirrors
- Are a better design and quality
- Are boxed individually and can ship by virtually any means without breakage
- Convert easily to fixed tilt or adjustable tilt mirrors thereby reducing your inventory carrying costs.