

## MISCELLANEOUS DOOR AND WINDOW HARDWARE

ILLUSTRATION	ITEM	SIZE	ITEM #	FINISH
	<b>Window Casement Fasteners, Solid Brass</b> <ul style="list-style-type: none"> <li>Packed with screws and two strikes</li> <li>Conforms to ANSI/BHMA 156.16</li> <li>Architectural finishes available</li> </ul>	1 5/8" x 7/8" Projection: 1 3/8"	SBCF-222	US3, 26, 19, 15, 5, 15A, 10B, 26D
		2 1/16" x 1 1/16" Projection: 1 7/8"	SBCF-333	
	<b>Template ASA Strike,</b>	4 7/8" x 3 3/8" x 1 1/4"	ASA478	US32D
	<b>Stainless Steel</b>			US26, 10, 3, 10B
	<b>Template ASA Strike, Steel Base</b>		ASAST	US26D, 26, 10, 3, 10B
	<b>Heavy Duty Security Strike</b> <ul style="list-style-type: none"> <li>Includes: 2 pcs #10 x 2 1/2" and 2 pcs #10 x 3/4" Wood Screws</li> </ul>	3 5/8" x 1 7/8"	SDTP-3625	US3, 26, 15, 10B, 15A
	<b>Deadbolt Security Strike</b> <ul style="list-style-type: none"> <li>Includes: 2 pcs #12 x 3" and 2 pcs #12 x 1 1/4" wood screws</li> </ul>	1 1/4" x 3 5/8"	SS114358	US3
	<b>Drive In Thimble Strike</b> <ul style="list-style-type: none"> <li>Steel Construction</li> <li>ZINC Plated</li> <li>With 1 1/4" Screw</li> </ul>	Length: 1 1/8" Diameter: 1"	DTS80	ZINC
	<b>Brass Dustproof Strike</b> <ul style="list-style-type: none"> <li>Spring tension calibrated for positive closing and eliminates binding</li> <li>Can be locked in up position</li> <li>Conforms to ANSI/BHMA 156.16 L14011</li> </ul>	Face Plate: 1 3/8" x 2 7/8" Barrel: 1" diameter Depth: 2 1/4"	DPSTRK1	US26D, 26, 3, 10B
	<b>Heavy Duty Roller Catch</b> <ul style="list-style-type: none"> <li>Adjustable Nylon Roller With Square Heavy Duty Cast 2 1/4" Full-lip Strike</li> <li>Conforms to ANSI/BHMA A156.16, E19091</li> </ul>	Face Plate: 1" x 3 3/8" Full Lip Strike: 1/8" x 1" x 3 3/8" Depth: 1 3/4"	ARL1338	US3, 26, 19, 15, 5, 15A, 10B, 26, 26D

Specification Sheets available for submittal purposes at [www.cal-royal.com](http://www.cal-royal.com). Click on "Specification Sheets Image"

## MISCELLANEOUS DOOR AND WINDOW HARDWARE

ILLUSTRATION	ITEM	SIZE	ITEM #	FINISH
	<b>Optional T Strike for Heavy Duty Roller Catch ARL1338</b> <ul style="list-style-type: none"> <li>▶ Architectural finishes available</li> <li>▶ Packed with Screws</li> </ul>	2 3/4" x 1 1/2" x 1 3/4"	ARLSTRK62	US26D, 26, 19, 15, 5, 3, 15A, 10B, US26
	<b>Door Silencer for Metal Frames</b> <ul style="list-style-type: none"> <li>▶ Absorb Shock and Reduce Noise of Door Closing</li> <li>▶ Prevents door rattling</li> <li>▶ Provides tension for door latches/locks</li> <li>▶ Conforms to ANSI/BHMA 156.16, L03011</li> </ul>	Length: 11/16" Diameter: 1/2"	DSM21	Rubber
	<b>Door Silencer for Wood Frames</b> <ul style="list-style-type: none"> <li>▶ Absorb Shock and Reduce Noise of Door Closing</li> <li>▶ Prevents door rattling</li> <li>▶ Provides tension for door latches/locks</li> <li>▶ Conforms to ANSI/BHMA 156.16, L03021</li> </ul>	Length: 3/4" Base: 3/8" x 3/4"	DSW85	Rubber
 	<b>Metal Kick Plates</b> <ul style="list-style-type: none"> <li>▶ Conforms to ANSI/BHMA A156.6</li> <li>▶ Packed with #6 x 5/8" screws</li> </ul>	0.050" x 8" x 34"	BKICK834	US32D, 10B
		0.040" x 8" x 34"	AKICK834	
		0.050" x 10" x 34"	BKICK1034	
		0.040" x 10" x 34"	AKICK1034	
	<b>Metal Kick Plates</b> <ul style="list-style-type: none"> <li>▶ Conforms to ANSI/BHMA J102</li> <li>▶ Packed with #6 x 5/8" screws</li> </ul>	0.050" x 10" x 46"	BKICK1046	US32D
	<b>Aluminum Kick Plate</b> <ul style="list-style-type: none"> <li>▶ Conforms to ANSI/BHMA A156.6</li> <li>▶ Anodized Aluminum Finish</li> <li>▶ Packed with #6 x 5/8" screws</li> </ul>	0.032" x 6" x 34"	ANO634	US3, 10B, 15, US4
		0.032" x 8" x 34"	ANO834	
		0.032" x 10" x 34"	ANO1034	
	<b>Stainless Steel Armor Plates</b> <ul style="list-style-type: none"> <li>▶ Conforms to ANSI/BHMA J101</li> <li>▶ Packed with #6 x 5/8" screws</li> </ul>	0.050" x 34" x 34"	BARM3434	US32D
		0.050" x 34" x 36"	BARM3436	US32D

Specification Sheets available for submittal purposes at [www.cal-royal.com](http://www.cal-royal.com). Click on "Specification Sheets Image"

## MISCELLANEOUS DOOR AND WINDOW HARDWARE

ILLUSTRATION	ITEM	SIZE	ITEM #	FINISH
	<p style="text-align: center;"><b>Solid Bar Round Pull 1" Diameter</b></p> <ul style="list-style-type: none"> <li>▶ <i>Stainless Steel, Brass and Aluminum Material</i></li> <li>▶ <i>Type 1 Thru-Bolt Mount for 1 3/4" thick doors</i></li> <li>▶ <i>Individually packed</i></li> <li>▶ <i>Easy installation</i></li> <li>▶ <i>Architectural finishes available</i></li> </ul>	1" Diameter, 10" CTC Projection: 2 1/2"	PUL200	US3, US32D
		1" Diameter, 8" CTC Projection: 2 1/2"	PUL201	
	<p style="text-align: center;"><b>Solid Bar Round Pull 3/4" Diameter</b></p> <ul style="list-style-type: none"> <li>▶ <i>Stainless Steel, Brass and Aluminum Material</i></li> <li>▶ <i>Type 1 Thru-Bolt Mount for 1 3/4" thick doors</i></li> <li>▶ <i>Individually packed</i></li> <li>▶ <i>Easy installation</i></li> <li>▶ <i>Architectural finishes available</i></li> </ul>	3/4" Diameter, 10" CTC Projection: 2 1/4"	PUL202	US3, US32D
		3/4" Diameter, 8" CTC Projection: 2 1/4"	PUL203	US3, US10B, US32D, ALUM
		3/4" Diameter, 6" CTC Projection: 2 1/4"	PUL204	US3, US10B, US32D, ALUM
		3/4" Diameter, 5 1/2" CTC Projection: 2 1/4"	PUL205	US3, US15, US10B, US32D, ALUM
		5/8" Diameter, 5 1/2" CTC Projection: 2"	PUL206	US3, US10B, US32D, ALUM
	<p style="text-align: center;"><b>Solid Bar Pull Handle</b></p> <ul style="list-style-type: none"> <li>▶ <i>Stainless Steel, Brass and Aluminum Material</i></li> <li>▶ <i>Type 1 Thru-Bolt Mount for 1 3/4" thick doors</i></li> <li>▶ <i>Individually packed</i></li> <li>▶ <i>Easy installation</i></li> <li>▶ <i>Architectural finishes available</i></li> </ul>	3/8" x 1 1/4", 10" CTC Projection: 2"	PUL207	US3, US10B, US15, US28
		3/8" x 1 1/4", 8" CTC Projection: 2"	PUL208	US3, US10B, US15, US28
		3/8" x 1 1/4", 6" CTC Projection: 2"	PUL209	US3, US10B, US15, US26, US28
	<p style="text-align: center;"><b>Solid Ellipse Pull Handle</b></p> <ul style="list-style-type: none"> <li>▶ <i>Stainless Steel, Brass and Aluminum Material</i></li> <li>▶ <i>Type 1 Thru-Bolt Mount for 1 3/4" thick doors</i></li> <li>▶ <i>Individually packed</i></li> <li>▶ <i>Easy installation</i></li> <li>▶ <i>Architectural finishes available</i></li> </ul>	7/8" x 1/2" Ellipse, 5 1/8" CTC Projection: 1 3/4"	PUL210	US3, US28
		3/4" x 1/2" Ellipse, 5 1/2" CTC Projection: 1 3/4"	PUL211	US3, US10B, US15, US15A, US26, US26D, US32D

Specification Sheets available for submittal purposes at [www.cal-royal.com](http://www.cal-royal.com). Click on "Specification Sheets Image"

## MISCELLANEOUS DOOR AND WINDOW HARDWARE

ILLUSTRATION	ITEM	SIZE	ITEM #	FINISH	
	<p style="text-align: center;"><b>Pull Plate</b></p> <ul style="list-style-type: none"> <li>▶ One piece mounted</li> <li>▶ Conforms to ANSI/BHMA A156.6</li> <li>▶ Architectural finishes available</li> </ul>	0.050" x 3 1/2" x 15"	PULPL3515	US32D, 26, 10, 5, 4, 3, 10B	
		0.050" x 4" x 16"	PULPL4016		
	<p style="text-align: center;"><b>Pull Plate Solid Bar Round 1000 Series</b></p> <ul style="list-style-type: none"> <li>▶ Meets ANSI 156.6 for J401 Pulls</li> <li>▶ 18 Gauge (0.050") Plate</li> </ul>	3/4" dia. 6"CTC	3.5" x 15"	1000	US32D, 10B, 3
			4" x 16"	1001	US32D
		3/4" dia. 8"CTC	3.5" x 15"	1002	US32D, 10B, 3
			4" x 16"	1003	US32D
			1003 ADA	US32D	
		1" dia. 8"CTC	3.5" x 15"	1004	US32D, 10B, 3
			4" x 16"	1005	US32D
		1" dia. 10"CTC	1005 ADA	US32D	
			3.5" x 15"	1006	US32D, 10B, 3
			4" x 16"	1007	US32D
1007 ADA	US32D				
	<p style="text-align: center;"><b>Push Plate</b></p> <ul style="list-style-type: none"> <li>▶ Individually packed with protective film and screws</li> <li>▶ Easy installation</li> <li>▶ Conforms to ANSI/BHMA A156.6</li> <li>▶ Architectural finishes available</li> </ul>	0.050" x 3 1/2" x 15"	PSPL3515	US32D, 10B, 10, 6, 5, 4, 3, 26	
		0.050" x 4" x 16"	PSPL4016		
<p>LPG2</p> <p style="text-align: right;">GJLPG2</p>	<p style="text-align: center;"><b>Latch Guard Protector</b></p> <ul style="list-style-type: none"> <li>▶ Universal latch guard for out-opening doors</li> <li>▶ Fits most single, double and mortise locks</li> <li>▶ Conforms with ANSI/BHMA 156.2 Series 4000</li> </ul>	2 7/8" x 11"	LPG2	USP,ALUM DURO, GOLD	
		3" x 11"	GJLPG2	US32D	
	<p style="text-align: center;"><b>Solid Brass Drawer Pull</b></p> <ul style="list-style-type: none"> <li>▶ Includes Screws for 3/4" – 1 3/8" thick drawers or doors</li> <li>▶ Conforms to ANSI/BHMA A156.9 B22011</li> <li>▶ Architectural finishes available</li> </ul>	Dia. of Rod : 3", 5/16"	WP300	US3, 26, 26D, US10B	
		Dia. of Rod 3 1/2", 5/16"	WP350		
		Dia. of Rod 4", 5/16"	WP400		

Specification Sheets available for submittal purposes at [www.cal-royal.com](http://www.cal-royal.com). Click on "Specification Sheets Image"