




PRICE LIST 26



Service Parts

February 1, 2016 | rev. 7-15-16




CONTENTS

| | | |
|-------------------------------------|-----------------------------|-----|
| Locks | M9000 Series | P3 |
| | D900 | P10 |
| | C800 Series | P11 |
| | D800 Series | P17 |
| | CL700/CK700 Series | P21 |
| | C500 Series | P27 |
| | DB600 Series | P29 |
| | C300/J300 Series | P31 |
| Exit Devices | 9000 Series | P35 |
| | 8000 Series | P39 |
| Surface Closers | Closer Bodies | P41 |
| | Backplates & Drop Plates | P41 |
| | Conversion Plates | P42 |
| | Brackets & Spacers | P43 |
| | Fastener Packs | P44 |
| | Covers & Accessories | P45 |
| | Arms | P45 |
| | Carry Bars & Extension Kits | P49 |
| | Touch-Up Paint | P50 |
| Fire/Life Safety | EMR/EMF Series | P51 |
| | 1800 Series | P53 |
| | EM Series | P55 |
| Concealed Closers/Pivot Sets | BTS Series | P57 |
| | ITS Series | P63 |
| | RTS Series | P65 |
| | LM Series | P67 |
| Stops/ HOLDERS | 900/700 Series | P71 |

M9000 SERIES

Standard Lever Trim


| | |
|---|------------------------------|
| LRA, LCA, LGA, LTA, L118A, LRB, LCB, LGB, LTB, L118B | |
| 605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630 |



| Part # | Description | List \$ | |
|---|-----------------------------|---------|-----|
| Lever and Rose (specify design/finish and handing) | | | |
| 79003 | Lever & rose, outside dummy | 130 | 145 |
| 79001 | Lever & rose, outside | 130 | 145 |
| 79002 | Lever & rose, inside | 130 | 145 |
| 79004 | Lever & rose, inside dummy | 130 | 145 |

Example: 79001 LRA 626 RH


| | |
|---|------------------------------|
| LRH, LCH, LGH, LTH, L118H | |
| 605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630 |



| Part # | Description | List \$ | |
|---|--|---------|-----|
| Outside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79011 | Lever & escutcheon, outside dummy, blank | 180 | 195 |
| 79101 | Lever & escutcheon, outside blank | 180 | 195 |
| 79211 | Lever & escutcheon, outside cylinder | 180 | 195 |
| 79221 | Lever & escutcheon, outside emergency | 180 | 195 |
| 79231 | Lever & escutcheon, outside cointurn | 180 | 195 |
| Inside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79012 | Lever & escutcheon, inside dummy, blank | 180 | 195 |
| 79102 | Lever & escutcheon, inside blank | 180 | 195 |
| 79202 | Lever & escutcheon, inside cylinder | 180 | 195 |
| 79292 | Lever & escutcheon, inside thumbturn | 180 | 195 |

Example: 79101 LCH 626 RH

| | |
|---|------------------------------|
| LRM, LCM, LGM, LTM, L118M | |
| 605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630 |



| Part # | Description | List \$ | |
|---|--|---------|-----|
| Outside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79011 | Lever & escutcheon, outside dummy, blank | 170 | 185 |
| 79101 | Lever & escutcheon, outside blank | 170 | 185 |
| 79211 | Lever & escutcheon, outside cylinder | 170 | 185 |
| 79221 | Lever & escutcheon, outside emergency | 170 | 185 |
| 79231 | Lever & escutcheon, outside cointurn | 170 | 185 |
| Inside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79012 | Lever & escutcheon, inside dummy, blank | 170 | 185 |
| 79102 | Lever & escutcheon, inside blank | 170 | 185 |
| 79202 | Lever & escutcheon, inside cylinder | 170 | 185 |
| 79292 | Lever & escutcheon, inside thumbturn | 170 | 185 |

Example: 79101 LRM 626 RH

NOTE: All lever lock trim includes a spindle and spindle spring.


- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

LVA, LFA, LDA, LNA, L114A, L112A,
LAA, L110A, L117A, L109A, KBA, LVB,
LFB, LDB, LNB, L114B, L112B, LAB,
L110B, L117B, L109B, KBB

Premium Lever Trim

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630

| Part # | Description | List \$ | |
|---|-----------------------------|---------|-----|
| Lever and Rose (specify design/finish and handing) | | | |
| 79003 | Lever & rose, outside dummy | 145 | 160 |
| 79001 | Lever & rose, outside | 145 | 160 |
| 79002 | Lever & rose, inside | 145 | 160 |
| 79004 | Lever & rose, inside dummy | 145 | 160 |




Example: 79001 L110 626 RH

LVH, LFH, LDH, LNH, L114H, L112H,
LAH, L110H, L117H, L109H, KBH

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630

| Part # | Description | List \$ | |
|---|--|---------|-----|
| Outside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79011 | Lever & escutcheon, outside dummy, blank | 205 | 220 |
| 79101 | Lever & escutcheon, outside blank | 205 | 220 |
| 79211 | Lever & escutcheon, outside cylinder | 205 | 220 |
| 79221 | Lever & escutcheon, outside emergency | 205 | 220 |
| 79231 | Lever & escutcheon, outside cointurn | 205 | 220 |
| Inside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79012 | Lever & escutcheon, inside dummy, blank | 205 | 220 |
| 79102 | Lever & escutcheon, inside blank | 205 | 220 |
| 79202 | Lever & escutcheon, inside cylinder | 205 | 220 |
| 79292 | Lever & escutcheon, inside thumbturn | 205 | 220 |




Example: 79101 L113H 626 RH

LVM, LFM, LDM, LNM, L114M, L112M,
LAM, L110M, L117M, L109M, KBM

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626 | 613 PVD, 629, 630

| Part # | Description | List \$ | |
|---|--|---------|-----|
| Outside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79011 | Lever & escutcheon, outside dummy, blank | 195 | 210 |
| 79101 | Lever & escutcheon, outside blank | 195 | 210 |
| 79211 | Lever & escutcheon, outside cylinder | 195 | 210 |
| 79221 | Lever & escutcheon, outside emergency | 195 | 210 |
| 79231 | Lever & escutcheon, outside cointurn | 195 | 210 |
| Inside Lever and Escutcheon (specify design/finish and handing) | | | |
| 79012 | Lever & escutcheon, inside dummy, blank | 195 | 210 |
| 79102 | Lever & escutcheon, inside blank | 195 | 210 |
| 79202 | Lever & escutcheon, inside cylinder | 195 | 210 |
| 79292 | Lever & escutcheon, inside thumbturn | 195 | 210 |



Example: 79101 L114M 626 RH

NOTE: All lever lock trim includes a spindle and spindle spring.



Tactile Markings

| Part # | Description | List Add \$ |
|--------|--|-------------|
| 660002 | Knurled or grooved lever (LR, LT, and LG designs only) | 50 |
| 660003 | Abrasive coated lever or knob (all designs) | 40 |

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Button, Cointurns & Thumbturns (specify finish)

605 PVD, 606 PVD,
612 PVD, 613 PVD,
619 PVD, 625, 626,
629, 630

| Part # | Description | List \$ |
|---|---------------------------------------|---------|
|  79013 | Thumbturn & rose, all except 9963 | 58 |
| 79014 | Thumbturn & rose, 9963 | 58 |
|  79016 | Cap outside, M9040/9940 | 10 |
| 79113 | Cointurn & rose, M9040/9042/9940/9942 | 70 |




Example: 79013 626

Emergency Turn

| Part # | Description | List Add \$ |
|----------|----------------------------|-------------|
| 76009816 | Emergency Turn, M9040/9940 | 20 |

Occupancy Indicators

605, 606, 612,
613, 619, 625,
626, 629, 630


| Part # | Description | List \$ |
|---|---|---------|
|  79019 | Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish. | 76 |
| 79020 | Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish. | 76 |
|  79021 | Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside. | 76 |
|  79022 | Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish. | 76 |

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"-2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626
- Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M9046, 9056, 9940, 9942, 9953, 9956, 9957, 9959, 9960, 9961, 9962, 9966, 9967, 9968, 9973, 9974, 9980, 9985, 9986, 9996


Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630



| Part # | Description | List \$ |
|--|---|---------|
| 5006 – ANSI Strike for Mortise Lock (* see below for usage; specify finish) | | |
| 5006-114 | 1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip | 13 |
| 5006-078 | 1-1/4" x 4-7/8", 7/8" lip length, square corner, straight lip | 29 |
| 5006-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner, curved lip | 29 |
| 5006-134 | 1-1/4" x 4-7/8", 1-3/4" lip length, square corner, curved lip | 29 |
| 5006-200 | 1-1/4" x 4-7/8", 2" lip length, square corner, curved lip | 29 |

* Default **non-handed** strike shown in bold for all M9000 functions.




| Part # | Description | List \$ |
|---|---|---------|
| 5007 – ANSI Strike for Mortise Lock (*see below for usage; specify finish and handing) | | |
| 5007-114 | 1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip | 13 |

* Optional **handed** strike available for M9000 functions without deadbolts. Only available in 1-1/4" lip length.

Strike Box for 5006 & 5007 Strikes

| Part # | Description | List \$ |
|----------|-------------|---------|
| 76006253 | Box, Strike | 5 |

Lock Cases



| Part # | Description | List \$ |
|--|--|---------|
| M9000 Series Lock Cases for Levers and Knobs Specify Lever (L) or Knob (K) and handing. (armor not included) See Ordering Examples below. | | |
| 19040 | Chassis, M9010 | 170 |
| 19041 | Chassis, M9040, 9042 | 215 |
| 19042 | Chassis, M9046 | 250 |
| 19043 | Chassis, M9025, 9080 | 250 |
| 19044 | Chassis, M9050 | 250 |
| 19045 | Chassis, M9053, 9070, 9071 | 250 |
| 19046 | Chassis, M9056 | 275 |
| 19047 | Chassis, M9060 | 275 |
| 19048 | Chassis, M9076/M9077 | 275 |
| 19049 | Chassis, M9082 | 275 |
| 19050 | Chassis, M9940, 9942, 9956, 9968, 9996 | 275 |
| 19051 | Chassis, M9953 | 275 |
| 19052 | Chassis, M9957, 9959 | 275 |
| 19053 | Chassis, M9958 | 275 |
| 19054 | Chassis, M9966, 9973 | 275 |
| 19055 | Chassis, M9967 | 325 |
| 19056 | Chassis, M9974 | 325 |
| 19057 | Chassis, M9980, 9985, 9986 | 325 |
| 19058 | Chassis, M9080EL 24 V | 750 |
| 19059 | Chassis, M9080EU 24 V | 750 |
| 19060 | Chassis, M9082EL 24 V | 750 |
| 19061 | Chassis, M9082EU 24 V | 750 |
| 19062 | Chassis, M9080EL RX 24 V | 900 |
| 19063 | Chassis, M9080EU RX 24 V | 900 |
| 19064 | Chassis, M9080EL RX LM 24 V | 1050 |
| 19065 | Chassis, M9080EU RX LM 24 V | 1050 |
| 19066 | Chassis, M9010RX | 320 |
| 19067 | Chassis, M9025RX, 9080RX | 400 |
| 19068 | Chassis, M9050RX | 400 |
| 19069 | Chassis, M9010LM | 320 |
| 19072 | Chassis, M9025LM, 9080LM | 400 |
| 19073 | Chassis, M9050LM | 400 |
| 19074 | Chassis, M9053LM, 9070LM | 400 |
| 19076 | Chassis, M9080LM | 400 |
| 19077 | Chassis, M9082LM | 400 |
| 19078 | Chassis, M9080EL LM | 900 |
| 19079 | Chassis, M9080EU LM | 900 |
| 19080 | Chassis, M9082EL LM | 900 |
| 19081 | Chassis, M9082EU LM | 900 |
| 19082 | Chassis, M9010RX LM | 470 |
| 19083 | Chassis, M9025RX LM, 9080RX LM | 550 |
| 19084 | Chassis, M9050RX LM | 550 |

Ordering examples: 19051 L RH Chassis, M9953, for Levers, RH / 19051 K LH Chassis, M9953, for Knobs, LH

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety


Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts



| Part # | Description | List \$ |
|---|----------------------------|---------|
| M9000 Series Lock Cases for Dead Locks, Cases are non-handed. (armor not included) | | |
| 19070 | Chassis, M9960, 9961, 9962 | 216 |
| 19071 | Chassis, M9963 | 216 |

Lock Spindles

| Part # | Description | List \$ |
|----------|---|---------|
| 76008426 | Mortise lever lock spindle and spring (includes 2 spindles and 2 springs) | 10 |

Mounting Kit for Trim One Side Only

| Part # | Description | List \$ |
|----------|---|---------|
| 76007272 | Kit, less trim one side (M9003 and other functions) | 17 |

Lead Lined Lock Case

| Part # | Description | List \$ |
|--------|--|---------|
| 660001 | Lead lining plate for M9000 Series mortise locks | 193 |

Armor Fronts

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630



| Part # | Description | List \$ |
|--|---|---------|
| Armor Fronts (specify finish) (screws included) | | |
| 19020 | Armor latch 9010, 9040, 9042, 9046 | 24 |
| 19021 | Armor latch, aux 9025, 9053, 9056, 9060, 9070, 9071, 9076, 9077, 9080, 9082, 9080EL, 9080EU, 9080ELRX, 9080EURX, 9082EL, 9082EU | 24 |
| 19023 | Armor latch, aux, stopworks 9050 | 24 |
| 19024 | Armor latch, DB 9940, 9942, 9956, 9966, 9968, 9973, 9996 | 24 |
| 19025 | Armor latch, DB, aux 9967, 9974, 9980, 9985, 9986 | 24 |
| 19026 | Armor latch, DB, stopworks 9957, 9958, 9959 | 24 |
| 19027 | Armor latch, DB, aux, stopworks 9953 | 24 |
| 19028 | Armor DB 9960, 9961, 9962, 9963 | 24 |
| 19029 | Armor blank 9003, 9004 | 24 |

Example: 19020 630

Armor Screw Packs

606, 612, 613, 630

| Part # | Description | List \$ |
|--------|--|---------|
| 19032 | Screw pack, armor mount (specify finish) | 3 |

Example: 19032 630

Trim Screw Packs

606, 612, 613, 630

| Part # | Description | List \$ |
|-------------------------------------|---|---------|
| For all A, B, H, and M Trims | | |
| 19033 | Screw pack, M9000 rose (specify finish) | 6 |
| 19034 | Screw pack, M9000 Escutcheon (specify finish) | 6 |
| 19036 | Screw pack, M9001/M9003 (specify finish) | 6 |

Security Screws (specify finish)

| Part # | Description | List \$ |
|--------|--|---------|
| 660006 | Security screws for all exposed fasteners (sectional trim and dead bolts only) | 18 |
| 660010 | Security screws for all exposed fasteners (H escutcheon only) | 20 |
| 660011 | Security screws for all exposed fasteners (M escutcheon only) | 20 |

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

D900 SERIES

605 PVD, 606 PVD, 612 PVD, 613 PVD, 619 PVD, 625, 626, 629, 630

Thumbturns (specify finish)



| Part # | Description | List \$ |
|--------|------------------|---------|
| 79013 | Thumbturn & rose | 58 |

Occupancy Indicators

605, 606, 612, 613, 619, 625, 626, 629, 630



| Part # | Description | List \$ |
|--------|--|---------|
| 79023 | Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish. | 76 |



| | | |
|-------|---|----|
| 79020 | Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish. | 76 |
|-------|---|----|



| | | |
|-------|---|----|
| 79021 | Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside. | 76 |
|-------|---|----|




| | | |
|-------|--|----|
| 79022 | Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish. | 76 |
|-------|--|----|

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"-2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626

Chassis Kit



| Part # | Description | List \$ |
|--------|---|---------|
| 19090 | D900 Chassis Kit — Includes armor plate, chassis mounting, strike, and armor plate screws | 135 |

NOTE: Specify finish — 5301 630

Strikes



| Part # | Description | List \$ |
|--------|--------------------------------------|---------|
| 5301 | 1-1/8" x 3-1/2" square corner strike | 13 |

NOTE: Specify finish — 5301 630




Screwpack

| Part # | Description | List \$ |
|--------|---------------------------|---------|
| 19035 | SCRPK, D900 all functions | 6 |

NOTE: Specify finish — 19035 630



C800 SERIES

Levers (specify design/finish)

| | | LR, LC, LG, LT, LF, LV | | |
|---|--|------------------------|---|---------|
| | | 626 | 605 PVD, 606 PVD, 612 PVD, 619 PVD, 625 | 613 PVD |
| Part # | Description | List \$ | | |
|  | 30001 Closed lever | 86 | 88 | 90 |
| | 30002 Open & cylinder lever | 86 | 88 | 90 |
| | 30003 SFIC cylinder lever | 86 | 88 | 90 |
|  | 30004 FSIC cylinder lever — Schlage | 135 | 137 | 139 |
| | 30053 Cylinder lever — Sargent 10 line KIL | 135 | 137 | 139 |
|  | 76016360 Insert, Lever (not used on interchangeable core levers) | — | 2 | — |

Example: 30001 LR 626

Roses (specify design/finish)


| | | C, D, E, F | | |
|---|--|------------|---|---------|
| | | 626 | 605 PVD, 606 PVD, 612 PVD, 619 PVD, 625 | 613 PVD |
| Part # | Description | List \$ | | |
|  | 40001C Rose, inside and outside | 62 | 66 | 70 |
| | 40725C Rose, outside, blank | 62 | 66 | 70 |
| | 40001D Rose, inside, stamped LOCK ¹ | 75 | 79 | 83 |
|  | 40001E Rose, stepped, inside and outside | 62 | 66 | 70 |
| | 40001F Rose, stepped, inside, stamped LOCK ¹ | 75 | 79 | 83 |

Example: 40001 C 626

1. For use on C860 and C877 only.

1/2" Throw, 2-3/4" Backset Latch Bolts


605 PVD, 606 PVD,
612 PVD, 613 PVD,
629, 630

| Part # | Description | List \$ |
|---|---|---------|
|  | For 810, 840, and 844 Locks (specify finish) | |
| 10202 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 58 |
| | For all other locks (specify finish) | |
| 10252 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 58 |

Example: 10202 630

1/2" Throw, 3-3/4" Backset Latch Bolts


605 PVD, 606 PVD,
612 PVD, 613 PVD,
629, 630

| Part # | Description | List \$ |
|---|---|---------|
|  | For 810, 840, and 844 Locks (specify finish) | |
| 10302 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 74 |
| | For all other locks (specify finish) | |
| 10352 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 74 |

Example: 10302 630

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606,
612, 613, 630




| Part # | Description | List \$ |
|---|--|---------|
| For 810, 840, and 844 Locks (specify finish) | | |
| 10100 | 1" x 2-1/4" front, 7/8" diameter, square corner | 68 |
| 10101 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 68 |
| 10102 | 1-1/8" x 2-1/4" front, 7/8" diameter, square corner | 68 |
| For all other locks (specify finish) | | |
| 10150 | 1" x 2-1/4" front, 7/8" diameter, square corner | 68 |
| 10151 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 68 |
| 10152 | 1-1/8" x 2-1/4" front, 7/8" diameter, square corner | 68 |

Example: 10102 630


3/4" Throw, 2-3/4" Backset Latch Bolts

605, 626



| Part # | Description | List \$ |
|--|---|---------|
| For All 800 Locks (non-restoring) | | |
| 18262 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 150 |

Backset Links




| Part # | Description | List \$ |
|---|--|---------|
| For all Locks (Used with 2-3/4" Backset Latch) | | |
| 76016007 | 3-3/4" Backset Link, restoring and non-restoring | 20 |
| 76016008 | 5" Backset Link, restoring and non-restoring | 20 |

Use with 2-3/4" backset latch

Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630




| Part # | Description | List \$ |
|---|--|---------|
| 5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish) | | |
| 5001-1316 | 1-1/4" x 4-7/8", 1-3/16" lip length, square corner | 13 |
| 5001-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner | 32 |

Example: 5001-1316 630

NOTE: Consult Factory for special applications.

605, 606,
612, 613, 630



| Part # | Description | List \$ |
|---|--|---------|
| 5101, 5102 — "T" Strike with Dust Box (specify finish) | | |
| 5101-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, square corner | 9 |
| 5101-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, square corner | 25 |
| 5102-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner | 9 |
| 5102-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner | 25 |

Example: 5101-118 630

605, 606,
612, 613, 630

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots


Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

| Part # | Description | List \$ |
|--|--|---------|
| 5201, 5202 — Full Lip Strike (specify finish) | | |
| 5201-118 | 1-5/8" × 2-1/4", 1-1/8" lip length, square corner | 9 |
| 5202-118 | 1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner | 9 |



Example: 5201-118 630

Strike Boxes for 5001 & 5101/5102 Strikes

| Part # | Description | List \$ |
|----------|---------------------------------|---------|
| 76006253 | Box, Strike 5001 | 5 |
| 76006254 | Box, Strike 5101/5102/5201/5202 | 2 |

Screw Packs

| Part # | Description | List \$ |
|--------------------|--|---------|
| C800 Levers | | |
| 19096 | Screw pack, C801 and C802 | 15 |
| 19097 | Screw Pack, all other functions (specify finish) | |

Example: 19097 630

Security Screws

| Part # | Description | List \$ |
|--------|--|---------|
| 660007 | Security screws for all latches and strikes (specify finish) | 12 |


Lock Spacers for Thin Doors, C800 Series, Levers Only

| Part # | Description | List \$ |
|--------|---|---------|
| 660005 | Spacers for thin door, 1 pair (2 spacers) 1-3/8"–1-5/8" door (specify finish) | 36 |

Tailpieces, Conventional, SFIC & Retrofit C800 Locksets

| Part # | Description (sold in multiples of 10 unless otherwise specified) | List \$ |
|--------------------------------|--|---------|
| Conventional & SFIC | | |
| 67 27 D | C800D (except C873D), levers and knobs (includes white spacer) | 4 |
| 67 27 C | C800C (except C873C), levers only | 4 |
| 67 28 D | C873D, levers and knobs (includes white spacer) | 4 |
| 67 28 C | C873C, levers only | 4 |
| 67 29 C | C873C, knobs only | 3 |
| 67 12 C | C800C, knobs (except C873C) | 3 |
| 67 85 D | C885D (includes retainer), levers only (sold in multiples of 5 only). C885 not available. | 5 |
| Retrofit | | |
| 67 27 R | C800R (except C873R), Schlage FSIC, levers only | 5 |
| 67 28 R | C873, levers only | 5 |
| 67 27 A | C800A (except C873A), Corbin/Ruswin 6-pin FSIC & Pyramid 7-pin FSIC, levers only | 4 |
| 67 28 A | C873A, levers only | 4 |
| 67 27 M | C800M (except C873M), Medeco 32 FSIC, levers only | 5 |
| 67 28 M | C873M, levers only | 5 |
| 67 27 E | C800E (except C873E), Corbin/Ruswin 2000 KIL, levers only (includes black spacer) | 4 |
| 67 28 E | C873E, levers only (includes black spacer) | 4 |
| 67 27 N | C800N (except C873N), Sargent 6300 FSIC, levers only | 4 |
| 67 28 N | C873N, levers only | 4 |
| 67 27 S | C800S (except 873S), Sargent 10 Line KIL, levers only | 4 |
| 67 28 S | C873S, levers only | 4 |
| 67 27 Y | C800Y (except C873Y), Yale 1210/Medeco 31 FSIC, levers only | 5 |
| 67 28 Y | C873Y, levers only | 5 |
| 76016485 | Spacer, tailpiece, white, for use with 6727D & 6728D when used with Schlage OEM cylinders | 1 |
| 76016486 | Spacer, tailpiece, black, for use with 6727D & 6728D when used with Corbin/Ruswin 2000 OEM cylinders | 1 |

Drilling Jig



| Part # | Description | List \$ |
|----------|--|---------|
| 76004795 | Drilling Jig for C800 and CL700 Locksets | 10 |

Lock Lever Chassis Assemblies for non-cylinder, standard cylinder & SFIC options

605, 606, 612,
613, 625, 626

| Part # | Description | List \$ |
|--------|----------------------------------|---------|
| 19098 | Insert, inside C801, C802 | 69 |
| 19099 | Insert, outside C802 | 79 |
| 19100 | Chassis, C810 | 189 |
| 19101 | Chassis, C812 | 189 |
| 19102 | Chassis, C825 | 189 |
| 19103 | Chassis, C830 (specify finish) | 219 |
| 19104 | Chassis, C840 (specify finish) | 219 |
| 19105 | Chassis, C844 (specify finish) | 219 |
| 19106 | Chassis, C848 | 189 |
| 19107 | Chassis, C850 (specify finish) | 219 |
| 19108 | Chassis, C853 (specify finish) | 219 |
| 19109 | Chassis, C855 (specify finish) | 219 |
| 19110 | Chassis, C860 | 219 |
| 19111 | Chassis, C865 | 189 |
| 19112 | Chassis, C866 | 279 |
| 19113 | Chassis, C870 | 189 |
| 19114 | Chassis, C872 | 219 |
| 19115 | Chassis, C873 (specify finish) | 279 |
| 19116 | Chassis, C877 | 279 |
| 19117 | Chassis, C880 | 189 |
| 19118 | Chassis, C882 | 219 |
| 19119 | Chassis, C885 (specify finish) | 279 |
| 19120 | Chassis, C810RX | 329 |
| 19121 | Chassis, C850RX (specify finish) | 357 |
| 19122 | Chassis, C853RX (specify finish) | 357 |
| 19123 | Chassis, C870RX | 329 |
| 19124 | Chassis, C880RX | 329 |
| 19125 | Chassis, C880EL | 374 |
| 19126 | Chassis, C880EL RX | 513 |
| 19127 | Chassis, C880EU | 374 |
| 19128 | Chassis, C880EU RX | 513 |

Example: 19108 626

NOTES:

- Chassis include push buttons and emergency releases where required (specify finish).
- Locks that have been prepared to accept competitors' cylinders may have a modified chassis. It is recommended to contact DORMA technical services prior to ordering.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems


Architectural Pulls & Handles

Service Parts

D800 SERIES

1" Throw Dead Bolts

605, 606,
612, 613,
619, 625, 626




| Part # | Description | List \$ |
|--------|---|---------|
| 28652 | 1-1/8" x 2-1/4" faceplate, 2-3/8" backset, square corner (specify finish) | 36 |
| 28752 | 1-1/8" x 2-1/4" faceplate, 2-3/4" backset, square corner (specify finish) | 36 |

Example: 28752 626


Strikes

605, 606,
612, 613,
619, 625, 626




| Part # | Description | List \$ |
|--|--|---------|
| 5103 — Standard Strike for Dead Bolt (specify finish) | | |
| 5103 | 1-1/8" x 2-3/4", no lip, square corner | 10 |

Example: 5103 626



| Part # | Description | List \$ |
|--|--|---------|
| 5004 — ANSI Strike with Dead Bolt Cutout (specify finish) | | |
| 5004 | 1-1/4" x 4-7/8", no lip, square corner | 13 |

Example: 5004 626



| Part # | Description | List \$ |
|--|---|---------|
| 5203 — Full Lip Strike with Dead Bolt Cutout (specify finish) | | |
| 5203-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, square corner | 9 |

Example: 5203-118 630



| Part # | Description | List \$ |
|--|---|---------|
| 5006 — ANSI Strike with lip and Dead Bolt cutout (specify finish) | | |
| 5006-114 | 1-1/4" x 4-7/8", 1-1/4" lip length, square corner | 13 |
| 5006-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner | 29 |

Example: 5006-114 630

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts


Thumb Turn & Rose (specify finish)

605, 606, 612,
613, 619, 625, 626

| Part # | Description | List \$ |
|--------|---------------------------------|---------|
| 28001 | Turn and rose, D860/880/871/882 | 30 |
| 28002 | Turn and rose, D863 | 30 |
| 28003 | Turn and rose, D881 | 30 |
| 28006 | Turn and rose, outside, D882 | 30 |
| 28004 | Rose and plate, D861 | 30 |
| 28005 | Rose and plate, D880 | 30 |

Cylinder Rings (specify finish)

605, 606, 612,
613, 619, 625, 626



| Part # | Description | List \$ |
|--------|--------------------------------|---------|
| 28010 | Cylinder ring and insert, D800 | 36 |
| 28011 | Cylinder ring, IC core | 22 |

Snap On Faceplate (specify finish)

605, 606, 612,
613, 619, 625, 626




| Part # | Description | List \$ |
|--------|-------------------------------------|---------|
| 28020 | Snap on faceplate standard cylinder | 10 |
| 28021 | Snap on faceplate SFIC | 10 |
| 28022 | Snap on faceplate, Schlage FSIC | 10 |

Occupancy Indicator (specify finish)



| Part # | Description | List \$ |
|--------|--------------------------------|---------|
| 79023 | Occupancy indicator w/cointurn | 50 |

Cylinder Housings

| | Part # | Description | List \$ |
|---|----------|---|---------|
|  | 76010496 | Housing, outside, D800 standard cylinder | 22 |
| | 76010498 | Housing, inside, D800 standard cylinder | 22 |
| | 76010497 | Cylinder, retaining screw | 1 |
| | 76010509 | Housing, outside, D860/863 SFIC | 42 |
| | 76010510 | Housing, outside, D861 SFIC | 42 |
| | 76010511 | Housing, outside, D862 SFIC, 1-3/8"-1-3/4" door thickness | 42 |
| | 76010512 | Housing, inside, D862 SFIC, 1-3/8"-1-3/4" door thickness | 42 |
| | 76013630 | Housing, outside, D860R/863R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness | 50 |
| | 76018148 | Housing, outside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness | 50 |
| | 76018149 | Housing, inside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness | 50 |

Screw Packs

| Part # | Description | List \$ |
|----------|---|---------|
| 76010432 | Screw pack, D860/861/863, 605/606 finish | 10 |
| 76010433 | Screw pack, D860/861/863, 612 finish | 10 |
| 76010434 | Screw pack, D860/861/863, 613 finish | 10 |
| 76010435 | Screw pack, D860/861/863, 619/625/626 finish | 10 |
| 76010448 | Screw pack, IC D860/861/863, 605/606 finish | 10 |
| 76010449 | Screw pack, IC D860/861/863, 612 finish | 10 |
| 76010450 | Screw pack, IC D860/861/863, 613 finish | 10 |
| 76010451 | Screw pack, IC D860/861/863, 619/625/626 finish | 10 |
| 76010444 | Screw pack, D862, 605/606 finish | 10 |
| 76010445 | Screw pack, D862, 612 finish | 10 |
| 76010446 | Screw pack, D862, 613 finish | 10 |
| 76010447 | Screw pack, D862, 619/625/626 finish | 10 |
| 76010436 | Screw pack, D871/880, 605/606 finish | 10 |
| 76010437 | Screw pack, D871/880, 612 finish | 10 |
| 76010438 | Screw pack, D871/880, 613 finish | 10 |
| 76010439 | Screw pack, D871/880, 619/625/626 finish | 10 |
| 76010440 | Screw pack, D881, 605/606 finish | 10 |
| 76010441 | Screw pack, D881, 612 finish | 10 |
| 76010442 | Screw pack, D881, 613 finish | 10 |
| 76010443 | Screw pack, D881, 619/625/626 finish | 10 |
| 76018150 | Screw pack, D882R, 605/606 finish, for Schlage FSIC | 12 |
| 76018151 | Screw pack, D882R, 612 finish, for Schlage FSIC | 12 |
| 76018152 | Screw pack, D882R, 613 finish, for Schlage FSIC | 12 |
| 76018153 | Screw pack, D882R, 619/625/626 finish, for Schlage FSIC | 12 |

Security Screws

| Part # | Description | List \$ |
|--------|--|---------|
| 660008 | Security screws for all exposed fasteners (specify finish) | 18 |


Tailpieces, Conventional, SFIC & FSIC D800 Dead Bolts

| D800 Tailpieces | Tailpiece | Cylinder Type | Application | List \$ |
|-----------------|-----------|---------------|-------------|---------|
| | 6718D | Standard | D861 | 3 |
| | 6719D | Standard | D860/D863 | 3 |
| | 6720D | Standard | D862 | 3 |
| | 6718C | SFIC | D861 | 3 |
| | 6720C | SFIC | D862 | 3 |

CL700/CK700 SERIES

Levers (specify design/finish)

| LG, LR, LC | LG, LR, LC |
|------------|-------------------------------|
| 626 | 605, 606, 612, 613, 625 |



| Part # | Description | List \$ | |
|--------|---|---------|----|
| 37001 | Closed lever | 64 | 68 |
| 37002 | Open & cylinder lever | 64 | 68 |
| 37003 | Interchangeable core cylinder lever, SFIC | 64 | 68 |
| 37031 | Closed lever, outside CL730 | 64 | 68 |

Example: 37001 LG 626

Knobs (specify design/finish)

| KR, KB | KR, KB |
|--------|--------|
| 630 | 605 |




| Part # | Description | List \$ | |
|--------|--|---------|----|
| 37001 | Closed knob | 30 | 34 |
| 37002 | Open & cylinder knob | 41 | 44 |
| 37012 | Outside open knob CK740 | 41 | 44 |
| 37011 | Closed knob CK701 | 30 | 34 |
| 37003 | Interchangeable core cylinder knob, SFIC | 41 | 44 |

Example: 37001 KR 630

Roses for Levers (specify finish)

| C | C |
|-----|-------------------------------|
| 626 | 605, 606, 612, 613, 625 |



| Part # | Description | List \$ | |
|--------|----------------------|---------|----|
| 47001E | Rose, outside | 28 | 32 |
| 47002E | Rose, inside | 22 | 26 |
| 47725E | Rose, outside, blank | 28 | 32 |

Example: 47001 E 626

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots


Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts


1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606, 612,
613, 630

| Part # | Description | List \$ |
|---|--|---------|
| For 710 Locks (specify finish) | | |
| 17100 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17101 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17102 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 712, 725, 750, 753, 770, or 780 Locks (specify finish) | | |
| 17150 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17151 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17152 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 730 Locks (specify finish) | | |
| 17180 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17181 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17182 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 740 Locks (specify finish) | | |
| 17130 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17131 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17132 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |

Example: 17100 630

1/2" Throw, 2-3/4" Backset Latch Bolts


605, 606, 612,
613, 630

| Part # | Description | List \$ |
|---|--|---------|
| For 710 Locks (specify finish) | | |
| 17200 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17201 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17202 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 712, 725, 750, 753, 770, or 780 Locks (specify finish) | | |
| 17250 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17251 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17252 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 730 Locks (specify finish) | | |
| 17280 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17281 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17282 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |
| For 740 Locks (specify finish) | | |
| 17230 | 1" x 2-1/4" front, 7/8" diameter, square corner | 42 |
| 17231 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 42 |
| 17232 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 42 |

Example: 17200 630

1/2" Throw, 3-3/4" Backset Latch Bolts


605, 606, 612,
613, 630



| Part # | Description | List \$ |
|---|--|---------|
| For 710 Locks (specify finish) | | |
| 17300 | 1" x 2-1/4" front, 7/8" diameter, square corner | 50 |
| 17301 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 50 |
| 17302 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 50 |
| For 712, 725, 750, 753, 770, or 780 Locks (specify finish) | | |
| 17350 | 1" x 2-1/4" front, 7/8" diameter, square corner | 50 |
| 17351 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 50 |
| 17352 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 50 |
| For 730 Locks (specify finish) | | |
| 17380 | 1" x 2-1/4" front, 7/8" diameter, square corner | 50 |
| 17381 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 50 |
| 17382 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 50 |
| For 740 Locks (specify finish) | | |
| 17330 | 1" x 2-1/4" front, 7/8" diameter, square corner | 50 |
| 17331 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 50 |
| 17332 | 1-1/8" x 2-1/4" front, 1" diameter, square corner | 50 |

Example: 17300 630

Backset Link



| Part # | Description | List \$ |
|---|-----------------------|---------|
| 5" Backset Link for 710, 712, 725, 750, 753, 770 and 780 Locks | | |
| 76019857 | 3-3/4", non-restoring | 18 |
| 76008115 | 5", non-restoring | 18 |
| 5" Backset Link for 740 | | |
| 76019856 | 3-3/4", restoring | 18 |
| 76008106 | 5", restoring | 18 |

Use with 2-3/8" backset latch

Face Plate Filler

| Part # | Description | List \$ |
|----------|---|---------|
| 76006496 | Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10) | .40 |

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

Strikes

605, 606,
612, 613, 630


| Part # | Description | List \$ |
|---|--|---------|
| 5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish) | | |
| 5001-1316 | 1-1/4" x 4-7/8", 1-3/16" lip length, square corner | 13 |
| 5001-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner | 32 |

Example: 5001-1316-630

605, 606,
612, 613,

| Part # | Description | List \$ |
|---|--|---------|
| 5101, 5102 — "T" Strike with Dust Box (specify finish) | | |
| 5101-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, square corner | 9 |
| 5101-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, square corner | 25 |
| 5102-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner | 9 |
| 5102-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner | 25 |

Example: 5101-118 630

605, 606,
612, 613, 630

| Part # | Description | List \$ |
|--|--|---------|
| 5201, 5202 — Full Lip Strike (specify finish) | | |
| 5201-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, square corner | 9 |
| 5202-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner | 9 |

Example: 5201-118 630

Tailpieces, Conventional & SFIC CL/CK700 Locksets

| Part# | Description (sold in multiples of 10 unless otherwise specified) | List \$ |
|---------|--|---------|
| 67 12 D | CK700D, knobs only, standard cylinder | 3 |
| 67 12 C | CK700C, knobs only, SFIC | 3 |
| 67 13 D | CL700D, levers only, standard cylinder | 3 |
| 67 13 C | CL700C, levers only, SFIC | 3 |

Strike Boxes for 5001 & 5101/5102 Strikes

| Part # | Description | List \$ |
|----------|---------------------------------|---------|
| 76006253 | Box, Strike 5001 | 5 |
| 76006254 | Box, Strike 5101/5102/5201/5202 | 2 |


Screw Packs

| Part # | Description | List \$ |
|--------------------------|---|---------|
| CL700 Screw Packs | | |
| 76008309 | Screw pack, CL700, 605/606 finish | 12 |
| 76008310 | Screw pack, CL700, 612 finish | 12 |
| 76008311 | Screw pack, CL700, 613 finish | 12 |
| 76008312 | Screw pack, CL700, 619, 625, 626 finish | 12 |
| 76006556 | Screw pack, CL701 | 12 |
| CK700 Screw Packs | | |
| 76008313 | Screw pack, CK700, 605 finish | 12 |
| 76008316 | Screw pack, CK700, 630 finish | 12 |
| 76006543 | Screw pack, CK701 | 12 |

NOTES: For cylinders, refer to Cylinders & Keying section for pricing. 630 finish latch, strike, and/or screw packs used with 619, 625, 626, 629, or 630 lock finishes.

Boring Jig

| Part # | Description | List \$ |
|----------|---|---------|
| 76004795 | Boring jig for CL800 and CL700 locksets | 10 |



Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems


Architectural
Pulls &
Handles

Service Parts

C500 SERIES

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 613, 630




| Part # | Description | List \$ |
|--|--|---------|
| For 510 or 540 Locks (specify finish) | | |
| 15130 | 1" x 2-1/4" front, 7/8" diameter, square corner | 23 |
| 15131 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 23 |
| For 525, 550, 553, 570, or 580 Locks (specify finish) | | |
| 15150 | 1" x 2-1/4" front, 7/8" diameter, square corner | 25 |
| 15151 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 25 |
| For 530 Locks (specify finish) | | |
| 15180 | 1" x 2-1/4" front, 7/8" diameter, square corner | 25 |
| 15181 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 25 |

Example: 15130 630

1/2" Throw, 2-3/4" Backset Latch Bolts

605 613, 630



| Part # | Description | List \$ |
|--|--|---------|
| For 510 or 540 Locks (specify finish) | | |
| 15230 | 1" x 2-1/4" front, 7/8" diameter, square corner | 23 |
| 15231 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 23 |
| 15232 | 1-1/8" x 2-1/4" front, 7/8" diameter, square corner | 23 |
| For 525, 550, 553, 570, or 580 Locks (specify finish) | | |
| 15250 | 1" x 2-1/4" front, 7/8" diameter, square corner | 25 |
| 15251 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 25 |
| 15252 | 1-1/8" x 2-1/4" front, 7/8" diameter, square corner | 25 |
| For 530 Locks (specify finish) | | |
| 15280 | 1" x 2-1/4" front, 7/8" diameter, square corner | 25 |
| 15281 | 1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner | 25 |
| 15282 | 1-1/8" x 2-1/4" front, 7/8" diameter, square corner | 25 |

Example: 15230 630

Face Plate Filler

| Part # | Description | List \$ |
|----------|---|---------|
| 76006496 | Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10) | 0.40 |


Strikes

605, 613, 630



| Part # | Description | List \$ |
|---|--|---------|
| 5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish) | | |
| 5001-1316 | 1-1/4" x 4-7/8", 1-3/16" lip length, square corner | 13 |
| 5001-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner | 32 |


Example: 5001-1316 630



| Part # | Description | List \$ |
|---|--|---------|
| 5101, 5102 — "T" Strike with Dust Box (specify finish) | | |
| 5101-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, square corner | 9 |
| 5101-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, square corner | 25 |
| 5102-118 | 1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner | 9 |
| 5102-112 | 1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner | 25 |

Example: 5101-118 630

605, 613, 630



| Part # | Description | List \$ |
|--|--|---------|
| 5201, 5202 — Full Lip Strike (specify finish) | | |
| 5201-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, square corner | 9 |
| 5202-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner | 9 |

Example: 5201-118 630

Strike Box


| Part # | Description | List \$ |
|--|---------------------------------|---------|
| Strike Boxes for 5001 and 5101/5102 Strikes | | |
| 76006253 | Box, Strike 5001 | 5 |
| 76006254 | Box, Strike 5101/5102/5201/5202 | 2 |

Screw Packs

| Part # | Description | List \$ |
|-------------|--|---------|
| C500 | | |
| 76011566 | Screw pack, C501 | 12 |
| 76011563 | Screw pack, all C500 except C501, 619/625/626 finish | 12 |
| 76011564 | Screw pack, all C500 except C501, 605/606 finish | 12 |
| 76011565 | Screw pack, all C500 except C501, 613 finish | 12 |

NOTES: Levers/rosettes not available as service items. 605 finish latch, strike, and/or screw packs used with 605 or 606 lock finishes. 630 finish latch, strike, and/or screw packs used with 619, 625, or 626 lock finishes.

Boring Jig



| Part # | Description | List \$ |
|----------|------------------------------|---------|
| 76004795 | Boring jig for C500 locksets | 10 |


Tailpieces, Conventional & SFIC C500 Locksets

| Part # | Description (sold in multiples of 10 unless otherwise specified) | List \$ |
|---------|--|---------|
| 67 24 D | C550D, C553D, C555D, C580D, levers only, standard cylinder | 3 |
| 67 24 C | C550C, C553C, C555C, C580C, levers only, SFIC | 3 |
| 67 25 D | C570D, levers only, standard cylinder | 3 |
| 67 25 C | D570C, levers only, SFIC | 3 |

DB600 SERIES

1" Throw, 2-3/8"-2-3/4" Adjustable Backset Dead Bolts

605, 613, 630



| Part # | Description | List \$ |
|--------|---|---------|
| 26170 | 1" x 2-1/4" faceplate, square corner (1-1/8" wide w/filler) | 25 |
| 26171 | 1" x 2-1/4" faceplate, radius corner | 25 |
| 26173 | 1" diameter, drive in (630 only) | 25 |

Example: 26170 630

Face Plate Filler

| Part # | Description | List \$ |
|----------|---|---------|
| 76006496 | Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10) | .40 |


Strikes

605, 613, 630




| Part # | Description | List \$ |
|--|--|---------|
| 5103 — Standard Strike for Dead Bolt (specify finish) | | |
| 5103 | 1-1/8" x 2-3/4", no lip, square corner | 9 |

Example: 5103 630




| Part # | Description | List \$ |
|--|--|---------|
| 5004 — ANSI Strike with Dead Bolt Cutout (specify finish) | | |
| 5004 | 1-1/4" x 4-7/8", no lip, square corner | 13 |

Example: 5004 630



| Part # | Description | List \$ |
|--|---|---------|
| 5203 — Full Lip Strike with Dead Bolt Cutout (specify finish) | | |
| 5203-118 | 1-5/8" x 2-1/4", 1-1/8" lip length, square corner | 9 |

Example: 5203-118 630



| Part # | Description | List \$ |
|--|---|---------|
| 5006 — ANSI Strike with Lip and Dead Bolt Cutout (specify finish) | | |
| 5006-114 | 1-1/4" x 4-7/8", 1-1/4" lip length, square corner | 13 |
| 5006-112 | 1-1/4" x 4-7/8", 1-1/2" lip length, square corner | 29 |

Example: 5006-114 630

Tailpieces, Conventional & SFIC DB600 Dead Bolts

DB600 Tailpieces



| | | | |
|-------|----------|------|---|
| 6716D | Standard | D660 | 3 |
| 6717D | Standard | D662 | 3 |
| 6716C | SFIC | D660 | 3 |
| 6717C | SFIC | D662 | 3 |

C300/J300 SERIES

Finish Availability Chart

| | 626 | 613 | 619 | 605 |
|----|-----|-----|-----|-----|
| LR | • | • | | |
| LC | • | • | | • |
| LG | • | • | • | |
| LS | | • | • | • |

Levers/Roses (specify design/finish)


| | Part # | Description | List \$ |
|---|--------|---|---------|
|  | 33001 | Closed lever — plain | 25 |
| | 33002 | Open lever — button and cylinder | 25 |
|  | 33003 | SFIC lever — interchangeable core (J353 only) LR only | 25 |
| | 43001 | Rose, inside | 12 |
| | 43002 | Rose, outside | 12 |

Example: 33001 LR 626

Screwpacks


| Part # | Description | List \$ |
|----------|---------------------------------|---------|
| 76019305 | Screwpack, C300 619/626 | 10 |
| 76019306 | Screwpack, C300 605 | 10 |
| 76019307 | Screwpack, C300 613 | 10 |
| 76019308 | Screwpack, C301 DUMMY | 5 |
| 76019659 | Screwpack, J300 mounting screws | 10 |
| 76019660 | Screwpack, J300 escutcheon 605 | 5 |
| 76019661 | Screwpack, J300 escutcheon 619 | 5 |
| 76019662 | Screwpack, J300 escutcheon 613 | 5 |
| 76019663 | Screwpack, J300 escutcheon 630 | 5 |

C300 Strikes

| | Part # | Description | List \$ |
|---|--------|--|---------|
|  | 5001 | ANSI (4-7/8") strike | 9 |
| | 5101 | T Strike, 1-1/8" lip length, square corner | 9 |
| | 5202 | Full lip strike, 1-1/8" lip length, 1/4" radius corner | 9 |

Example: 5001 626


J300 Strikes



| Part # | Description | List \$ |
|--------|---|---------|
| 5701 | Lock — T strike, dead bolt - no lip square corner strike dead bolt | 16 |
| 5703 | Lock — full lip square corner strike, dead bolt - no lip square corner strike | 16 |
| 5704 | Lock — full lip 1/4" radius corner strike, dead bolt - no lip 1/4" radius corner strike | 16 |
| 5705 | Lock — full lip square corner strike, dead bolt - full lip square corner strike | 16 |
| 5706 | Lock — full lip 1/4" radius corner strike, dead bolt - full lip 1/4" radius corner strike | 16 |

Latches


C310/C340 Non-Fire



| Part # | Description | List \$ |
|--------|--------------------------------------|---------|
| 13202 | 2-3/4" backset x 1-1/8" SC faceplate | 15 |
| 13200 | 2-3/4" backset x 1" SC faceplate | 15 |
| 13201 | 2-3/4" backset x 1" RC faceplate | 15 |
| 13102 | 2-3/8" backset x 1-1/8" SC faceplate | 15 |
| 13100 | 2-3/8" backset x 1" SC faceplate | 15 |
| 13101 | 2-3/8" backset x 1" RC faceplate | 15 |

Example: 13202 626


C310/C340/J310 Fire



| Part # | Description | List \$ |
|--------|--------------------------------------|---------|
| 13202F | 2-3/4" backset x 1-1/8" SC faceplate | 20 |
| 13200F | 2-3/4" backset x 1" SC faceplate | 20 |
| 13201F | 2-3/4" backset x 1" RC faceplate | 20 |
| 13102F | 2-3/8" backset x 1-1/8" SC faceplate | 20 |
| 13100F | 2-3/8" backset x 1" SC faceplate | 20 |
| 13101F | 2-3/8" backset x 1" RC faceplate | 20 |

Example: 13202F 626


C330 Fire



| Part # | Description | List \$ |
|--------|--------------------------------------|---------|
| 13282F | 2-3/4" backset x 1-1/8" SC faceplate | 20 |
| 13280F | 2-3/4" backset x 1" SC faceplate | 20 |
| 13281F | 2-3/4" backset x 1" RC faceplate | 20 |
| 13182F | 2-3/8" backset x 1-1/8" SC faceplate | 20 |
| 13180F | 2-3/8" backset x 1" SC faceplate | 20 |
| 13181F | 2-3/8" backset x 1" RC faceplate | 20 |

Example: 13282F 626


C353/J353 Fire



| Part # | Description | List \$ |
|--------|--------------------------------------|---------|
| 13282F | 2-3/4" backset x 1-1/8" SC faceplate | 20 |
| 13280F | 2-3/4" backset x 1" SC faceplate | 20 |
| 13281F | 2-3/4" backset x 1" RC faceplate | 20 |
| 13182F | 2-3/8" backset x 1-1/8" SC faceplate | 20 |
| 13180F | 2-3/8" backset x 1" SC faceplate | 20 |
| 13181F | 2-3/8" backset x 1" RC faceplate | 20 |

Example: 13282F 626


C300 Drive-In (Non-Fire only)



| Part # | Application | Description | List \$ |
|--------|-------------|-------------------------|---------|
| 13103 | C310/340 | 2-3/8" backset Drive-In | 12 |
| 13153 | C353 | 2-3/8" backset Drive-In | 12 |
| 13183 | C330 | 2-3/8" backset Drive-In | 12 |

NOTE: 2-3/8" Basket only, finish does not apply (no face plate)

J300 Deadbolts



| Part # | Description | List \$ |
|--------|--|---------|
| 13390 | Adjustable backset 1" SC faceplate with filler | 20 |
| 13391 | Adjustable backset 1" RC faceplate | 20 |

Example: 13390 626

J300 Components

| Part # | Description | List \$ |
|--------|---|---------|
| 33801 | SFIC dead bolt cylinder housing with trim ring | 30 |
| 33802 | Standard cylinder dead bolt cylinder housing with trim ring | 30 |
| 33803 | J300 thumb turn with rose | 25 |

Miscellaneous Parts

| Part # | Description | List \$ |
|----------|-----------------------------------|---------|
| 76019292 | Black plastic lever insert — J310 | 0.5 |
| 76019304 | Latch filler — 1" to 1-1/8" | 0.5 |

9000 SERIES

| Item | Description | Finishes | | |
|---|--|-------------------------|---|------------|
| | | Painted | Plated or Base Metal | Finish N/A |
| | | 689, 691, 693, 695, 696 | 605, 606, 611, 612, 613, 619, 625, 626, 629*, 630 | |
| | | List \$ | | |
| Alarms, Controls, and Monitoring | | | | |
| BPA Kit | Battery powered alarm kit. Specify bar size and finish (includes standard cylinder). | 590 | 590 | — |
| BPAR Kit | Battery powered alarm, 4 minute reset kit. Specify bar size and finish (includes standard cylinder). | 590 | 590 | — |
| DWA Kit | Direct wired alarm kit. Specify bar size and finish. | 560 | 560 | — |
| MS Kit | Monitor switch kit | — | — | 253 |
| Dogging | | | | |
| CDK Kit | Kit allows conversion to CD function (includes standard cylinder). Specify bar size and finish. | 170 | 170 | — |
| DOGKEYPAK | Hex dogging keys (10 keys per pack) | — | — | 43 |
| 9DRKIT | Dogging repair kit. Includes all parts for hex key dogging assembly. | — | — | 80 |
| Fasteners | | | | |
| GK9000 | Glass light shim kit for 9100, 9300, 9400 & 9500 devices. Specify finish. | 73 | 73 | — |
| GK9200 | Glass light shim kit for 9600, 9700 & 9800 devices. Specify finish. | 73 | 73 | — |
| SNBPAK | Sex nuts and bolts, 2 per pack. Specify finish. | 13 | 13 | — |
| Strikes, 9100 Series CVR / 9400 Series SVR / 9600 Series CVR / 9800 Series SVR | | | | |
| 340 | Flat slide bolt bottom strike — CVR/SVR | — | — | 38 |
| 416V | Surface bottom strike for pullman latch — SVR | — | — | 38 |
| 418 | Standard top strike — CVR | — | — | 38 |
| 419 | Wood frame top strike — CVR | — | — | 49 |
| 426 | Standard top strike — CVR | — | — | 38 |
| 426A | Top strike with angle — SVR | — | — | 49 |
| 431 | Recessed bottom strike for pullman latch — CVR/SVR | — | — | 49 |
| 439 | Standard slide bolt bottom strike — CVR/SVR | — | — | 38 |
| Strikes, 9300 Series Rim / 9700 Series Rim | | | | |
| 320 | Overlap strike — Rim | — | — | 58 |
| 416 | Strike — Rim | — | — | 38 |
| 430 | Strike — Rim | — | — | 60 |
| 463 | Extended lip strike (fire-rated, hurricane rated) — Rim | — | — | 60 |
| 476 | Roller strike — Rim | — | — | 38 |
| 486 | Roller strike — Rim | — | — | 38 |
| Cylinder Adaptors | | | | |
| 80CK | Rim cylinder mounting kit. Included with O3 trim. | — | — | 25 |

* Please allow 4 week lead time for 629 finish.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

Finishes

| Painted | Plated or Base Metal | Finish N/A |
|-------------------------|---|------------|
| 689, 691, 693, 695, 696 | 605, 606, 611, 612, 613, 619, 625, 626, 629*, 630 | |

| Item | Description | List \$ | | |
|-------------------------------------|---|---------|-----|-----|
| Strikes, 9500 Series Mortise | | | | |
| 465 | Standard strike — Mortise | — | — | 38 |
| 565L | Open back strike — Mortise (for LHR applications) | — | — | 60 |
| 565R | Open back strike — Mortise (for RHR applications) | — | — | 60 |
| Chassis Kit | | | | |
| 91CRKT | Chassis kit, 9100 CVR | — | — | 103 |
| 93CRKT | Chassis kit, 9300 Rim | — | — | 18 |
| 94CRKT | Chassis kit, 9400 SVR | — | — | 58 |
| 95CRKTLHR | Chassis kit, 9500 Mortise. Specify handing. | — | — | 44 |
| 95CRKTRHR | Chassis kit, 9500 Mortise. Specify handing. | — | — | 44 |
| 96CRKT | Chassis kit, 9600 CVR | — | — | 103 |
| 97CRKT | Chassis kit, 9700 Rim | — | — | 18 |
| 98CRKT | Chassis kit, 9800 SVR | — | — | 58 |
| Chassis Assembly | | | | |
| CHASASSY91 | Chassis assembly 9100 CVR. Specify handing. Includes mounting screws. | — | — | 193 |
| CHASASSY93 | Chassis assembly 9300 Rim. Includes mounting screws. | — | — | 206 |
| CHASASSYF93 | Chassis assembly F9300 Rim. Includes mounting screws. | — | — | 241 |
| CHASASSY94 | Chassis assembly 9400 SVR. Includes mounting screws. | — | — | 206 |
| CHASASSY95 | Chassis assembly 9500 Mortise. Specify handing. Includes mounting screws. | — | — | 193 |
| CHASASSY96 | Chassis assembly 9600 CVR. Includes mounting screws. | — | — | 193 |
| CHASASSY97 | Chassis assembly 9700 Rim. Includes mounting screws. | — | — | 206 |
| CHASASSYF97 | Chassis assembly F9700 Rim. Includes mounting screws. | — | — | 241 |
| CHASASSY98 | Chassis assembly 9800 SVR. Includes mounting screws. | — | — | 193 |
| Chassis Assembly Cover | | | | |
| CHCOV91/95 | Chassis assembly cover. Includes cover and mounting screws. | 66 | 133 | — |
| CHCOV93 | Chassis assembly cover. Includes cover and mounting screws. | 90 | 167 | — |
| CHCOV94 | Chassis assembly cover. Includes cover and mounting screws. | 90 | 167 | — |
| CHCOV96 | Chassis assembly cover. Includes cover and mounting screws. | 66 | 133 | — |
| CHCOV97 | Chassis assembly cover. Includes cover and mounting screws. | 90 | 167 | — |
| CHCOV98 | Chassis assembly cover. Includes cover and mounting screws. | 90 | 167 | — |
| End Caps | | | | |
| EC | End cap, panic devices. Includes end cap, end cap mounting bracket, and mounting screws. | 68 | 81 | — |
| FEC | End cap, fire-rated devices. Includes end cap, end cap mounting bracket, and mounting screws. | 68 | 81 | — |

* Please allow 4 week lead time for 629 finish.

| Item | Description | Finishes | | |
|--|--|-------------------------|---|------------|
| | | Painted | Plated or Base Metal | Finish N/A |
| | | 689, 691, 693, 695, 696 | 605, 606, 611, 612, 613, 619, 625, 626, 629*, 630 | |
| | | List \$ | | |
| Touch Bar and Rail Assembly | | | | |
| TBR | Touch bar and rail assembly. Specify bar size and finish. (Partial length). | 300 | 600 | — |
| FTBR | Touch bar and rail assembly fire-rated. Specify bar size and finish. (Partial length). | 325 | 630 | — |
| MLRTBR | Touch bar and rail with MLR option. Specify bar size and finish. | 800 | 1,000 | — |
| MLRFTBR | Touch bar and rail with MLR option. Fire-rated. Specify bar size and finish. | 825 | 1,030 | — |
| ESTBR | Touch bar and rail assembly with ES option. Specify bar size and finish. | 800 | 1,000 | — |
| ESFTBR | Touch bar and rail assembly, fire-rated, with ES option. Specify bar size and finish. | 825 | 1,030 | — |
| FLTBR | Full length touch bar and rail assembly | 446 | 986 | — |
| FLFTBR | Full length fire-rated touch bar and rail assembly | 476 | 1,016 | — |
| 9100 Series CVR / 9600 Series CVR | | | | |
| 9GALD | Aluminum door bracket | — | — | 102 |
| CVBOTPULLTCH | Bottom pullman latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws. | — | — | 158 |
| CVBOTSBLTCH | Standard bottom slide bolt assembly. Includes slide bolt assembly, (2) each mounting brackets, ALD bracket, and mounting screws. | — | — | 81 |
| CVRD96 | Concealed vertical rod assembly. Includes outer and inner rods, rod retaining clip, and pivot connecting links. | — | — | 96 |
| CVRDLWR91 | Concealed vertical rod kit, lower. Includes rod assembly, push rod, and fasteners for standard DORMA door prep (40-5/16" measured from finished floor or threshold to horizontal centerline device). | — | — | 86 |
| CVRDUPR91 | Concealed vertical rod kit, upper. Includes rod assembly, push rod, and fasteners. | — | — | 75 |
| CVTOPLTCH | Top latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws. | — | — | 170 |
| ETR 9100 | Top rod extension kit, 9100, for 8'-10' doors | — | — | 49 |
| FCVBOTPULLTCH | Bottom pullman latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws. | — | — | 175 |
| FCVBOTSBLTCH | Standard bottom slide bolt, fire-rated. Includes slide bolt assembly, (2) each mounting brackets, and bracket/mounting screws. | — | — | 81 |
| FCVTOPLTCH | Standard top latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws. | — | — | 188 |
| CVTOPLTCHNS | Standard top latch assembly for 9600 narrow stile CVR devices. Includes latch assembly, narrow stile bracket (assembled), and mounting screws. | — | — | 170 |
| POPPER | Popper | — | — | 66 |

NOTE: Highlighted items are available from Select Service.

* Please allow 4 week lead time for 629 finish.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

| Item | Description | Finishes | | |
|--|---|-------------------------|---|------------|
| | | Painted | Plated or Base Metal | Finish N/A |
| | | 689, 691, 693, 695, 696 | 605, 606, 611, 612, 613, 619, 625, 626, 629*, 630 | |
| | | List \$ | | |
| 9400 Series SVR | | | | |
| ETR 9400 | Top rod extension kit, 9400, for 7'–9' or 8'–10' doors | 49 | 97 | — |
| FSVBOTPULLTCH | Bottom pullman latch assembly, fire-rated. Includes mounting screws. | — | — | 110 |
| FSVBOTSBLTCH | Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws. | — | — | 94 |
| FSVTOPLTCH | Standard top latch assembly, fire-rated. Includes mounting screws. | — | — | 151 |
| LCHCOV | Latch assembly cover. Includes cover and mounting screws. | 71 | 104 | — |
| POPPER | Popper | — | — | 66 |
| SVBOTPULLTCH | Bottom pullman latch assembly. Includes mounting screws. | — | — | 102 |
| SVBOTSBLTCH | Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws. | — | — | 81 |
| SVTOPLTCH | Standard top latch assembly. Includes mounting screws. | — | — | 95 |
| SVRDLWR | Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners. | 44 | 58 | — |
| SVRDUPR947 | Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners. | 66 | 91 | — |
| SVRDUPR948 | Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners. | 66 | 91 | — |
| 9500 Series Mortise — Specify if device is prior 11/14. Devices prior to 11/14 will require new trim. | | | | |
| Specify fire-rated, LFSF or LFSC, fire-rated LFSF or LFSC | | | | |
| 95MLB | Mortise lock body, armor front, spindle, cylinder, and end cap. Specify handing. | 299 | 299 | |
| 95MLB | Mortise lock body. Fire-rated. Specify handing. | 305 | 305 | |
| 95MLB | Mortise lock body. LFSF, LFSC, and/or fire-rated. Specify handing. | 924 | 924 | |

NOTE: Highlighted item is available from Select Service in 630 finish only.

* Please allow 4 week lead time for 629 finish.

8000 SERIES

| Item | Description | List Add \$ |
|---------------------------------|--|-------------|
| Dogging | | |
| DOGKEYPAK | Hex dogging keys (10 keys per pack) | 43 |
| 8DRKIT | Dogging repair kit. Includes all parts for hex key dogging assembly. | 80 |
| Fasteners | | |
| GK8000 | Glass light shim kit | 73 |
| SNBPAK | Sex nuts and bolts, 2 per pack/3 required for 8300 (EO) | 13 |
| Strikes, 8400 Series SVR | | |
| 340 | Flat slide bolt bottom strike — CVR/SVR | 38 |
| 416V | Surface bottom strike for pullman latch — SVR | 38 |
| 418 | Standard top strike — CVR | 38 |
| 419 | Wood frame top strike — CVR | 49 |
| 426 | Standard top strike — CVR | 38 |
| 426A | Top strike with angle — SVR | 49 |
| 431 | Recessed bottom strike for pullman latch — CVR/SVR | 49 |
| 439 | Standard slide bolt bottom strike — CVR/SVR | 38 |
| Strikes, 8300 Series Rim | | |
| 320 | Overlap strike — Rim | 58 |
| 416 | Strike — Rim | 38 |
| 425 | Strike — Recessed | 38 |
| 430 | Strike — Rim | 60 |
| 463 | Extended lip strike (fire-rated, hurricane rated) — Rim | 60 |
| 476 | Roller strike — Rim | 38 |
| 486 | Roller strike — Rim | 38 |
| Cylinder Adaptors | | |
| 803CK | Rim cylinder mounting kit. Included with O3 trim. | 25 |
| Chassis Kit | | |
| 83CRKT | Chassis kit, 8300 Rim | 21 |
| Chassis Assembly | | |
| CHASASSY83 | Chassis assembly 8300 Rim. Includes mounting screws. | 129 |
| FCHASASSY83 | Chassis assembly F8300 Rim. Includes mounting screws. | 172 |
| CHASASSY84 | Chassis assembly 8400 SVR. Includes mounting screws. | 129 |

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls &
Handles

Service Parts

| Item | Description | List Add \$ |
|------------------------------------|---|-------------|
| Chassis Assembly Cover | | |
| FCHCOV83 | Chassis assembly cover, fire-rated. Includes cover and mounting screws. | 53 |
| CHCOV83 | Chassis assembly cover. Includes cover and mounting screws. | 42 |
| CHCOVLM83 | Chassis assembly cover, latch monitoring. Includes cover and mounting screws. | 75 |
| FCHCOVLM83 | Chassis assembly cover, latch monitoring, fire-rated. Includes cover and mounting screws. | 83 |
| CHCOV84 | Chassis assembly cover. Includes mounting screws. | 42 |
| End Caps | | |
| EC8 | Two piece end cap replacement kit, panic devices. Includes end cap, end cover, and mounting screws. | 21 |
| 8400 Series SVR | | |
| ETR 8400 | Top rod extension kit, 8400, for 7'-9' or 8'-10' doors. Specify finish. | 49 |
| FSVBOTPULLTCH | Bottom pullman latch assembly, fire-rated. Includes mounting screws. | 110 |
| FSVBOTSBLTCH | Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws. | 94 |
| FSVTOPLTCH | Standard top latch assembly, fire-rated. Includes mounting screws. | 151 |
| LCHCOV8 | Latch assembly cover. Includes cover and mounting screws. | 8 |
| POPPER | Popper | 66 |
| SVBOTPULLTCH | Bottom pullman latch assembly. Includes mounting screws. | 102 |
| SVBOTSBLTCH | Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws. | 81 |
| SVTOPLTCH | Standard top latch assembly. Includes mounting screws. | 95 |
| SVRDLWR84 | Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners. | 44 |
| SVRDUPR847 | Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners. Specify finish. | 66 |
| SVRDUPR848 | Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners. Specify finish. | 66 |
| Touch Bar and Rail Assembly | | |
| TBR8 | Touch bar and rail assembly. Specify bar size and finish. | 311 |
| FTBR8 | Fire-rated touch bar and rail assembly. Specify bar size and finish. | 341 |

NOTE: Highlighted items are available from Select Service. ETR 8400 available in 689 finish only.

SURFACE CLOSERS

Closer Bodies

| Item | Description | Painted Finish \$ |
|------------------------------|--|-------------------|
| TS9315 B CB | Closer body only (pull side), size 1–5 | 348 |
| TS9315 G CB | Closer body only (push side), size 1–5 | 348 |
| TS9356 B CB | Closer body only (pull side), size 5–6 | 348 |
| TS9356 G CB | Closer body only (push side), size 5–6 | 348 |
| TS9315 B | Closer body w/backplate (pull side), size 1–5 | 386 |
| TS9315 G | Closer body w/backplate (push side), size 1–5 | 386 |
| TS9356 B | Closer body w/backplate (pull side), size 5–6 | 386 |
| TS9356 G | Closer body w/backplate (push side), size 5–6 | 386 |
| 8907 CB | Closer body only | 321 |
| 8902TEL | Closer body only (telephone booth) | 355 |
| 8916 CB, 8956 CB, | Closer body only | 310 |
| 8916DA CB, 8956DA CB | Closer body only w/delayed action | 344 |
| STA 8916 CB, STA 8956 CB | Closer body only for use with stainless steel closer combinations | 380 |
| STA 8916DA CB, STA 8956DA CB | Closer body only w/delayed action | 414 |
| 8616 CB | Closer body only | 210 |
| 8616DA CB | Closer body only w/delayed action | 245 |
| STA 8616 CB | Closer body only for use with stainless steel closer combinations | 279 |
| STA 8616DA CB | Closer body only w/delayed action | 313 |
| 7414 CB, 7436 CB | Closer body only | 177 |
| 7414DA CB, 7436DA CB | Closer body only w/delayed action | 211 |
| STA 7414 CB, STA 7436 CB | Closer body only for use with stainless steel closer combinations | 239 |
| STA 7414DA CB, STA 7436DA CB | Closer body only w/delayed action | 274 |
| 7302–7305 CB | Closer body only | 177 |
| U1500 SERV | U1500 service pack (1 each complete tri-pack assembly, 689/695 only) | 165 |

Backplates & Drop Plates

| Item | Applicable Series | Description | Painted Finish \$ |
|----------|-------------------|--|-------------------|
| BP73 | 7300, U1500 | Backplate for 7300/U1500 | 30 |
| BP73T | 7300 | Backplate for 7300 × slide track | 30 |
| BP74 | 7400 | Backplate for 7400 | 30 |
| BP74T | 7400 | Backplate for 7400 × slide track | 30 |
| BP86 | 8600, 7000 | Backplate for closer with slim cover | 30 |
| BP86FC | 8600, 7400 | Backplate for closer with full cover | 30 |
| BP86T | 8600, 7400, 7300 | Backplate for slide track closer with slim cover | 30 |
| BP86TFC | 8600, 7400, | Backplate for slide track closer with full cover | 30 |
| BP86FTFC | 8600, 7400 | Backplate for flush transom slide track closer w/wo slim or full cover | 30 |
| BP89 | 8900 | Backplate for top jamb with frame <2-7/8" | 30 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Backplates & Drop Plates (continued)


| Item | Applicable Series | Description | Painted Finish \$ |
|--------|-------------------|--|-------------------|
| DP73 | 7300, U1500 | Drop plate for 7300/U1500 | 30 |
| DP74 | 7400 | Drop plate for 7400 | 30 |
| DP86 | 8600, 7000 | Drop plate for closer with slim cover | 30 |
| DP86FC | 8600, 7400 | Drop plate for closer with full cover | 30 |
| DP89 | 8900 | Drop plate for PA where top rail is < 5-3/4" | 30 |
| BP9315 | TS9315 | Backplate for size 1-5 closer | 30 |
| BP9356 | TS9356 | Backplate for size 5-6 closer | 30 |

Conversion Plates


| Item | Applicable Series | Description | Painted Finish \$ |
|--------------|-------------------|--|-------------------|
| 4040R | 8900 | LCN 4040 regular 120° mount | 44 |
| 4040P | 8900 | LCN 4040 parallel arm 180° mount | 44 |
| 4040C | 8900 | LCN 4040 cush arm 90° mount | 44 |
| 4040E | 8900 | LCN 4040 EDA arm 180° mount | 44 |
| 4011 | 8900 | LCN 4011 regular 90° mount | 44 |
| 4111 | 8900 | LCN 4111 parallel arm mount | 44 |
| 4020 | 8900 | LCN 4020 top jamb mount | 44 |
| 4011FT | 8900 | LCN Standard arm shoe | 24 |
| 7500R | 8900 | Norton 7500 regular mount | 44 |
| P7500 | 8900 | Norton 7500 parallel arm mount | 44 |
| 83018501 | 8900 | Norton 8300/8500 regular and parallel mount | 44 |
| 89SPADC2210P | 8900 | Corbin/Ruswin DC2210PA to 8900 | 44 |
| DC2200R | 8900 | Corbin/Ruswin DC2200REG to 8900 | 44 |
| 8980RPA | 8900 | DORMA TS83 regular and parallel mount | 44 |
| DC2200RFT | 8900, 8600 | Corbin/Ruswin DC2200REG foot | 24 |
| 4041P86 | 8600 | LCN 4040 regular mount to 8600 | 44 |
| P750086 | 8600 | Conversion plate for Norton P7500 to 8600 PA | 44 |
| 86DC2200PA | 8600 | Corbin/Ruswin DC2200PA to 8600 | 44 |
| 86DC2200R | 8600 | Corbin/Ruswin DC2200REG to 8600 | 44 |
| CR100 | 8600 | Conversion plate for Corbin/Ruswin 100 to 8600 | 44 |
| BP86C | 8600 | Backplate for conversion of 7600/7800 Series to 8600 Series | 30 |
| BP640C | 7400 | Backplate to retrofit 7400 to 9-1/16" hole spacing. | 5 |
| STA BP640C | STA 7400 | Backplate with stainless steel fasteners to Examples: DORMA 640, Norton 1600 or Yale 50 | 13 |
| 16021603 | 7300 | Norton 1602/1603 Regular | 25 |
| BP600C | 7300 | Backplate to retrofit 7300 to 8-9/32" hole spacing | 25 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Brackets & Spacers

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|--|-------------------|--|-------------------|------------------|
| AB93 | TS93 | Angle bracket for TS93 PT/PTHO | 55 | 174 |
| AB89 | 8900 | Angle bracket for 8900 | 55 | — |
| AB86 | 8600, 7000 | Angle bracket for closer with slim cover | 55 | — |
| AB74 | 7400 | Angle bracket for 7400 | 55 | — |
| AB73 | 7300 | Angle bracket for 7300 | 55 | — |
| P89 | 8900 | Parallel arm soffit bracket, non-hold open arm and plunger hold open arms | 16 | 77 |
| P86 | 8600, 7000 | Parallel arm soffit bracket, non-hold open arm and plunger hold open arms | 16 | 77 |
| P15 | U1500 | Parallel arm soffit bracket, U1500 non-hold open (689/695 only) | 13 | — |
| STA P86 ** | STA 8000/7400 | Stainless steel parallel arm soffit bracket, non-hold open | 52 | *78 |
| PHB | 8000, 7000 | Parallel friction hold open bracket | 16 | — |
| PH15 | U1500 | Parallel arm soffit bracket, U1500 friction hold open (685/695 only) | 13 | — |
| PFT | 8000, 7000 | Parallel flush transom bracket | 24 | — |
| PD | 8000, 7000 | Parallel drop bracket, non-hold open arms | 32 | — |
| MJ  | 8000, 7000 | Mortised jamb bracket, non-hold open arms | 22 | — |
| BS | 8000, 7000 | Blade stop spacer (P86, P89, PHB, and PD) | 22 | — |
| BSHD | 8000, 7400, 7300 | Blade stop spacer for use with heavy duty door saver and super parallel arms | 25 | — |
| NFHD | 8000, 7400, 7300 | Narrow frame bracket for use with heavy duty door saver and super parallel arms | 25 | — |
| FTHD | 8000, 7400, 7300 | Flush transom bracket for use with heavy duty door saver and super parallel arms | 45 | — |

** Architectural finishes for STA P86 available in 630 ONLY.

 When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm.

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

Fastener Packs

| Item | Applicable Series | Description | Painted Finish \$ |
|-----------|-------------------|--|-------------------|
| SN1 | 8900, U1500 | (4) each 1/4-20 sex nuts for 1-3/4" door | 5 |
| SN2 | 8900, STA, U1500 | (4) each 1/4-20 sex nuts for 1-3/8" door | 5 |
| STASN1 | STA 8000/7400 | (4) each 1/4-20 sex nuts for 1-3/4" door, clear powder coat | 9 |
| SN3 | TS93, GSR | (4) each 10-32 sex nuts for 1-3/4" door | 5 |
| SN4 | TS93, GSR | (4) each 10-32 sex nuts for 1-3/8" door | 5 |
| SNB1 | 8600, 7000 | (4) each 1/4-20 sex nuts and machine screws for 1-3/4" door | 7 |
| SNB2 | 8600, 7000 | (4) each 1/4-20 sex nuts and machine screws for 1-3/8" door | 7 |
| COMBO | 8600, 7000 | Screw pack with fasteners that are a wood/machine screw combination | 9 |
| U15NHPK | U1500 | All wood and machine fasteners required to install one each U1500 non-hold open closer (689/695 only) | 6 |
| U15HPK | U1500 | All wood and machine fasteners required to install one each U1500 friction hold open closer (689/695 only) | 6 |
| DPK86 | 8600, 7000 | All fasteners to be self drilling fasteners | 9 |
| DPK89 | 8900 | All fasteners to be self drilling fasteners | 9 |
| TPK86 | 8600, 7000 | All fasteners to be self tapping fasteners | 9 |
| TPK89 | 8900 | All fasteners to be self tapping fasteners | 9 |
| TPK15 | U1500 | All self tapping fasteners to install U1500 NHO/FHO | 6 |
| TX86 | 8600, 7000 | All exposed fasteners to be Torx security fasteners (n/a with track applications) | 26 |
| TX89 | 8900 | All exposed fasteners to be Torx security fasteners (n/a with track applications) | 26 |
| AWS | 8600, 7000 | All wood screws | 9 |
| SCRPKSISH | 8000, 7000 | Screwpack for SIS, SISJ, SISH, SISHJ | 38 |
| SCRPKISH | 8000, 7000 | Screwpack for IS, ISJ, ISH, ISHJ | 18 |
| STASCRPK | STA 8000/7400 | Stainless steel tri-pack closer fastener pack | 26 |

NOTE: Highlighted items are available from Select Service.

Covers, Full Covers & Accessories

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|------------|-------------------|--|-------------------|------------------|
| CAP | 8600, 7000 | Dust cap to cover exposed pinion of closer | 4 | — |
| CAP15 | U1500 | Dust cap to cover exposed pinion of U1500 (689/695 only) | 3 | — |
| COV | 8600, 7000 | Slim plastic cover | 17 | — |
| COV15 | U1500 | Slim plastic cover, U1500 (689/695 only) | 13 | — |
| FC | 8000, 7400 | Full plastic cover | 22 | — |
| FCSL | 8000, 7400 | Full plastic slotted cover (low ceiling conditions) | 22 | — |
| FMC | 8900, 8600 | Full metal cover (Handed for TJ/JT ([FMCL/FMCR]) | 27 | 130 |
| FMC LL | 8900, 8600 | Full metal cover, lead lined. Handed & Non-Handed | 129 | 232 |
| STA FMC ** | STA 8000/7400 | Stainless steel full metal cover | 129 | — |
| EC9315 | TS9315 | End caps for full metal cover | 13 | — |
| EC9356 | TS9356 | End caps for full metal cover | 15 | — |
| FMC15 LEC | TS9315 | Full metal cover | 33 | 146 |
| FMC56 LEC | TS9356 | Full metal cover | 33 | 146 |
| FMC15 | TS9315 | Full metal cover w/end caps | 37 | 156 |
| FMC56 | TS9356 | Full metal cover w/end caps | 37 | 156 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

NOTE: 7400 closers are not furnished to accept FC, FC SL, or FMC unless specified at time of order.

** Architectural finish for STA FMC available in 630 FINISH ONLY.

8000 Series Non-Hold Open Arms

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|--------------|-------------------|--|-------------------|------------------|
| AF89P | 8900 | Arm, flat complete tri-pack NHO w/P89 bracket, 0" to 4" reveal | 82 | 242 |
| AF89J | 8900 | Arm, flat complete NHO TJ 4" to 8" reveal | 78 | 180 |
| AF89 | 8900 | Arm, flat complete NHO Reg. or TJ 0" to 4" reveal | 74 | 175 |
| AF8MJ | 8900, 8600 | Arm, flat complete NHO, for use with MJ bracket | 78 | — |
| AMF89 | 8900 | Arm, main non-hold open x flat adjusting tube | 62 | 158 |
| RRA | 8900 | REG, rigid regular mount arm (Flat) | 131 | — |
| AF86P | 8600 | Arm, flat complete tri-pack NHO w/P86 bracket, 0" to 4" reveal | 77 | 239 |
| AF86J | 8600 | Arm, flat complete NHO TJ 4" to 8" reveal | 73 | 174 |
| AF86 | 8600 | Arm, flat complete NHO Reg. or TJ 0" to 4" reveal | 69 | 170 |
| AMF86 | 8600 | Arm, main, non-hold open x flat adjusting tube | 62 | 158 |
| SB04 | 8000 | Shoe and bar, non-hold open flat, 0" to 4" reveal | 29 | 104 |
| SB48 | 8000 | Shoe and bar, non-hold open flat, 4" to 8" reveal | 29 | 104 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

8000 & 7000 Series Non-Hold Open Arms

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|--------------|-------------------|--|-------------------|------------------|
| ARP | 8600, 7000 | Arm, round complete tri-pack, NHO 8 mm rod w/P86 bracket, 0" to 4" reveal | 67 | 232 |
| ARJ | 8600, 7000 | Arm, round complete, NHO 10 mm rod, top jamb 4" to 8" reveal | 63 | 173 |
| AR | 8600, 7000 | Arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal | 60 | 163 |
| AO8P | 8600, 7000 | PA, REG & TJ secured elbow for reveals to 4" (round) | 67 | — |
| AO8 | 8600, 7000 | REG or TJ secured elbow for reveals to 4" (round) | 60 | — |
| ARP15 | U1500 | Arm, round U1500 complete tri-pack, NHO 10 mm rod with P15 bracket, 0" to 4" reveal (689/695 only) | 50 | — |
| STA ARP ** | STA 8000/7400 | Stainless steel arm, round complete tri-pack, NHO 8 mm rod w/ stainless steel P86 bracket, 0" to 4" reveal | 216 | *278 |
| STA AR ** | STA 8000/7400 | Stainless steel arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal | 165 | *196 |
| ARNPP | 8600, 7000 | Arm, round complete tri-pack, NHO narrow profile 8 mm rod w/ P86 bracket 0" to 4" reveal | 67 | — |
| ARNPJ | 8600, 7000 | Arm, round complete, NHO narrow profile 10 mm rod, top jamb 4" to 8" reveal | 63 | — |
| ARNP | 8600, 7000 | Arm, round complete, NHO narrow profile, 8 mm rod regular or top jamb 0" to 4" | 60 | — |
| AMR04 | 8600, 7000 | Arm, main and 8 mm round adjusting tube only, non-hold open | 46 | 143 |
| AMR48 | 8600, 7000 | Arm, main and 10 mm round adjusting tube only, non-hold open | 48 | 145 |
| STA AMR04 ** | STA 8000/7400 | Stainless steel arm, main and 8 mm round adjusting tube only, non-hold open | 109 | *131 |
| AMR04NP | 8600, 7000 | Arm, main and 8 mm round adjusting tube only, non-hold open narrow profile | 46 | — |
| AMR48NP | 8600, 7000 | Arm, main and 10 mm round adjusting tube only, non-hold open narrow profile | 48 | — |
| SR04 | 8600, 7000 | Shoe and 8 mm round rod for 0" to 4" reveal | 26 | 100 |
| SR48 | 8600, 7000 | Shoe and 10 mm round rod for 4" to 8" reveal | 28 | 104 |
| STA SR04 ** | STA 8000/7400 | Stainless steel shoe and 8 mm rod for 0" to 4" reveal | 46 | *57 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

** Architectural finishes for STA ARP, STA AR, STA AMR04 and STA SR04 only available in 630 finish.

Door Saver & Door Saver Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|-----------|-------------------|--|-------------------|------------------|
| DS | 8000, 7000 | Arm, door save parallel mount complete | 128 | 287 |
| DST | 8000, 7000 | Arm, door saver thumb turn hold open parallel mount complete | 172 | 329 |
| DSK | 8000, 7000 | Arm, door saver hex key turn hold open parallel mount complete | 172 | 329 |
| SDS | 8000, 7000 | Arm, spring door saver parallel mount complete | 236 | 389 |
| SDST | 8000, 7000 | Arm, spring door saver hold open parallel mount complete | 280 | 431 |
| BUMPERDS | 8000, 7000 | Bumper cushion and screw for door saver arm | 22 | — |
| SSPRINGDS | 8000, 7000 | Spring door saver, spring stop assembly complete | 60 | 130 |
| CS | TS93 | Cushion stop to help stop door in normal opening | 32 | — |

Super Parallel Arm & Super Parallel Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|------|-------------------|---|-------------------|------------------|
| SPA | 8000, 7000 | Arm, super parallel mount complete | 99 | 255 |
| SPAT | 8000, 7000 | Arm, super parallel mount thumb turn hold open complete | 144 | 298 |
| SPAK | 8000, 7000 | Arm, super parallel mount hex key turn hold open complete | 144 | 298 |

IS & Spring IS Arms (8900/8600/7400/7300 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|-------|-------------------|---|-------------------|------------------|
| IS | 8000, 7000 | Arm, IS cushion complete w/bumper, reg mount | 265 | 440 |
| ISH | 8000, 7000 | Arm, hold open IS cushion complete w/bumper, reg mount | 325 | — |
| SIS | 8000, 7000 | Arm, spring IS complete w/bumper, regular or top jamb mount for 0" to 3-1/2" reveal | 350 | 538 |
| SISH | 8000, 7000 | Arm, spring IS hold open complete w/bumper, reg or top jamb mount 0" to 3-1/2" reveal | 401 | — |
| ISJ | 8000, 7000 | Arm, IS cushion complete w/bumper for TJ 3-1/2" to 6-1/2" reveal | 290 | 457 |
| ISJH | 8000, 7000 | Arm, hold open IS cushion complete w/bumper for TJ 3-1/2" to 6-1/2" reveal | 342 | — |
| SISJ | 8000, 7000 | Arm, spring IS complete w/bumper, top jamb mount for 3-1/2" to 6-1/2" reveal | 358 | 441 |
| SISJH | 8000, 7000 | Arm, spring IS hold open complete w/bumper top jamb mount for 3-1/2" to 6-1/2" reveal | 409 | — |

IS & Spring IS Arms (8900/8600/7400/7300 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|----------|-------------------|---|-------------------|------------------|
| SISM03 | 8000, 7000 | Arm, main, IS/SIS, w/connecting bar for 0 to 3-1/2" reveal | 101 | 178 |
| SISM36 | 8000, 7000 | Arm, main, ISJ/SISJ, w/connecting bar for 3-1/2" to 6-1/2" reveal | 137 | 250 |
| SISMH03 | 8000, 7000 | Arm, main, IS/SIS, hold open, w/connecting bar for 0 to 3-1/2" reveal | 137 | — |
| SISMH36 | 8000, 7000 | Arm, main, ISJ/SISJ, hold open, w/connecting bar for 3-1/2 to 6-1/2" reveal | 253 | — |
| ISST | 8000, 7000 | Assembly, IS shoe and connecting arm tube (connects to frame or door, depending on mount) | 106 | 164 |
| SISST | 8000, 7000 | Assembly, SIS spring stop and connecting arm tube (connects to frame or door, depending on mount) | 192 | 341 |
| BUMPERIS | 8000, 7000 | Bumper cushion and attachment hardware for IS and SIS arms | 22 | — |

Friction Hold Open Arms (8000/7000 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|---------|-------------------|--|-------------------|------------------|
| FHP | 8000, 7000 | Friction hold open arm complete tri-pack, 0" to 4" reveal | 113 | — |
| FHJ | 8000, 7000 | Friction hold open arm complete, for top jamb 4" to 8" reveal | 109 | — |
| FH | 8000, 7000 | Arm, friction hold open, complete, for regular or parallel arm | 106 | — |
| FHM04 | 8000, 7000 | Arm, friction hold open main and adjusting tube, 0" to 4" reveal | 62 | — |
| FHM48 | 8000, 7000 | Arm, friction hold open main and adjusting tube, 4" to 8" reveal | 72 | — |
| FHSB | 8000, 7000 | Shoe and bar, friction hold open | 61 | — |
| FHP U15 | U1500 | Friction hold open arm complete U1500 tri-pack, 0" to 4" reveal (689/695 only) | 65 | — |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Plunger Hold Open Arms (8900/8600 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|-------|-------------------|--|-------------------|------------------|
| PHP | 8900, 8600 | Arm, plunger hold open complete for parallel or top jamb mount 1-1/2" to 3-1/2" reveal | 167 | 445 |
| PH | 8900, 8600 | Arm, plunger hold open complete for regular or top jamb mount 0" to 1-1/2" reveal | 162 | 364 |
| PHM | 8900, 8600 | Arm, main and adjusting tube only, plunger hold open | 105 | 347 |
| PHSBP | 8900, 8600 | Shoe and bar, plunger hold open, parallel or top jamb 1-1/2" to 3-1/2" reveal | 63 | 157 |
| PHSB | 8900, 8600 | Shoe and bar, plunger hold open, regular or top jamb 0" to 1-1/2" reveal | 50 | 150 |

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Track & Track Hold Open Arms/Accessories (TS93/8900/8600/7400/7300 Series)

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|-------------------|---|-------------------|------------------|
| T93 | TS93 | Arm/slide channel complete (pull side) | 166 | 366 |
| T | 8000, 7400, 7300 | Arm/slide channel complete, door or frame mount (pull side) T/JT/FT | 132 | 312 |
| ST | TS93 | Arm/slide channel complete, spring stop arm (pull side) | 293 | 594 |
| PT93 | TS93 | Arm/slide channel complete, soffit mount (push side) | 187 | 358 |
| PT | 8000, 7400, 7300 | Arm/slide channel complete, soffit mount (push side) | 156 | 334 |
| SPT | TS93 | Arm/slide channel complete, spring stop arm (push side) | 293 | 594 |
| TDE | 8000, 7400, 7300 | Arm/slide channel complete, double egress frame mount (pull side) | 188 | — |
| T93H | TS93 | Arm/slide channel complete, hold open (pull side) | 187 | 388 |
| TH | 8000, 7400, 7300 | Arm/slide channel complete, door or frame mount hold open (pull side) TH/JTH/FTH | 156 | 334 |
| STH | TS93 | Arm/slide channel complete, spring stop arm hold open (pull side) | 316 | 612 |
| PT93H | TS93 | Arm/slide channel complete, soffit mount hold open (push side) | 187 | 388 |
| PTH | 8000, 7400, 7300 | Arm/slide channel complete, soffit mount hold open (push side) | 177 | 356 |
| TDEH | 8000, 7400, 7300 | Arm/slide channel complete, double egress frame mount hold open (pull side) | 210 | — |
| TPKT90 | 8900 | Arm/slide channel complete, all 90° to 119° | 156 | — |
| T93PKT90 | TS93 | Arm/slide channel complete, all 90° to 119° pocket | 187 | — |
| T93PKT170 | TS93 | Arm/slide channel complete, 120° to 170° pocket | 187 | — |
| T93PKT180 | TS93 | Arm/slide channel complete, 170° to 180° pocket (specify hand) | 220 | — |
| THKIT | 8000, 7400, 7300 | Replacement hold open assembly for track installations | 62 | — |
| THKIT93ONLY | TS93 | Replacement hold open assembly for track installations | 62 | — |

Carry Bars & Extension Kits

| Item | Applicable Series | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|-------------------|--|-------------------|------------------|
| MK397 | GSR | Carry bar — up to 3-6" wide doors | 37 | 77 |
| MK398 | GSR | Carry bar — 3-6" and wider doors | 41 | 92 |
| GSR EXT KIT | GSR | Cover and connecting rod extension kit — openings over 8" wide | 165 | N/A |

Touch Up Paint

| Item | Applicable Series | Description | List \$ |
|-------------|-------------------|--|---------|
| PNT689 | All | Aluminum aerosol spray paint | 29 |
| PNT690 | All | Statuary bronze aerosol spray paint | 29 |
| PNT691 | All | Dull bronze aerosol spray paint | 29 |
| PNT693 | All | Black aerosol spray paint | 29 |
| PNT695 | All | Dark duranodic bronze aerosol spray paint | 29 |
| PNT696 | All | Gold aerosol spray paint | 29 |
| PNT689 CASE | All | Aluminum aerosol spray paint, case of 6 | 149 |
| PNT690 CASE | All | Statuary bronze aerosol spray paint, case of 6 | 149 |
| PNT691 CASE | All | Dull bronze aerosol spray paint, case of 6 | 149 |
| PNT693 CASE | All | Black aerosol spray paint, case of 6 | 149 |
| PNT695 CASE | All | Dark duranodic bronze aerosol spray paint, case of 6 | 149 |
| PNT696 CASE | All | Gold aerosol spray paint, case of 6 | 149 |

EMR/EMF SERIES

Fire/Life Safety

| Item | Applicable Series | Description | List \$ |
|---------------|-------------------|---|---------|
| COV | 8600 | Slim plastic closer body cover | 17 |
| FC | 8900/8600 | Full plastic closer body cover | 22 |
| FMC | 8900/8600 | Full metal closer body cover (specify hand) | 27 |
| SN1 | 8900 | (4) each 1/4-20 sex nuts for 1-3/4" door | 5 |
| SN3 | TS93 | (4) each 10-32 sex nuts for 1-3/4" door | 5 |
| SNB1 | 8600 | (4) each 1/4-20 sex nuts and machine screws for 1-3/4" door | 7 |
| SD2 | EMR | Replacement detector module | 433 |
| RFR | All | Radio frequency receiver for wireless release of hold open | 280 |
| HHRFT1 | All | Hand held transmitter for wireless release of hold open | 138 |
| TRANSF | All | 120 VAC to 24 VAC Transformer (External) | 55 |
| SCRPKEMRDET | EMR | EMR Standoff for SD-2 Detector Replacement (EMR) | 3 |
| TERMINALBLOCK | EMF | Screw-in replacement terminal block 4-pin/white | 4 |

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

1800 SERIES

| Item | Description | List \$ |
|-----------|---|---------|
| SN1 | (4) each 1/4-20 sex nuts for 1-3/4" door | 5 |
| SNB1 | (4) each 1/4-20 sex nuts and machine screws for 1-3/4" door | 7 |
| EXPKIT | Exposed wiring bracket | 30 |
| SFKIT | Swing free kit | 41 |
| SOL1800 | 1800 replacement solenoid 24 VAC/DC | 291 |
| SD2 | Replacement detector module | 433 |
| AR | Arm round complete 0"-4" reveal | 60 |
| ARJ | Arm round complete, NHO 10mm rod, top jamb 4" to 8" reveal | 64 |
| RFR | Radio frequency receiver for wireless release of hold open | 280 |
| HHRFT1 | Hand held transmitter for wireless release of hold open | 138 |
| CAMDRIVE | Replacement Hold Open Cam/Cam Drive | 18 |
| TRANSF | 120 VAC to 24 VAC Transformer | 55 |
| FMC1800 | Replacement cover for 1800 Series (specify arm type and hand) | 124 |
| T-ARM1800 | Track main arm for 1800 Series | 75 |

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls &
Handles

Service Parts

EM SERIES

| Item | Description | 689/695 Finish \$ | 696 Finish \$ |
|----------------|---|-------------------|---------------|
| ER1.5 ** | 1-1/2" extension rod | 58 | — |
| 2 ** | 2" extension rod | 66 | — |
| ER7 ** | 6-3/8"—8" adjustable extension rod | 74 | — |
| ER12 ** | 8-3/8"—12" adjustable extension rod | 82 | — |
| CPSHORT | 2" projection catch plate (door portion) | 85 | 98 |
| CPLONG | 2-5/8" projection catch plate (door portion) | 97 | 111 |
| EMDPPK ** | Door plate pack, (plate, bracket & fasteners) | 32 | — |
| EMSCRPK ** | Universal fastener pack for all EM models | 21 | — |
| EMSURFPK ** | Surface mount box and fastener pack for EM 509 | 75 | — |
| EMFACEPLTPK ** | Brackets and fastener pack for all EM face plates | 20 | — |

** Available in 689 finish only.

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

BTS SERIES

Floor Closers with Cement Cases, Less Spindle

| Item | Description | List \$ |
|--------------------|--|---------|
| BTS80 - Sz 4,6 | Floor closer for non-labeled doors (previously Sz 2 and Sz 3, respectively) | 971 |
| BTS80 - Sz 3 | Floor closer for non-fire rated, light opening force requirements (previously BFE) | 971 |
| BTS80 F - Sz 5 | Floor closer for fire doors (specify hand) | 993 |
| BTS80 BOX | BTS 80 cement case only | 80 |
| BTS75V - NHO | Floor closer for non-labeled doors or fire doors | 888 |
| BTS75V BF - NHO | Floor closer for non-labeled doors | 888 |
| BTS75V - 90° HO | Floor closer for non-labeled doors | 941 |
| BTS75V - 105° HO | Floor closer for non-labeled non-fire rated doors | 941 |
| BTS75V BF - 90° HO | Floor closer for non-labeled doors | 941 |
| BTS75V BOX | BTS75V cement case only | 75 |
| BTS80 EMB - Sz 5 | Floor closer w/electro-hydraulic hold open (specify hand) | 2,522 |

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles

| Item | Description | List \$ |
|-------|----------------------------|---------|
| 74003 | 5/16" clearance spindle | 67 |
| 74005 | 1/2" clearance spindle | 67 |
| 74007 | 5/8" clearance spindle | 67 |
| 74010 | 3/4" clearance spindle | 67 |
| 74012 | 13/16" clearance spindle | 88 |
| 74015 | 7/8" clearance spindle | 88 |
| 74020 | 1-1/8" clearance spindle | 88 |
| 74025 | 1-5/16" clearance spindle | 88 |
| 74030 | 1-1/2" clearance spindle | 88 |
| 74035 | 1-11/16" clearance spindle | 88 |
| 74040 | 1-7/8" clearance spindle | 88 |
| 74045 | 2-1/16" clearance spindle | 88 |
| 74050 | 2-5/16" clearance spindle | 88 |

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles (Center Hung, Single Acting Packages)

| Item | Description | List \$ |
|-------|---------------------------|---------|
| 80003 | 5/16" clearance spindle | 67 |
| 80005 | 1/2" clearance spindle | 67 |
| 80010 | 3/4" clearance spindle | 67 |
| 80015 | 7/8" clearance spindle | 88 |
| 80020 | 1-1/8" clearance spindle | 88 |
| 80025 | 1-5/16" clearance spindle | 88 |
| 80030 | 1-1/2" clearance spindle | 88 |

Floor Plates

| Item | Description | Plated Finish \$ |
|------|--|------------------|
| 7410 | Floor plate for BTS 80, 80 F, 80 EMB closers | 108 |
| 7510 | Floor plate for BTS 75V closers | 108 |

Center Hung Bottom Arms

| Item | Description | List \$ |
|------|------------------------------------|---------|
| 7421 | Bottom arm for wood or steel doors | 72 |
| 7422 | Bottom arm for aluminum door | 98 |

Center Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|----------|-------------------------------|-------------------|------------------|
| 8062 | Complete top pivot | 122 | 122 |
| 8062 COV | Cover only | 21 | 21 |
| HD8062 | Heavy-duty complete top pivot | 374 | 374 |

NOTE: Highlighted items are available from Select Service, and only available in 630 finish.

3/4" Offset Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|---|-------------------|------------------|
| 75120 | Full mortise standard top pivot | 178 | 178 |
| 75122 | Full mortise top pivot — 20 minute rated fire door | 198 | 198 |
| 75133 | Full mortise top pivot — 3 hour rated fire door | 235 | 407 |
| 75140 | Full mortise top pivot — 1-3/4" lead-lined doors | 332 | 332 |
| 75140-2 | Full mortise top pivot — 2" lead-lined doors | 369 | 369 |
| 75140-2-1/4 | Full mortise top pivot — 2-1/4" lead-lined doors | 369 | 369 |
| 75140-2-1/2 | Full mortise top pivot — 2-1/2" lead-lined doors | 369 | 369 |
| 75140-3 | Full mortise top pivot — 3" lead-lined doors | 369 | 369 |
| 75142 | Full mortise top pivot — 20 minute rated, 1-3/4" lead-lined doors | 353 | 353 |
| 75142-2 | Full mortise top pivot — 20 minute rated, 2" lead-lined doors | 396 | 396 |
| 75142-2-1/4 | Full mortise top pivot — 20 minute rated, 2-1/4" lead-lined doors | 396 | 396 |
| 75142-2-1/2 | Full mortise top pivot — 20 minute rated, 2-1/2" lead-lined doors | 396 | 396 |
| 75142-3 | Full mortise top pivot — 20 minute rated, 3" lead-lined doors | 396 | 396 |
| 75143 | Full mortise top pivot — 3 hour rated, 1-3/4" lead-lined doors | 398 | 541 |
| 75143-2 | Full mortise top pivot — 3 hour rated, 2" lead-lined doors | 451 | 594 |
| 75143-2-1/4 | Full mortise top pivot — 3 hour rated, 2-1/4" lead-lined doors | 451 | 594 |
| 75143-2-1/2 | Full mortise top pivot — 3 hour rated, 2-1/2" lead-lined doors | 451 | 594 |
| 75143-3 | Full mortise top pivot — 3 hour rated, 3" lead-lined doors | 451 | 594 |

3/4" Offset Hung Intermediate Pivots **

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|--------------|--|-------------------|------------------|
| 75220 | Full mortise standard intermediate pivot | 256 | 256 |
| 75222 | Full mortise intermediate pivot — 20 minute rated fire door | 273 | 273 |
| 75233 | Full mortise intermediate pivot — 3 hour rated fire door | 288 | 556 |
| 75240 | Full mortise intermediate pivot — 1-3/4" lead-lined doors | 385 | 385 |
| 75240-2 | Full mortise intermediate pivot — 2" lead-lined doors | 422 | 422 |
| 75240-2-1/4 | Full mortise intermediate pivot — 2-1/4" lead-lined doors | 422 | 422 |
| 75240-2-1/2 | Full mortise intermediate pivot — 2-1/2" lead-lined doors | 422 | 422 |
| 75240-3 | Full mortise intermediate pivot — 3" lead-lined doors | 422 | 422 |
| 75242 | Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors | 407 | 407 |
| 75242-2 | Full mortise intermediate pivot — 20 minute rated, 2" lead-lined doors | 449 | 449 |
| 75242-2-1/4 | Full mortise intermediate pivot — 20 minute rated, 2-1/4" lead-lined doors | 449 | 449 |
| 75242-2-1/2 | Full mortise intermediate pivot — 20 minute rated, 2-1/2" lead-lined doors | 449 | 449 |
| 75242-3 | Full mortise intermediate pivot — 20 minute rated, 3" lead-lined doors | 449 | 449 |
| 75243 | Full mortise intermediate pivot — 3 hour rated, 1-3/4" lead-lined doors | 417 | 809 |
| 75243-2 | Full mortise intermediate pivot — 3 hour rated, 2" lead-lined doors | 471 | 862 |
| 75243-2-1/4 | Full mortise intermediate pivot — 3 hour rated, 2-1/4" lead-lined doors | 471 | 862 |
| 75243-2-1/2 | Full mortise intermediate pivot — 3 hour rated, 2-1/2" lead-lined doors | 471 | 862 |
| 75243-3 | Full mortise intermediate pivot — 3 hour rated, 3" lead-lined doors | 471 | 862 |

** All intermediate pivots are handed.

NOTE: Highlighted items are available from Select Service, and only available in 626 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

3/4" Offset Hung Bottom Arms ▲

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|---|-------------------|------------------|
| 75323 | Standard and heavy-duty bottom arm w/cover cap | 95 | 95 |
| CAP .75 | Cover cap only for 75323 (specify hand) | 33 | 33 |
| 75343 | Standard and heavy-duty bottom arm, 1-3/4" lead-lined doors | 310 | 310 |
| 75343-2 | Standard and heavy-duty bottom arm, 2" lead-lined doors | 346 | 346 |
| 75343-2-1/4 | Standard and heavy-duty bottom arm, 2-1/4" lead-lined doors | 346 | 346 |
| 75343-2-1/2 | Standard and heavy-duty bottom arm, 2-1/2" lead-lined doors | 346 | 346 |
| 75343-3 | Standard and heavy-duty bottom arm, 3" lead-lined doors | 346 | 346 |

▲ All bottom arms are handed.

1-1/2" Offset Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|--|-------------------|------------------|
| 15120 | Full mortise standard top pivot | 278 | 278 |
| 15122 | Full mortise top pivot — 20 minute rated fire door | 310 | 310 |
| 15133 | Full mortise top pivot — 3 hour rated fire door | 337 | 610 |

1-1/2" Offset Hung Intermediate Pivots **

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|---|-------------------|------------------|
| 15220 | Full mortise standard intermediate pivot | 385 | 385 |
| 15222 | Full mortise intermediate pivot — 20 minute rated fire door | 417 | 417 |
| 15233 | Full mortise intermediate pivot — 3 hour rated fire door | 428 | 750 |

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms ▲

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|---------|---|-------------------|------------------|
| 15323 | Standard and heavy-duty bottom arm w/cover cap (specify hand) | 242 | 242 |
| CAP 1.5 | Cover cap only for 15323 (specify hand) | 34 | 34 |

▲ All bottom arms are handed.

Electrified Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|--------|---|-------------------|------------------|
| 75200 | Thru-wire 3/4" offset intermediate pivot — 8 wire** | 477 | 477 |
| E80622 | Thru-wire center hung top pivot — 2 wire | 522 | 522 |
| E80624 | Thru-wire center hung top pivot — 4 wire | 522 | 522 |

** All intermediate pivots are handed.

Pocket Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|---------------------------|-------------------|------------------|
| 75520 | Standard pocket pivot | 387 | 466 |
| 75523 | 3 hour rated pocket pivot | 408 | 492 |

Miscellaneous

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|------------------------------|--|-------------------|------------------|
| 7451N | Slide arm assembly for independently hung doors | 195 | 390 |
| 7451N-A (Arm plated only) | Slide arm assembly for independently hung doors | 195 | 296 |
| TP80 | ▲ Terrazo pan for BTS 80, 80 F, 80 EMB __ 3/4" offset (Handed) | 487 | — |
| TP80 CH | ▲ Terrazo pan for BTS 80, 80 F, 80 EMB __ Center hung or 1-1/2" offset | 443 | — |
| TP75 | ▲ Terrazo pan for BTS 75V __ 3/4" offset (Handed) | 464 | — |
| TP75 CH | ▲ Terrazo pan for BTS 75V __ Center hung or 1-1/2" offset | 421 | — |
| SC2 | Sealing compound | 67 | — |

▲ Terrazo pans are available stainless steel only.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

ITS SERIES

| Item | Description | List \$ |
|----------------|--------------------------|---------|
| THKIT | ITS hold open kit | 57 |
| BRKT ITS WOOD | Wood frame mounting kit | 27 |
| BRKT ITS METAL | Steel frame mounting kit | 27 |

NOTE: Available from Select Service. No finish designation required.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

RTS SERIES

Overhead Concealed Closers with Mounting Brackets

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-----------------------------------|---|-------------------|------------------|
| RTS88 105° NHO -Sz 3, 4, BFI, BFE | Closer with 105° bumper without hold open | 364 | — |
| RTS88 105° HO -Sz 3 4, BFI or BFE | Closer with 105° bumper with 105° hold open | 364 | — |
| RTS88 90° NHO -Sz 2, 3 or 4 | Closer with 90° bumper without hold open | 364 | — |
| RTS88 90° HO - Sz 2, 3 or 4 | Closer with 90° bumper and 90° hold open | 364 | — |


NOTES:

- RTS88 closer bodies are painted 689 only.
- RTS88 products are available with a N/C 5 mm extended spindle for optimal spindle bite.

NOTE: Highlighted items are available from Select Service.

Side Load Components

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-----------|---|-------------------|------------------|
| 8831 | Closer arm, 1/2" top rail | 96 | — |
| 8832 | Closer arm, wood door | 163 | — |
| 8570 | Floor pivot, 1-15/16" rail | 80 | — |
| 8572 | Threshold pivot, 1-9/16" rail | 60 | — |
| 7421 | Bottom arm for wood or steel doors | 72 | — |
| 7471K | Center or offset hung standard duty floor bearing | 98 | 98 |
| 7471K COV | Cover plate only for 7471K | 36 | 36 |

 Components available in zinc plated finish only.

End Load Components

| Item | Description | List \$ |
|-------|---|---------|
| 8835 | Closer arm, 1" top rail | 98 |
| 8836 | Closer arm, 7/8" top rail | 98 |
| 8836S | Closer arm, 7/8" top rail glass door shoe | 169 |
| 8837 | Closer arm, 5/8" top rail | 98 |
| 8838 | Closer arm, 3/4" top rail | 98 |
| 8852 | Floor pivot, 7/8" bottom rail | 67 |
| 8853 | Floor pivot, 1-9/16" bottom rail | 67 |
| 8855 | Threshold pivot, 7/8" bottom rail | 67 |
| 8856 | Threshold pivot, 1-3/8" bottom rail | 67 |
| 8857 | Threshold pivot, 1-9/16" bottom rail | 67 |

NOTE: Highlighted items are available from Select Service.

Offset Hung Components

| Item | Description | List \$ |
|------------|---|---------|
| 8812 | Slide arm and channel, 3/4" rail | 145 |
| 8812 Block | Replacement slide shoe | 14 |
| 8511 | Slide arm cover/applied stop (specify hand) | 232 |

Offset Hung Components

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|----------------------------|-------------------|------------------|
| 8561 | Wood frame cover plate | 62 | 144 |
| 8563* | Aluminum frame cover plate | 62 | — |
| 8575* | Steel frame cover plate | 62 | 144 |

NOTE: Highlighted items are available from Select Service, and are only available in 626 finish (for 8575) or 689 finish (for 8563).

Miscellaneous Components

| Item | Description | List \$ |
|-------|--|---------|
| 8521E | Add-on 1-5/16" spindle extension | 52 |
| 8532 | Steel header closer mounting channel | 52 |
| 8820J | Conversion bracket kit for Jackson replacement | 16 |

NOTE: Highlighted item is available from Select Service, and is available in 689 finish only.

LM SERIES

Center Hung Bottom Arms

| Item | Description | List \$ |
|------|------------------------------------|---------|
| 7421 | Bottom arm for wood or steel doors | 72 |
| 7422 | Bottom arm for aluminum door | 98 |

Center Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|--------------|---|-------------------|------------------|
| 8062 | Complete top pivot | 122 | 122 |
| 8062.5 | Frame portion only, special 1/2" diameter pin | 95 | 95 |
| 8062.6 | Frame portion only, standard pin | 84 | 84 |
| HD8062 | Heavy-duty complete top pivot | 388 | 388 |
| 8062 EXT PIN | Extended pin only | 44 | — |
| 8062 LOWER | Door portion only | 30 | — |
| 8062 COV | Cover only | 21 | 21 |

3/4" Offset Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|--|-------------------|------------------|
| 75120 | Full mortise standard top pivot | 178 | 178 |
| 75120/102 | Full mortise standard top pivot, for pull side reveal condition (specify hand) | 288 | 288 |
| 75122 | Full mortise top pivot — 20 minute rated fire door | 198 | 198 |
| 75133 | Full mortise top pivot — 3 hour rated fire door | 235 | 407 |
| 75140 | Full mortise top pivot — 1-3/4" lead-lined doors | 332 | 332 |
| 75140-2 | Full mortise top pivot — 2" lead-lined doors | 369 | 369 |
| 75140-2-1/4 | Full mortise top pivot — 2-1/4" lead-lined doors | 369 | 369 |
| 75140-2-1/2 | Full mortise top pivot — 2-1/2" lead-lined doors | 369 | 369 |
| 75140-3 | Full mortise top pivot — 3" lead-lined doors | 369 | 369 |
| 75142 | Full mortise top pivot — 20 minute rated, 1-3/4" lead-lined doors | 353 | 353 |
| 75142-2 | Full mortise top pivot — 20 minute rated, 2" lead-lined doors | 396 | 396 |
| 75142-2-1/4 | Full mortise top pivot — 20 minute rated, 2-1/4" lead-lined doors | 396 | 396 |
| 75142-2-1/2 | Full mortise top pivot — 20 minute rated, 2-1/2" lead-lined doors | 396 | 396 |
| 75142-3 | Full mortise top pivot — 20 minute rated, 3" lead-lined doors | 396 | 396 |
| 75143 | Full mortise top pivot — 3 hour rated, 1-3/4" lead-lined doors | 398 | 541 |
| 75143-2 | Full mortise top pivot — 3 hour rated, 2" lead-lined doors | 451 | 594 |
| 75143-2-1/4 | Full mortise top pivot — 3 hour rated, 2-1/4" lead-lined doors | 451 | 594 |
| 75143-2-1/2 | Full mortise top pivot — 3 hour rated, 2-1/2" lead-lined doors | 451 | 594 |
| 75143-3 | Full mortise top pivot — 3 hour rated, 3" lead-lined doors | 451 | 594 |

3/4" Offset Hung Intermediate Pivots **

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|---|-------------------|------------------|
| 75220 | Full mortise standard intermediate pivot | 257 | 257 |
| 75222 | Full mortise intermediate pivot — 20 minute rated fire door | 273 | 273 |
| 75233 | Full mortise intermediate pivot — 3 hour rated fire door | 288 | 556 |
| 75240 | Full mortise intermediate pivot — 1-3/4" lead-lined doors | 385 | 385 |
| 75240-2 | Full mortise intermediate pivot — 2" lead-lined doors | 422 | 422 |
| 75240-2-1/4 | Full mortise intermediate pivot — 2-1/4" lead-lined doors | 422 | 422 |
| 75240-2-1/2 | Full mortise intermediate pivot — 2-1/2" lead-lined doors | 422 | 422 |
| 75240-3 | Full mortise intermediate pivot — 3" lead-lined doors | 422 | 422 |
| 75242 | Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors | 407 | 407 |
| 75242-2 | Full mortise intermediate pivot — 20 minute rated 2" lead-lined doors | 449 | 449 |
| 75242-2-1/4 | Full mortise intermediate pivot — 20 minute rated 2-1/4" lead-lined doors | 449 | 449 |
| 75242-2-1/2 | Full mortise intermediate pivot — 20 minute rated 2-1/2" lead-lined doors | 449 | 449 |
| 75242-3 | Full mortise intermediate pivot — 20 minute rated 3" lead-lined doors | 449 | 449 |
| 75243 | Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors | 417 | 808 |
| 75243-2 | Full mortise intermediate pivot — 3 hour rated 2" lead-lined doors | 471 | 862 |
| 75243-2-1/4 | Full mortise intermediate pivot — 3 hour rated 2-1/4" lead-lined doors | 471 | 862 |
| 75243-2-1/2 | Full mortise intermediate pivot — 3 hour rated 2-1/2" lead-lined doors | 471 | 862 |
| 75243-3 | Full mortise intermediate pivot — 3 hour rated 3" lead-lined doors | 471 | 862 |

NOTE: Highlighted item is available from Select Service, and is available only in 626 finish.

** All intermediate pivots are handed.

3/4" Offset Hung Bottom Arms

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------------|---|-------------------|------------------|
| 75320 | Side jamb bottom pivot (specify hand) | 330 | 330 |
| 75323 | Standard and heavy-duty bottom arm w/cover cap (specify hand) | 95 | 95 |
| CAP .75 | Cover cap only for 75323 (specify hand) | 33 | 33 |
| 75343 | Standard and heavy-duty bottom arm — 1-3/4" lead-lined doors (specify hand) | 310 | 310 |
| 75343-2 | Standard and heavy-duty bottom arm — 2" lead-lined doors (specify hand) | 346 | 346 |
| 75343-2-1/4 | Standard and heavy-duty bottom arm — 2-1/4" lead-lined doors (specify hand) | 346 | 346 |
| 75343-2-1/2 | Standard and heavy-duty bottom arm — 2-1/2" lead-lined doors (specify hand) | 346 | 346 |
| 75343-3 | Standard and heavy-duty bottom arm — 3" lead-lined doors (specify hand) | 346 | 346 |

1-1/2" Offset Hung Top Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|--|-------------------|------------------|
| 15120 | Full mortise standard top pivot | 278 | 278 |
| 15122 | Full mortise top pivot — 20 minute rated fire door | 310 | 310 |
| 15133 | Full mortise top pivot — 3 hour rated fire door | 337 | 610 |

1-1/2" Offset Hung Intermediate Pivots **

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|---|-------------------|------------------|
| 15220 | Full mortise standard intermediate pivot | 385 | 385 |
| 15222 | Full mortise intermediate pivot — 20 minute rated fire door | 417 | 417 |
| 15233 | Full mortise intermediate pivot — 3 hour rated fire door | 428 | 750 |

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|---------|---|-------------------|------------------|
| 15323 | Standard and heavy-duty bottom arm w/cover cap (specify hand) | 242 | 242 |
| CAP 1.5 | Cover cap only for 15323 (specify hand) | 34 | 34 |

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

Floor Bearings

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|--------------|--|-------------------|------------------|
| 7471K | Center or offset hung standard duty floor bearing | 98 | 98 |
| 7171K EXT | Center or offset hung standard duty floor bearing with extended spindle. Available in 5 mm increments. Specify 5 mm to 50 mm in height. | 134 | 134 |
| 7471K COV | Cover plate only for 7471K | 36 | 36 |
| 7471HD/74005 | Center or offset hung heavy duty floor bearing (includes 74005) | — | 515 |

Electrified Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|--------|---|-------------------|------------------|
| 75200 | Thru-wire 3/4" offset intermediate pivot — 8 wire | 477 | 477 |
| E80622 | Thru-wire center hung top pivot — 2 wire | 522 | 522 |
| E80624 | Thru-wire center hung top pivot — 4 wire | 522 | 522 |

Pocket Pivots

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-------|---------------------------|-------------------|------------------|
| 75520 | Standard pocket pivot | 387 | 466 |
| 75523 | 3 hour rated pocket pivot | 408 | 492 |

Interchangeable Spindles (for use with 7471HD)

| Item | Description | List \$ |
|-------|---|---------|
| 74003 | 9/16" clearance spindle (when used w/7471HD) | 67 |
| 74005 | 3/4" clearance spindle (when used w/7471HD, standard) | 67 |
| 74007 | 7/8" clearance spindle (when used w/7471HD) | 67 |
| 74010 | 1" clearance spindle (when used w/7471HD) | 67 |
| 74012 | 1-1/16" clearance spindle (when used w/7471HD) | 88 |
| 74015 | 1-1/8" clearance spindle (when used w/7471HD) | 88 |
| 74020 | 1-3/8" clearance spindle (when used w/7471HD) | 88 |
| 74025 | 1-9/16" clearance spindle (when used w/7471HD) | 88 |
| 74030 | 1-3/4" clearance spindle (when used w/7471HD) | 88 |

NOTE: Highlighted items are available from Select Service.

900/700 SERIES

| Item | Description | Painted Finish \$ | Plated Finish \$ |
|-----------|--|-------------------|------------------|
| 7090 | Pull side mounting bracket (900/700) | 47 | 99 |
| 900RTSCH | Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body. | 47 | 99 |
| 902RTSOFF | Push side mounting bracket for 902 stop/holder, used with offset pivots when RTS closer is installed in the header. | 47 | 99 |
| 903RTSOFF | Push side mounting bracket for 903 stop/holder, used with offset pivots and an RTS closer installed in the header. | 47 | 99 |

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

**Stops/
Holders**

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts



dorma + kaba
DORMA USA, Inc.
Tel: 800-523-8483
Fax: 800-274-9724
www.dormakaba.com
dahorders.usa@dorma.com