



Introducing DAP

Retail Product Guide



You'll find us in all
the right places®



HBC Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

HBC Customer Service Department

800-695-4827
609-860-9990
(8:00 a.m. – 5:00 p.m. Eastern Time)

Mail HBC correspondence & confirming purchase orders to:

HBC Home & Hardware Products
324A Half Acre Road
Cranbury, NJ 08512
Fax order to: 609-860-9991
E-mail order to: orders@hberger.com

HBC Corporate Office

800-523-1268
609-860-9990

DAP Technical Customer Service

888-327-8477 or 888-DAP-TIPS
(8:00 a.m. – 7:00 p.m. Eastern Time)

Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.
*All prices subject to change.

MSDS Requests

To obtain an MSDS for any DAP product, please visit www.dap.com or call 888-DAP-TIPS.

Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to an energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, EA Prerequisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



All-purpose acrylic latex painter's caulk. Applies smoothly and easily. Adheres to wood, plaster, drywall and masonry. Resists cracking and chalking. Paintable. Easy water clean-up. Interior/exterior use. Meets ASTM Specification C834 for extrudability, artificial weathering, extension-recovery and slump.



Alex® Painter's White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18065	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18101	12	1296



Ready to paint in 30 minutes so you can finish the job faster. This durable, flexible caulk won't crack paint. Cured caulk is mold and mildew resistant. Easy to apply and tool. Provides a waterproof seal with excellent adhesion. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Fast Dry® White 10.1 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18425	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Slate Gray 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18110	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Brown 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18112	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Cedar Tan 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18111	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Dark Bronze 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18109	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Black 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18107	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Antique White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18172	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Almond 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18135	12	1296



Superior quality, all-purpose acrylic latex caulk plus silicone. Highly flexible and durable for a waterproof seal. Excellent adhesion. Cured caulk is mold and mildew resistant. Easy to apply and tool. Paintable. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C834.



Alex Plus® Crystal Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18401	12	1296



DAP® ALEX FLEX™ Premium Molding & Trim Sealant is specifically formulated for use on molding and trim applications. It delivers maximum adhesion and flexibility for a crack proof seal. It provides easy tooling, low odor, water clean-up and outstanding paintability. In just 30 minutes, the sealant forms a tough outer skin that's dry enough to paint over with latex or oil-based paints, thereby saving time since the job is finished faster. It provides a long-lasting, durable seal that will not shine through paint. Ideal for achieving a professional look with paint projects when sealing gaps around windows, doors, trim, crown molding, chair rails and baseboards. Cured sealant is mold and mildew resistant. Interior/ exterior use. Exceeds ASTM Specification C920, Class 12.5.



Alex Flex™ 10.1 oz. White

Item #	Master Pack Qty.	Pallet Qty.
DAP18542	12	1296



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal around non-porous surfaces such as ceramic tile and plumbing fixtures. Cured sealant is mildew resistant.



Kitchen & Bath Silicone 2.8 oz. White

Item #	Master Pack Qty.	Pallet Qty.
DAP00680	12	1980



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal around non-porous surfaces such as ceramic tile and plumbing fixtures. Cured sealant is mildew resistant.



Kitchen & Bath Silicone 10 oz. White

Item #	Master Pack Qty.	Pallet Qty.
DAP08640	12	1296



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal around non-porous surfaces such as ceramic tile and plumbing fixtures. Cured sealant is mildew resistant.



100% Silicone Kitchen & Bath Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08648	12	1296



DAP® Commercial Kitchen Silicone is an NSF certified product suitable for food-zone areas in commercial and industrial kitchens. This 100% silicone product is 100% waterproof, has a wide temperature range of -75°F to 350°F (intermittent temperatures up to 400°F). Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.



Commercial Kitchen Silicone White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08656	12	1296



DAP® Commercial Kitchen Silicone is an NSF certified product suitable for food-zone areas in commercial and industrial kitchens. This 100% silicone product is 100% waterproof, has a wide temperature range of -75°F to 350°F (intermittent temperatures up to 400°F). Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.



Commercial Kitchen Silicone Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08658	12	1296



DAP® Commercial Kitchen Silicone is an NSF certified product suitable for food-zone areas in commercial and industrial kitchens. This 100% silicone product is 100% waterproof, has a wide temperature range of -75°F to 350°F (intermittent temperatures up to 400°F). Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.



Commercial Kitchen Silicone Stainless Steel

Item #	Master Pack Qty.	Pallet Qty.
DAP08660	12	1296



DAP® 3.0™ Advanced Kitchen and DAP® 3.0™ Kitchen, Bath and Plumbing High Performance Sealant is ideal for sealing tubs, showers, sinks, backsplashes, counter tops, toilets and fixtures. It offers 10-year mold resistance and is specially formulated with Microban® Antimicrobial Product Protection to fight the growth of stain and odor-causing mold and mildew on the sealant. Safe for granite and marble. The sealant is easier to clean and stays cleaner between cleanings. DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant is 100% waterproof and is water resistant in 30 minutes. DAP® 3.0™ gets the room back in use quicker and also reduces the risk of ruining the caulk job by getting it wet too early. Lifetime Guarantee.



3.0™ Kitchen & Bath White Sealant 9 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP00790	12	1296



3.0™ Kitchen & Bath Crystal Clear 9 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP00795	12	1296



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mildew resistant. Interior/ exterior use. Meets ASTM C920, Specification C719, Class 25.



100% Silicone Clear 2.8 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP00684	12	1980



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mildew resistant. Interior/ exterior use. Meets ASTM C920, Specification C719, Class 25.



100% Silicone Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08641	12	1296



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mildew resistant. Interior/ exterior use. Meets ASTM C920, Specification C719, Class 25.



100% Silicone White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08646	12	1296



100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mildew resistant. Interior/ exterior use. Meets ASTM C920, Specification C719, Class 25.



100% Silicone Almond 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08649	12	1296



Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral-cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to a wide variety of surfaces such as PVC, vinyl siding and painted wood. Cured sealant is mold and mildew resistant. Interior/exterior use. Backed by a Lifetime Guarantee. Meets ASTM C920 Specification, Class 25, Uses G, A and M.



Silicone Plus™ Premium White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08780	12	1296



Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral-cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to a wide variety of surfaces such as PVC, vinyl siding and painted wood. Cured sealant is mold and mildew resistant. Interior/exterior use. Backed by a Lifetime Guarantee. Meets ASTM C920 Specification, Class 25, Uses G, A and M.



Silicone Plus™ Premium Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08771	12	1296



Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. This one-component, neutral cure sealant is low in odor and cures to a tough rubbery solid upon exposure to moisture in the air. Provides outstanding adhesion to a wide variety of surfaces such as ceramic tile, glass, porcelain and PVC. Cured sealant is mold and mildew resistant. Backed by a Lifetime Guarantee. Meets ASTM C920 Specification, Class 25, Uses G, A and M.



Silicone Plus™ Kitchen & Bath White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP08770	12	1296



Bonds like a glue and seals like a caulk. Provides a durable, waterproof seal. Excellent adhesion. Tools easily. Cured caulk is mold and mildew resistant. Paintable. Easy water clean-up.



Kwik-Seal® Tub & Tile White 5.5 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18001	12	2880



Bonds like a glue and seals like a caulk. Provides a durable, waterproof seal. Excellent adhesion. Tools easily. Cured caulk is mold and mildew resistant. Paintable. Easy water clean-up.



Kwik-Seal® Tub & Tile Clear 5.5 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18008	12	2880



Premium adhesive sealant with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the sealant. Specially formulated siliconized latex provides maximum adhesion and flexibility for a durable, waterproof seal. Paintable. Easy water clean-up. Low odor. Backed by a Crack-Proof Guarantee.



Kwik Seal Plus® Gloss White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18510	12	1296



Premium adhesive sealant with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the sealant. Specially formulated siliconized latex provides maximum adhesion and flexibility for a durable, waterproof seal. Paintable. Easy water clean-up. Low odor. Backed by a Crack-Proof Guarantee.



Kwik Seal Plus® Gloss Biscuit

Item #	Master Pack Qty.	Pallet Qty.
DAP18519	12	1296



Bonds like a glue and seals like a caulk. Provides a durable, waterproof seal. Excellent adhesion. Tools easily. Cured caulk is mold and mildew resistant. Paintable. Easy water clean-up.



Kwik Seal® Kitchen & Bath White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18002	12	1296



DAP® DYNAFLEX 230® delivers a “Silicone Tough” latex formulation for outstanding exterior performance against the elements. Developed for flexibility and crack proof performance, this sealant endures expansion and contraction without cracking or losing its seal. The paintable, durable sealant can fill gaps up to 1” wide and the cured sealant is mold and mildew resistant. It has excellent adhesion to a wide range of building materials including wood, MDF, PVC, polystyrene, and composite trimboard. Easy to gun out, tools smoothly and can be cleaned up with soap and water. Interior/ exterior use. Meets ASTM Specification C920, Class 25.



Dynaflex 230® White 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18300	12	1296



Dynaflex 230® Clear 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18305	12	1296



A versatile all-purpose caulk, Phenoseal® Vinyl Adhesive Caulk is perfect for almost any job. It truly does it all - BONDS, CAULKS and SEALS. As an adhesive, it creates a strong bond; as a caulk, it contracts and expands to seal joints up to 1/4", as a sealant, it keeps water and air from penetrating cracks and seams preventing energy loss. This fast-drying interior/exterior formula cleans easily with soap and water. Cured caulk is mold and mildew resistant and can be painted with latex and oil-based paint.



Phenoseal Does It All - White

Item #	Master Pack Qty.	Pallet Qty.
DAP00005	12	1296



A versatile all-purpose caulk, Phenoseal® Vinyl Adhesive Caulk is perfect for almost any job. It truly does it all - BONDS, CAULKS and SEALS. As an adhesive, it creates a strong bond; as a caulk, it contracts and expands to seal joints up to 1/4", as a sealant, it keeps water and air from penetrating cracks and seams preventing energy loss. This fast-drying interior/exterior formula cleans easily with soap and water. Cured caulk is mold and mildew resistant and can be painted with latex and oil-based paint.



Phenoseal Does It All - Translucent

Item #	Master Pack Qty.	Pallet Qty.
DAP00006	12	1296



A versatile all-purpose caulk, Phenoseal® Vinyl Adhesive Caulk is perfect for almost any job. It truly does it all - BONDS, CAULKS and SEALS. As an adhesive, it creates a strong bond; as a caulk, it contracts and expands to seal joints up to 1/4", as a sealant, it keeps water and air from penetrating cracks and seams preventing energy loss. This fast-drying interior/exterior formula cleans easily with soap and water. Cured caulk is mold and mildew resistant and can be painted with latex and oil-based paint.



Phenoseal Does It All - Almond

Item #	Master Pack Qty.	Pallet Qty.
DAP02102	12	1296



This VOC-compliant, latex-based formula is ideal for bonding a wide variety of building materials. Meets ASTM Specification C557. Low odor and easy water clean-up. Interior/exterior use.



Beats The Nail® Const. Adh VOC 10 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP27050	12	1296



High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Interior/exterior use.



Watertight Concrete Sealants

Item #	Master Pack Qty.	Pallet Qty.
DAP18096	12	1296



DAP® SIMPLE SEAL™ Kitchen & Bath Sealant is an easy way to fill and seal gaps around tubs, sinks, showers, counter tops or anywhere a clean, waterproof seal is needed in kitchens and bathrooms. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL™ to seal out water and moisture or replace stained or mildewed caulk. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water.

Simple Seal™ Kitchen & Bath White 9 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18772	9	1260



DAP® SIMPLE SEAL™ Weatherproofing Sealant is an easy way to seal out drafts and moisture around windows, doors, baseboards, inside or outside of the home to save energy and improve comfort. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL™ to seal out air leaks and moisture to improve the energy efficiency of the home and make it more comfortable. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water. Interior/exterior use.

Simple Seal™ Weatherproofing 9 oz. White

Item #	Master Pack Qty.	Pallet Qty.
DAP18773	9	1260



DAP® SIMPLE SEAL™ Paint Projects Sealant is an easy way to achieve professional-looking results by sealing gaps and cracks around trim, molding and baseboards prior to painting. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. SIMPLE SEAL™ dries fast and is ready to paint in only 30 minutes to save time. Cured sealant is mold and mildew resistant. Low odor. Cleans up easily with water. Interior/exterior use.

Simple Seal™ Paint 9 oz.

Item #	Master Pack Qty.	Pallet Qty.
DAP18774	9	1260



Designed to meet the tough standards demanded for professional window and door installations while effectively filling and sealing large cracks, gaps and voids. Unlike polyurethane foams, DAPTEx® Plus will not overexpand, is toolable, moldable and cleans up easily with water. Remains soft and flexible when dry so it will not bow, buckle or distort frames. The innovative latex polymer foam technology provides water resistance and is paintable with latex paints once cured. Helps reduce energy loss as well as pest infiltration. Ideal for sealing air leaks to improve energy efficiency and reduce heating and cooling costs. Nonclogging, reusable applicator. Interior/exterior use.

Daptex Plus Latex Foam Sealant

Item #	Master Pack Qty.	Pallet Qty.
DAP18336	12	1080



All-purpose, heavyweight spackling compound for repairing and filling cracks and holes in wallboard, drywall, plaster, wood, brick and stone. It spreads smoothly, sands easily and resists cracking for fast professional repairs. Interior/exterior use.

Vinyl Spackling 1/2 Pint

Item #	Master Pack Qty.	Pallet Qty.
DAP12130	12	1848



All-purpose, heavyweight spackling compound for repairing and filling cracks and holes in wallboard, drywall, plaster, wood, brick and stone. It spreads smoothly, sands easily and resists cracking for fast professional repairs. Interior/exterior use.



Vinyl Spackling Quart

Item #	Master Pack Qty.	Pallet Qty.
DAP12132	6	576

A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Fast 'N Final® Lightweight Spackling 1/2 Pint

Item #	Master Pack Qty.	Pallet Qty.
DAP12140	12	1848

A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Fast 'N Final® Lightweight Spackling Quart

Item #	Master Pack Qty.	Pallet Qty.
DAP12142	6	576

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Plaster of Paris (Dry Mix) 4Lb

Item #	Master Pack Qty.	Pallet Qty.
DAP10308	6	252



For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.

Plaster of Paris 8Lb

Item #	Master Pack Qty.	Pallet Qty.
DAP10310	4	144



A pre-mixed, professional grade compound for taping, finishing and texturing interior gypsum wallboard. It can be used to cover and finish gypsum wallboard joints, embed reinforcing tape, metal corner beads, screw or nail holes. It is easy to apply, has minimal shrinkage and sands easily. Interior use.

Wallboard Joint Compound 3Lb

Item #	Master Pack Qty.	Pallet Qty.
DAP10100	6	576



A pre-mixed, professional grade compound for taping, finishing and texturing interior gypsum wallboard. It can be used to cover and finish gypsum wallboard joints, embed reinforcing tape, metal corner beads, screw or nail holes. It is easy to apply, has minimal shrinkage and sands easily. Interior use.

Wallboard Joint Compound Gallon

Item #	Master Pack Qty.	Pallet Qty.
DAP10102	4	120



Super strong and durable yet ultra lightweight. Absolutely will not twist, tangle, or kink! Expands up to 3 times its size when water is turned on. Contracts back in just seconds when water is turned off. Solid Brass Fittings. Withstands up to 250 PSI. Full 3/4" diameter. Expands & Contracts. Lightweight Hose. No Kinks or Tangles.

X Hose Pro 50' Black

Item #	Master Pack Qty.	Pallet Qty.
DAP09104	4	200



- Smooth Rod Rugged & Dependable
- Nozzle Clean-out Tool
- Thrust Ratio: 10:1

STOP FLOW™ Style w/Rotating Barrel For Standard Cartridge

Item #	Master Pack Qty.
CG00138	6



- Smooth Rod Rugged & Dependable
- Nozzle Clean-out Tool
- Thrust Ratio: 10:1

STOP FLOW™ Style w/Rotating Barrel For Quart Cartridge – Skeleton Style


Item #	Master Pack Qty.
CG00128	6



- Built-in Spout Cutter Nozzle Clean-out Tool
- D-ring & Wrist Strap Ladder Hook
- Thrust Ratio: 7:1

STOP FLOW™ Style w/Rotating Barrel For Standard Cartridge – Ratchet Style

Item #	Master Pack Qty.
CG00122	6



- Built-in Spout Cutter Nozzle Clean-out Tool
- D-ring & Wrist Strap Ladder Hook
- Thrust Ratio: 7:1

STOP FLOW™ Style w/Rotating Barrel For Standard Cartridge – Parallel Smooth Hex Rod

Item #	Master Pack Qty.
CG00121	12



- Rubber Grommet Relieves Plunger of Back Pressure When Trigger is Released. This Causes The Caulk to Stop Flowing and Not Drip.
- Built-in Spout Cutter
- Nozzle Clean-Out Tool
- Thrust Ratio: 7:1

AUTO STOP DRIP™ For Standard Cartridge - Pro Hex Rod

Item #	Master Pack Qty.
CG00125	12



- Deep Milled Cut Teeth Built-in Spout Cutter
- Nozzle Clean-out Tool D-ring & Wrist Strap Ladder Hook
- Thrust Ratio: 10:1

STOP FLOW™ Style Parallel Smooth Hex Rod For Standard Cartridge - Perfectly Balanced

Item #	Master Pack Qty.
CG00119	12



- Deep Milled Cut Teeth Built-in Spout Cutter
- Nozzle Clean-out Tool D-ring & Wrist Strap Ladder Hook
- Thrust Ratio: 7:1

Parallel Ratchet Caulker For Standard Cartridge - Heavy Duty


Item #	Master Pack Qty.
CG00120	12



- Deep Milled Cut Teeth Built-in Spout Cutter
- Heavy Gauge Steel Nozzle Clean-out Tool
- Ladder Hook D-ring & Wrist Strap Thrust Ratio: 7:1

Super Ratchet Style For Standard Cartridge

Item #	Master Pack Qty.
CG00117	6



- Hex Rod Nozzle Clean-Out Tool
- Thrust Ratio: 7:1

STOP FLOW™ Skeleton Style For Standard Cartridge

Item #	Master Pack Qty.
CG00118	12



- Heavy Gauge Steel Built-in Spout Cutter
- Nozzle Clean-out Tool
- Thrust Ratio: 7:1
- Heavy Gauge Steel
- Built-in Spout Cutter
- Nozzle Clean-out Tool

Economy Ratchet Style Rugged For Standard & Quart Cartridge

Item #	Master Pack Qty.
CG00111	24
CG00124	6



- Lever Pistol Rugged & Economical
- Heavy Gauge Steel
- Nozzle Clean-out Tool
- Thrust Ratio: 5:1

STOP FLOW™ Swtyle Smooth Rod For Standard Cartridge

Item #	Description	Master Pack Qty.
98FD	Economy (Blue)	6
CG00108	Economy (Blue)	24
CG00109	Econocaulker (Red)	24
CG00113	Super Pro (Red)	24



- Smooth Rod Lever Pistol Rugged & Economical
- Heavy Gauge Steel Nozzle Clean-out Tool Thrust Ratio: 10:1

STOP FLOW™ Swtyle Smooth Rod For Quart Cartridge

Item #	Master Pack Qty.
CG00129	6

'33'®, '1012'®, 2000®, 4000®, 7000®, Alex®, Alex Fast Dry®, Alex Plus®, Beats The Nail®, the Black Band®, Blend Stick®, Blockade®, Bondex®, Butyl-Flex®, Caulk-Be-Gone®, CrackShot®, DAP®, DAPtex® Plus, DryDex®, Dynaflex 230®, Elastopatch®, Fast 'N Final®, Kwik Foam®, Kwik Seal®, Kwik Seal Plus®, Patch Stick®, Painter's Putty '53'®, Partial Putty Knife®, Plastic Wood®, Presto Patch®, Project Solutions®, Quick Plug®, Rely-On®, Seal 'N Peel®, SIDE Winder®, SmartBond®, StrongStik®, the Putty-Knife Logo®, Weldwood® and You'll find us in all the right places.® are registered trademarks of DAP Brands Company.

3.0™, BlueStik™, CONTACT STIK™, DAP CAP™, Primer 920™, Wood Finish Repair Kit™ and Wood Swell & Lock™ are trademarks of DAP Brands Company.

Webpatch™ 90 is a trademark of Bostik Findley Inc., Wauwatosa, WI.

Pro Caulk is a trademark of National Express Inc.

MICROBAN® and the MICROBAN symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

Distributed by

