CONDITIONS OF SALE

- CONFORMANCE TO REGULATIONS Manufacture, shipment and delivery are subject to any prohibition, restriction, priority, allocation regulation or condition imposed
- by or on behalf of the United States of America which may prevent or interfere with fulfillment of this order.

 2. SELLER'S ACCEPTANCE Until accepted in writing on this form by Republic Doors and Frames ("Seller"), Buyer's order shall constitute an offer to purchase; when so accepted by Seller, this form shall constitute the entire contract between the parties [and Seller shall not be bound by any terms, conditions, representations, or warranties, express or implied, except as state herein]. It is understood by the parties, and Buyer hereby agrees, that no term or condition contained in any order submitted by Buyer which is inconsistent with, additional to or different from the terms and conditions stated herein shall be binding on Seller unless Specifically agreed to by Seller in a written acknowledgment or acceptance; unless Seller specifically so agrees, any inconsistent, additional or different terms or conditions appearing in any order submitted by Buyer shall be deemed waived by Buyer. Receipt by Buyer of Seller's acceptance of goods without prompt objection to the terms and conditions herein set forth shall constitute
- acceptance by Buyer of such terms and conditions. It is understood that Seller's acceptance of Buyer's order is subject to credit approval.

 3. GENERAL CONTRACT Seller shall not be bound by the provisions of any contract and related documents governing the general construction requirements except for
- that portion of the specifications, unless modified in Seller's Acknowledgment, which describes the scope of Sellers work.

 4. DELAY In no event shall Seller be liable for any claims for any consequential or any other damages resulting from failure or delay in delivery of material and/or field labor (if field labor is included as part of this order). Seller will endeavor to ship promptly and to make delivery on the date requested on the front hereof; however, time is not of the essence. It is understood that Seller cannot guarantee any time for delivery; that delivery to the initial carrier shall constitute delivery to Buyer; that Seller's responsibility ceases upon delivery in good order to such carrier; and that all goods are shipped at Buyer's risk. In any event, Seller will not be liable for any delay or failure in delivery or shipment of goods or for any default or failure to perform this contract, or for any damages suffered by reason thereof, when such delay, failure or default is directly or indirectly due to accident (in manufacture or otherwise), fire, flood, riot, war, embargo, labor dispute or stoppage, inadequate transportation, shortage of material or supplies, delay or default on the part of the Seller's vendor, regulation by any governmental authority or any like or dissimilar cause beyond Seller's control. In the event of the occurrence of any such cause or contingency, Seller may extend the delivery schedule of this contract for the duration of such cause or contingency or, at its option, cancel this contract in whole or in part without liability.
- PARTIAL DELIVERY Partial delivery shall be accepted by the Buyer and paid for at the price and on the terms herein stated. Any partial delivery of merchandise hereunder, whether or not provided for herein, shall constitute a separate sale, and payment therefor shall be separately made when due
- CLAIMS Claim for errors, deficiencies or imperfections or delay not covered by Section 3 above will not be considered unless made in writing within 30 days after receipt of material. Seller, at its option, will replace or repair such materials as proven defective, or to allow for credit for their return. Seller will not accept the return of materials for credit or replacement without its previous written authority for such return. If materials appear defective, Buyer should discontinue their use and notify Seller Promptly so that Seller may investigate. Seller will not allow any claim for labor or expense occasioned by the use of defective materials, nor be responsible for damages beyond Seller's price of the defective material. Seller shall not be liable for any claims for consequential damages whether founded in contract or in tort. Risk of loss involving materials should be F.O.B. shipping point, even though transportation costs may be included in price. Risk of loss shall be borne by Buyer and Buyer shall pursue claims with the carrier in the event of loss or damage in transit. Seller shall not be liable for liquidated damages. Expenses in connection with detention of carrier's equipment at destination shall be for the account of Buyer. The remedies to Buyer hereunder are exclusive.
- INDEMNIFICATION Seller's obligation to indemnify Buyer for any cause, except for patent infringement as provided in this Acknowledgment shall be limited to the established sole negligent acts of Seller's agents and employees.

 8. CANCELLATION - After acceptance of Seller, this contract may not be canceled or modified, or releases hereunder held be Buyer after the order is in process, except by
- Seller's written agreement. If any cancellation or modification is agreed to by Seller, Buyer will promptly pay all reasonable engineering and other expenses incurred by Seller prior to its agreement to such cancellation or to be incurred by Seller in connection with such modification.
- PAYMENT TERMS The terms of payment specified on the front hereof shall be subject to change or limitation by Seller at any time either before or after delivery of any part of the goods under this contract, and Seller may demand payment in cash before delivery. Delivery may be withheld or shipment stopped in transit on an accepted order without any liability on the part of the Seller if, in the Seller's opinion, Buyer's ability to pay for the goods on the terms and conditions stated herein is in doubt.

 10. LIENS - Seller shall not be required to waive its right of Mechanic's Lien in advance of payment.
- TAXES Any tax, excise, duty or other governmental charge, whether federal, state, municipal or foreign, now or hereafter levied upon the manufacture, sales, use of shipment of goods contracted for or sold hereunder will be charged to and paid for by Buyer. Tax exemption certificates acceptable to such taxing authorities will be accepted in lieu of such payment
- 12. SELLER'S OPTIONS If Buyer shall fail to make payments on this or any other order in accordance with Seller's terms, or if Seller shall have any doubt as to Buyer's
- responsibility, Seller may suspend performance hereunder, except upon receipt of security satisfactory to Seller.

 13. COLLECTION In the event Seller is forced to place the Buyer's account for collection, Buyer agrees to pay all reasonable costs of collection including, but not limited to,
- reasonable attorney's fees and court costs.

 14. QUANTITY, WEIGHT AND SIZE Material, unless otherwise provided shall be invoiced in accordance with Seller's published schedules of weights, areas, bundles and standard lengths, which invoicing shall govern settlement in absence of a contrary showing.
- SHOP PAINT Where a shop coat of paint is specified, it shall mean one temporary protective coat of Seller's standard shop paint and no special treatment, field or permanent painting of any kind is included unless expressly stated on the face hereof.
- CHANGES IN WORK Subsequent changes in the scope of the work required of seller shall be subject to any adjustment in price to be agreed upon by Buyer and Seller
- prior to any obligation of Seller for such changes, and such adjustment shall not be affected by the decision of third parties.

 17. LITERATURE AND DESIGN Material unless otherwise provided shall be in accord with Seller's literature, unless modified in the interest of improvement, in which event it shall be deemed in accord with such literature. Seller assumes no responsibility for design prepared by others
- 18. TRANSPORTATION ADJUSTMENT When the price includes transportation it shall be adjusted to the increase or decrease in transportation rates at the time of shipment with rates at date this order is acknowledged.
- INSPECTING AND TESTING Seller shall not be liable for inspecting and testing charges unless expressly stated on the face hereof.
- 20. PATENTS Seller shall indemnify and save harmless Buyer from any judgement for damages and cost which may be rendered against Buyer in any suit brought against Buyer on account of the infringement by the materials, per se, supplied by Seller hereunder of any United States patent, provided prompt written notice be given Seller of the bringing of any such suit and an opportunity be given Seller to settle or defend the same as Seller may see fit, provided further that every reasonable assistance which Seller may require in defending any such suit be rendered to Seller by Buyer, the forgoing states the entire liability of Seller to Buyer for patent infringement.

 21. APPROVAL OF DRAWINGS - If Seller prepares drawings or placing details, approval thereof by the Buyer or his representative or the representative of the
- project for which Seller's materials are regarded as a final interpretation of all other documents, with respect to such drawings or details, and constitute authority for Seller to furnish material in accordance with those drawings or details.

 22. DESIGN SAFETY FACTOR - Buyer agrees to any design safety factor provided in the products covered by this transaction is to accommodate variations in the
- properties of materials, manufacturing and operating conditions, and design assumptions, and under no condition should be considered as implying authorization for or protection against loads on such products which exceed the design limits.

 23. COLLATERAL MATERIALS AND LABOR - This order does not include: collateral steel for fastening such material, ornamental iron, anchor bolts, glass, putty, glazing,
- glass cleaning, field painting, grouting, pointing, caulking, or any other material or labor unless expressly stated on the face hereof.
- 24. ARBITRATION Neither Buyer or Seller shall be required to submit to arbitration in the event of any dispute unless Buyer and Seller shall agree in writing hereto at the time of such dispute, and arbitration is not to be a condition precedent, except by mutual agreement of the parties in writing, to the right of legal action by either part.
- 25. WARRANTY Seller warrants to Buyer that it will, at its option and in its sole discretion, repair or replace any goods of its manufacture determined to Seller's satisfaction to be defective in workmanship or material under normal use and service within one year from the date of shipment to such Buyer, provided that notice of such defect is given to Seller within such one year period. Seller makes no warranty with respect to items supplied to Buyer by Seller but manufactured by others, except to the extent of any warranty given to Seller by such others. In no case shall Seller be liable for consequential damages arising from breach of any of the foregoing warranties. SELLER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, BEYOND WHAT IS CONTAINED HEREIN. This Warranty is for Buyer's exclusive benefit and is not assignable or transferable, nor is Buyer permitted to present to its customer, or any third party, that it may rely on the Warranty,

SUMMA	ARY SHEET	155 RI	EPUBLIC I	RS AND FRAMES DRIVE - McKENZIE, DR (800) 733-3667	TN 38201 FAX (800) 723-6677	PAGE 1 OF 1
so	LD TO:	SPE	CIAL IN	STRUCTIONS	CONTACT'S NAME	CHUCK WAGON
ABC COMPANY 123 ACTION AVE MCKENZIE, TN 3820	4				CONTACT'S PHONE NO.	(123) 456-7890
ATTN.: CHUCK W					DATE	1/1/2001
SH	IIP TO:	TYPE AI		AL INSTRUCTIONS IS BOX.	DISCOUNT 0.789	TOTAL WEIGHT 0
ABC COMPANY 123 ACTION AVE					TOTAL NET PRICE	\$0.00
MCKENZIE, TN 3820 ⁻ ATTN.: CHUCK W					TOTAL LIST PRICE	\$0.00
CUSTOMER NO.:	12345	RBP ORI	DER NO.:	12345	BUYER P.O. 12345-ABCD	-
ORD	DER FORM	NO. OF	тот	AL LIST PRICE	TOTAL NET PRICE	WEIGHT
DOORS		0		\$0.00	\$0.00	0.00
FRAMES-STICKS		0		\$0.00	\$0.00	0.00
VALU-PAC FRAMES		0		\$0.00	\$0.00	0.00
VALU-PAC DOORS		0		\$0.00	\$0.00	0.00
ANCHORS		0		\$0.00	\$0.00	0.00
DOOR, FRAME, & ST	ICK PARTS	0		\$0.00	\$0.00	0.00
MISC. PARTS		0		\$0.00	\$0.00	0.00
CUSTOM DOORS		0	THE	PRICE AND WI	EIGHT FOR THESE IT	TEMS WILL
CUSTOM FRAMES		0		NEED TO BE C	ALCULATED SEPAR	ATELY

D	oors	/ 5-10-Equal	155 RE	PUBLIC	ORS AND FR DRIVE - Mo OR (800) 73	KENZIE,	TN 38201 FAX (800) 723-6677	PAGE ?	OF?
	SC	LD TO:	SPEC	IAL IN	STRUCT	IONS	CONTACT'S NAME	CHUCK W	/AGON
ABC COMPA 123 ACTION							CONTACT'S PHONE NO.	(123) 456	6-7890
MCKENZIE, ATTN.:	, TN 3820 CHUCK \						DATE	1/1/20	
	Sł	HIP TO:	TYPE AI		AL INSTRU IS BOX.	CTIONS	DISCOUNT 0.789	TOTAL W	EIGHT
ABC COMP. 123 ACTION							TOTAL NET PRICE	\$0.0	0
MCKENZIE, ATTN.:	TN 3820 CHUCK \						TOTAL LIST PRICE	\$0.0	0
BUYER C	CODE:	12345	RBP ORI	DER NO.:	123	45	BUYER P.O 12345-ABC		
CAT. NO.	QTY.	DESCRIPTION	LIST	WT.	CAT. NO.	QTY.	DESCRIPTION	LIST	WT.
	DP	418 CR 5-10-EQU	AL			DP 41	8 CR INSUL 5-10-E	QUAL	
4150342L		3068 F CH CR LH	\$426.00	95	4150332L		3070 F CH CR INSUL LH	\$475.00	106
4150342R		3068 F CH CR RH	\$426.00	95	4150332R		3070 F CH CR INSUL RH	\$475.00	109
4150343L 4150343R		3068 F MOL CR ET/B LH 3068 F MOL CR ET/B RH	\$426.00	95 95	4150335L 4150335R		3070 F MOL CR INSUL LH 3070 F MOL CR INSUL RH	\$475.00 \$475.00	106 109
4150343R 4150354L		3070 F CH CR LH	\$426.00 \$440.00	95 99	4150335K		3070 F MOL CR INSUL RH	\$475.00	109
4150354L 4150354R		3070 F CH CR LH	\$440.00	99					
4150866L		3070 F DT CR LH	\$440.00	99					
4150866R		3070 F DT CR RH	\$440.00	99					
4150355L		3070 F MOL CR ET/B LH	\$440.00	99					
4150355R		3070 F MOL CR ET/B RH	\$440.00	99					
4190122L		3070 F OL CR ET/B LH	\$440.00	99					
4190122R		3070 F OL CR ET/B RH	\$440.00	99					
3150462L		3080 F CH CR LH	\$567.00	118					
3150462R		3080 F CH CR RH	\$567.00	118					
3150463L		3080 F MOL CR LH	\$567.00	118					
3150463L		3080 F MOL CR RH	\$567.00	118					
	DP 4	20 NO CR 5-10 EQ	UAL						
4150276L		3068 F CH LH	\$349.00	72					
4150276R		3068 F CH RH	\$349.00	72					
4150280L		3070 F CH LH	\$417.00	80					
4150280R		3070 F CH RH	\$417.00	80					

SOLD TO: SPECIAL INSTRUCTIONS CONTACT	LV HEADS H \$200.50 37
SOLD TO: SPECIAL INSTRUCTIONS CONTACT	CT'S NAME CHUCK WAGC S PHONE NO. (123) 456-789 ATE
ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON SHIP TO: ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON BUYER CODE: CAT. NO. QTY. DESCRIPTION LIST WT. CAT. NO. QTY. DESCRIPTION ME 416 JAMBS (PR) 5-10-EQUAL ME 416 GALV JAMB S3206882 68 534 L \$167.00 30 3270161 70 534 PR RIF 3206884 68 534 DS \$172.00 30 3207375 77 524 L	S PHONE NO. (123) 456-789
123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON SHIP TO: ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON BUYER CODE: 12345 CAT. NO. QTY. DESCRIPTION BUYER 416 JAMBS (PR) 5-10-EQUAL ME 416 GALV JAMB 3206882 68 534 L \$167.00 30 3270161 70 534 PR RIF 3206884 68 534 PS \$167.00 30 3211163 30 534 HD 3206884 68 534 PS \$167.00 30 3211163 30 534 HD 3206884 68 534 PS \$167.00 30 3211163 30 534 HD	ATE 1/1/2001 COUNT TOTAL WEIGH .789 0 NET PRICE \$0.00 BUYER P.O. NO.: 12345-ABCDEFG RIPTION LIST WT BS (PR) 5-10-EQUAL LV HEADS H \$200.50 37
SHIP TO: TYPE ANY SPECIAL INSTRUCTIONS IN THIS BOX. DISC	TOTAL WEIGH
SHIP TO: IN THIS BOX. O.	TREE
ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON BUYER CODE: 12345 CAT. NO. QTY. DESCRIPTION LIST WT. CAT. NO. QTY. DESCRIPTION WE 416 JAMBS (PR) 5-10-EQUAL ME 416 GALV JAMB 3206882 68 534 L \$167.00 30 3270161 70 534 PR RF 3206883 68 534 PR \$167.00 30 3211163 30 534 HD 3206884 68 534 DS \$172.00 30 3211163 30 534 HD	\$0.00 \$0.0
### ATTN.: CHUCK WAGON ### BUYER CODE: 12345 CAT. NO. QTY. DESCRIPTION LIST WT. CAT. NO. QTY. DESCRIPTION ### WE 416 JAMBS (PR) 5-10-EQUAL ### WE 416 GALV JAMB ### 3206882 68 534 L \$167.00 30 3270161 70 534 PR RH ### 3206883 68 534 R \$167.00 30 3211163 30 534 HD ### 3206884 68 534 DS \$172.00 30 3211163 30 534 HD	BUYER P.O. NO.: 12345-ABCDEFG RIPTION LIST WI BS (PR) 5-10-EQUAL LV HEADS H \$200.50 37
CAT. NO. QTY. DESCRIPTION LIST WT. CAT. NO. QTY. DESCRIPTION ME 416 JAMBS (PR) 5-10-EQUAL 534 \$167.00 30 3270160 70 534 PR RF 3206882 68 534 R \$167.00 30 3270161 70 534 PR RF 3206884 68 534 DS \$172.00 30 3211163 30 534 HD 3206884 68 534 DS \$172.00 30 3211163 70 534 PR RF	12345-ABCDEFG RIPTION LIST W BS (PR) 5-10-EQUAL LV HEADS H \$200.50 37
CAT. NO. QTY. DESCRIPTION LIST WT. CAT. NO. QTY. DESCRIPTION ME 416 JAMBS (PR) 5-10-EQUAL 534 3206882 68 534 L \$167.00 30 3270161 70 534 PR RF	RIPTION LIST WI BS (PR) 5-10-EQUAL LV HEADS H \$200.50 37
ME 416 JAMBS (PR) 5-10-EQUAL ME 416 GALV JAMB ME 416 GALV JAMB ME 416 GALV JAMB ME 416 GALV JAMB 3206882 68 534 L \$167.00 30 3270161 70 534 PR LF 3206883 68 534 R \$167.00 30 3211163 30 534 HD 3206884 68 534 DS \$170.00 30 3207005 70 534 \$177.00 30	3S (PR) 5-10-EQUAL LV HEADS H \$200.50 37
ME 416 GA 3206882 68 534 L \$167.00 30 3270160 70 534 PR RH 3206883 68 534 R \$167.00 30 3270161 70 534 PR LH 3206884 68 534 DS \$172.00 30 3211163 30 534 HD 3206884 68 534 DS \$172.00 30 3207005 70 534 H \$172.00 30	LV HEADS H \$200.50 37
3270160 70 534 PR RI 3206882 68 534 L \$167.00 30 3270161 70 534 PR LI 3206883 68 534 R \$167.00 30 3211163 30 534 HD 3206884 68 534 DS \$172.00 30	H \$200.50 37
3206883 68 534 R \$167.00 30 3211163 30 534 HD 3206884 68 534 DS \$172.00 30	H \$200.50 37
3206884 68 534 DS \$172.00 30	
2207205	\$54.50 7
3207085 70 534 L \$175.00 31 ME 416 4" FACE	F GALV HEADS
3207086 70 534 K \$175.00 31	
3207087 70 534 DS \$178.00 31 3211167 30 534 4HD	\$103.50 11
3200100 70 534 BJ (PRS) \$175.00 31	
834 MH FR	AMES
MU 416 IAMPS /	PR) 5-10-EQUAL
3270123	\$184.00 31
3270124 70 634 R \$220.00 40 3210637 60 336 L 3216836 68 558 R	\$184.00 31
3217041 70 558 L	\$193.00 32
3217040 70 558 R	\$193.00 32
3216839 68 578 L	\$184.00 31
3216838 68 578 R	\$184.00
0047040	\$193.00
ME 416 HEADS 3217043 70 578 L	\$193.00 33
534 MH 416	HEADS
3310064 20 334 HD \$46.00 6	
3310087 26 534 HD \$46.00 7 3211046 30 558 HD	\$51.00 7
3310090 30 534 HD \$46.00 8 3211050 30 578 HD 3310092 36 534 HD \$55.00 10	\$51.00 8
3310092	-
3310098 60 534 HDD \$83.00 15	-
SE ST	
3310118 30 834 HD \$58.00 10 SERIES S	E STICKS
10' - 3" L	ENGTHS
3620053 16 534 BJ	\$120.00 24
3620059 16 534 BM	\$274.00 34
NE 440 411 EA OF 11EA DO	
ME 416 4" FACE HEADS	
3310126 30 534 4HD \$95.00 11	
ME 416 Reversible Flushbolt Strike	
3310135 60 534 HDD Rev FB Stk \$122.00 15	
00 00 TIDD NOVI D OIN	+ +

VALU-PA	AC FRA	ME COMPONENTS			RS AND FI				<u> </u>	
	5-10	-Equal			DRIVE - M OR (800) 7:			(800) 723-6677	PAGE	? OF ?
	SOL	.D TO:	` /		L INSTR			CONTACT'S NAME		0
ABC COMP								CONTACT'S PHONE NO.		0
MCKENZIE,	, TN 3820	01						DATE	1/0/	1900
	СПІ	P TO:	TYPE	ANY SPEC	CIAL INSTR	UCTIONS I	IN THIS	DISCOUNT	TOTAL	WEIGHT
ADC COMP		F 10.			BOX.			0.789		0
ABC COMP 123 ACTION								TOTAL NET PRICE	\$0	.00
MCKENZIE,								TOTAL LIST PRICE	\$0	.00
ATTN.:	CHUCK \	WAGON								
BUYER (CODE:	12345	RB	P ORDER	NO.:	123	345	BUYER P.O. 12345-ABCI		
CAT. NO.	QTY.	DESCRIPTION	1-5	6-10	11-15	16-20	>20	List Price	QTY	WT.
					me Com			ual		
3206882 3206883		68 534 PR LH 68 534 PR RH	\$4,168 \$4,168	\$4,081 \$4,081	\$3,951 \$3,951	\$3,734 \$3,734	\$3,474 \$3,474		26 26	778 778
3206883		70 534 PR LH	\$4,168	\$4,081	\$4,141	\$3,734	\$3,474		26	804
3207086		70 534 PR RH	\$4,368	\$4,277	\$4,141	\$3,913	\$3,640		26	804
3310090		30 534 HD	\$2,296	\$2,248	\$2,177	\$2,057	\$1,914		52	375
3310126		30 534 HD 4"	\$2,312	\$2,264	\$2,191	\$2,071	\$1,926		28	289
0000111		00.704.011111	ΦΕ 000	ΦE 404	ΦE 040	04.740	04.440		00	040
3268114 3268115		68 734 RH LH 68 734 PR RH	\$5,292 \$5,292	\$5,181 \$5,181	\$5,016 \$5,016	\$4,740 \$4,740	\$4,410 \$4,410		26 26	910 910
3270117		70 734 PR LH	\$5,466	\$5,352	\$5,016	\$4,740	\$4,555		26	988
3270118		70 734 PR RH	\$5,466	\$5,352	\$5,182	\$4,897	\$4,555		26	988
3310113		30 734 HD	\$2,895	\$2,835	\$2,745	\$2,594	\$2,413		52	520
3200612 3200613		68 814 PR LH 68 814 PR RH	\$5,466	\$5,352	\$5,182	\$4,897	\$4,555		26	962 962
3270569		70 814 PR KH	\$5,466 \$5,641	\$5,352 \$5,523	\$5,182 \$5,347	\$4,897 \$5,053	\$4,555 \$4,701		26 26	1.014
3270570		70 814 PR RH	\$5,641	\$5,523	\$5,347	\$5,053	\$4,701		26	1,014
3200584		30 814 HD	\$2,895	\$2,835	\$2,745	\$2,594	\$2,413		52	520
3200617		68 834 PR LH	\$5,466	\$5,352	\$5,182	\$4,897	\$4,555		26	1,014
3200618		68 834 PR RH	\$5,466	\$5,352	\$5,182	\$4,897	\$4,555		26	1,014
3270123		70 834 PR LH	\$5,641	\$5,523	\$5,347	\$5,053	\$4,701		26	1,040
3270124		70 834 PR RH	\$5,641	\$5,523	\$5,347	\$5,053	\$4,701		26	1,040
3310118		30 834 HD	\$2,895	\$2,835	\$2,745	\$2,594	\$2,413		52	520
		Welded								
3307020		3070 534 LH HD	\$7,518	\$7,377	\$7,166	\$6,814	\$6,391		26	1,092
3307021 3307022		3070 534 RH HD 3070 534 LH 4HD	\$7,518 \$8,537		\$7,166 \$8,159	\$6,814 \$7,780	\$6,391 \$7,326		26 26	1,092 1,144
3307022		3070 534 LH 4HD	\$8,537		\$8,159	\$7,780	\$7,326		26	1,144
		Sticks and Mulli		, v = / = = =	, , , , ,	, ,	, , -		_	,
3620053		10'3" 534 BJ	\$4,493	\$4,399	\$4,259	\$4,025	\$3,744		39	925
3620059		10'3" 534 BM	\$6,313	\$6,181	\$5,984	\$5,655	\$5,261		24	812
					ne Comp			al		
3216837		68 558 PR LH	\$4,593	\$4,497	\$4,353	\$4,114	\$3,827		26	780
3216836		68 558 PR RH	\$4,593	\$4,497	\$4,353	\$4,114	\$3,827		26	780
3217041 3217040		70 558 PR LH 70 558 PR RH	\$4,817 \$4,817	\$4,717 \$4,717	\$4,566 \$4,566	\$4,315 \$4,315	\$4,014 \$4,014		26 26	832 832
3217040		30 558 HD	\$2,546	\$2,493	\$2,413	\$2,281	\$2,122		52	364
										900
3216839 3216838		68 578 PR LH 68 578 PR RH	\$4,593 \$4,593	\$4,497 \$4,497	\$4,353 \$4,353	\$4,114 \$4,114	\$3,827 \$3,827		26 26	806 806
3217043		70 578 PR LH	\$4,817	\$4,717	\$4,566	\$4,315	\$4,014		26	858
3217042		70 578 PR RH	\$4,817	\$4,717	\$4,566	\$4,315	\$4,014		26	858
3211050		30 578 HD	\$2,546	\$2,493	\$2,413	\$2,281	\$2,122		52	416
0000000		70 000 BB : : :	00015	#0.000	ΦE 00.4	AF 500	ΦΕ 1=6			1011
3200622		70 828 PR LH	\$6,215	\$6,086	\$5,891	\$5,568	\$5,179		26	1,014
3200623 3211144		70 828 PR RH 30 828 HD	\$6,215 \$3,195	\$6,086 \$3,128	\$5,891	\$5,568 \$2,862	\$5,179 \$2,662		26 52	1,014 468
JZ11144		JUU 020 IJU	कुउ, १५५	φ3,1∠8	\$3,028	φ∠,00∠	φ2,002		52	400

VAL	U-PAC	DP DOORS		BLIC DOORS AND		20224		BAGE	2.05.0
	5-10-	-Equal		EPUBLIC DRIVE - 352-3383 OR (800)			(800) 723-6677	PAGE	? OF ?
		D TO:		PECIAL INST			CONTACT'S NAME		0
ABC COMP							CONTACT'S PHONE NO.		0
MCKENZIE	, TN 3820						DATE	1/0/	1900
ATTN	CHUCK V		TYPE /	ANY SPECIAL INS	TRUCTIONS IN T	THIS	DISCOUNT	TOTAL	WEIGHT
		P TO:		BOX			0.789		0
ABC COMP 123 ACTIOI MCKENZIE	N AVE	1					TOTAL LIST PRICE	·	0.00
ATTN.:	CHUCK V	VAGON					TOTAL LIST PRICE	\$ 0	1.00
BUYER (CODE:	12345	RB	P ORDER NO.:	1234	5	BUYER P.O 12345-ABC		
CAT. NO.	QTY.	DESCRIPTION	LIST				List Price	QTY	WT.
				418 CRS / HC C	R 5-10-Equal				
4150342L		3068 F CH CR	\$8,264					20	1,900
4150342R		3068 F CH CR	\$8,264					20	1,900
4150343L		3068 F MOL CR	\$8,264					20	1,980
4150343R		3068 F MOL CR	\$8,264 \$8,536					20 20	1,980
4150354L 4150354R		3070 F CH CR 3070 F CH CR	\$8,536		+			20	1,980 1,980
4150355L		3070 F MOL CR	\$8,536					20	2,320
4150355R		3070 F MOL CR	\$8,536					20	2.640
4150866L		3070 F DT CR	\$8,536					20	1,900
4150866R		3070 F DT CR	\$8,536					20	1,900
4190122L		3070 F OL CR	\$8,536					20	1,980
4190122R		3070 F OL CR	\$8,536					20	1,980
4150361L		3670 F CH CR	\$10,107					20	1,980
4150361R 4150364L		3670 F CH CR 4070 F CH CR	\$10,107 \$11,271					20 20	1,980 2,320
4150364E		4070 F CH CR	\$11,271					20	2,320
413030410		140701 OITOR	Ψ11,271					20	2,040
			4	18 CRS / INS C	R / 5-10-Equal			•	
4150328L		3068 F CH CR INS	\$8,943					20	1,960
4150328R		3068 F CH CR INS	\$8,943					20	1,960
4150332L		3070 F CH CR INS	\$9,215					20	2,120
4150332R		3070 F CH CR INS	\$9,215					20	2,120
4150335L 4150335R		3070 F MOL CR INS 3070 F MOL CR INS	\$9,215 \$9,215					20 20	2,120 2,120
413033310		30701 WOL CIVING	ψ9,213					20	2,120
			4:	20 CR / HC NO	CR 5-10-Equal	<u> </u>			
4150276L		3068 F CH	\$6,771	1				20	1,440
4150276R		3068 F CH	\$6,771		+			20	1,440
4150280L		3070 F CH	\$7,081					20	1,500
4150280R		3070 F CH	\$7,081					20	1,500
								<u> </u>	
					+				
					1				

FRAI	ME AND	STICK ANCHORS	155 RE	PUBLIC DI	S AND FRAM RIVE - McKE R (800) 733-36	NZIE, TN 38	3201	FAX (800) 723-6677	P	AGE ? OF '	?
	S	OLD TO:		SPECIA	L INSTRU	CTIONS		CONTACT'S NAME	СН	UCK WAGO	N
ABC CON								CONTACT'S PHONE NO.	(1	23) 456-789)
MCKENZ ATTN.:	IE, TN 3820 CHUCK \							DATE		1/1/2001	
	S	HIP TO:	TYPE A	NY SPECIA	AL INSTRUCT	IONS IN THIS	S BOX.	DISCOUNT 0.789	ТО	TAL WEIGH 0.00	IT
ABC CON 123 ACTI								TOTAL NET PRICE		\$0.00	
MCKENZ ATTN.:	IE, TN 3820 CHUCK \							TOTAL LIST PRICE		\$0.00	
	R CODE:	12345	RBP ORE	ER NO.:		12345			R P.O. NO.: -ABCDEFG		
CAT. NO	. QTY.	DESCRIPTION	UNIT	LIST	WT.	CAT. NO.		DESCRIPTION	UNIT	LIST	WT.
		ANCHORS	;			VAI		C ANCHORS MINIM			ES
3832037	,	4 3/4" "T" Masonry Anchor	1 Piece	\$1.89	0.5		1	APPLY FOR PRICE	DKEAR	<u> </u>	
3832038	_	5 3/4" "T" Masonry Anchor	1 Piece	\$1.89	0.4	3933907		5 3/4" Universal Stud Anchor Prep. Opng. / Ext. Tabs	1 Piece	\$2.35	25.3
3832039	_	6 3/4" "T" Masonry Anchor	1 Piece	\$3.68	0.5	0000001		Minimum Quantity- 500	111000	Ψ2.00	20.0
3832078	-	7 3/4" "T" Masonry Anchor 8 3/4" "T" Masonry Anchor	1 Piece 1 Piece	\$3.68 \$3.68	0.6						
3632040	,	o 3/4 T Masonly Alichol	1 Flece	φ3.06	0.6	3832043		Wire Masonry Anchor Minimum Quantity- 600	1 Piece	\$1.34	20.7
3832043	3	Wire Masonry Anchor	1 Piece	\$1.41	0.2			5.0/48.04.104.14.1			
3812045	5	Adj. Wood/Steel Stud Anchor	Pkg. 100	\$282.00	20.8	3980534		5 3/4" Steel Stud Anchor Minimum Quantity- 1000	1 Piece	\$2.61	32.4
						3812100		Double Rabbet Anchor	1 Piece	\$1.34	4.7
3832047	7	4 3/4" Wood Stud Anchor	1 Piece	\$2.47	0.2	3012100		Minimum Quantity- 2500	111606	ψ1.54	4.7
3933907		5 3/4" Universal Stud Anchor Prep. Opng. / Ext. Tabs	1 Piece	\$2.47	0.3						
3906983	3	6 1/4" Wood Stud Anchor	1 Piece	\$2.75	0.3						
3832049		6 3/4" Wood Stud Anchor	1 Piece	\$2.75	0.3						
3832054 3902625		7 3/4" Wood Stud Anchor 8 1/4" Wood Stud Anchor	1 Piece 1 Piece	\$2.75 \$2.75	0.3						
3832053		8 3/4" Wood Stud Anchor	1 Piece	\$2.75	0.4						
3399004		Double Egress Wood Stud Anchor	1 Piece	\$3.00	0.02						
3832001		Universal Frame PO Anchor	1 Piece	\$2.06	0.2						
3832002		Cased Opening PO Anchor	1 Piece	\$2.06	0.1						
3980668		Twist-In PO Anchor 43/53 5 3/4" Snap-In PO Anchor	1 Piece	\$4.29	0.2						
3981452		w/Plugs	Pkg. 100	\$381.00	32.4						
3981088		3/8" x 5" Sleeve Anchor 4 3/4" to 5 5/8" 1Piece Sill Anchor	1 Piece	\$4.24 \$2.82	0.1						
3832081		5 3/4" to 6 5/8" 1Piece Sill	1 Piece	\$2.82	0.3						
3832082	<u> </u>	Anchor 6 3/4" to 7 5/8" 1 Piece Sill And	1 Piece	\$2.82	0.3						
3832083		7 3/4" to 8 5/8" 1 Piece Sill	1 Piece	\$2.82	0.4						
3832084		Anchor 8 3/4" to 9 5/8" 1 Piece Sill	1 Piece	\$2.82	0.4						
		Anchor									
3934013 3812100	_	5 3/4" Adjustable Sill Anchor Double Rabbet Sill Anchor	1 Piece 1 Piece	\$10.00 \$1.41	0.2						
3812099		Single Rabbet Sill Anchor	1 Piece	\$1.41	0.6						
3981352		Drywall Pressure Anchor	1 Piece	\$4.24	0.1				ļ		
3933950)	Butterfly Anchor (4 1/2" - 7")	1 Piece	\$2.75	0.3						
3980959	1	Steel Stud Anchor - 4 3/4"	1 Piece	\$2.75	0.1						
3980534	_	Steel Stud Anchor - 5 3/4"	1 Piece	\$2.75	0.1						
3903135	_	Steel Stud Anchor - 6 1/4"	1 Piece	\$2.75	0.2						
3980961		Steel Stud Anchor - 6 3/4"	1 Piece	\$2.75	0.2						
3981530 3903566		Steel Stud Anchor - 7 3/4" Steel Stud Anchor - 8 1/4"	1 Piece 1 Piece	\$2.82 \$2.97	0.2	 					
3980962	_	Steel Stud Anchor - 8 1/4 Steel Stud Anchor - 8 3/4"	1 Piece	\$3.11	0.2	†					
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	500								
	1					1	<u> </u>		<u> </u>		1

DOO		AME AND STICK ARTS	155 REF	LIC DOOR PUBLIC DF 2-3383 OF	RIVE - M	CKENZIE, TN	N 38201	FAX (800) 723-6677	P/	AGE ? OF	?
		LD TO:				UCTIONS	3	CONTACT'S NAME	СНІ	JCK WAGO	N
ABC COMI 123 ACTIC	N AVE							CONTACT'S PHONE NO.	(12	3) 456-789	0
MCKENZIE ATTN.:	E, TN 3820 CHUCK V							DATE		1/1/2001	
	SF	IIP TO:	TYPE ANY	SPECIAL	INSTRUC	TIONS IN T	HIS BOX.	DISCOUNT 0.789	ТОТ	TAL WEIGH	łT
ABC COM								TOTAL NET PRICE		\$0.00	
123 ACTIC	E, TN 3820							TOTAL LIST PRICE		\$0.00	
ATTN.: BUYER	CODE:	12345	RBP ORD	FR NO ·		12345			R P.O. NO.:		
CAT. NO.	QTY.	DESCRIPTION	UNIT	LIST	WT.	CAT. NO.	QTY.	12345- DESCRIPTION	ABCDEFG	LIST	WT.
		RAME AND STICK						DOOR PART			
3832074	L	4 3/4" Stick Base Anchor	1 Piece	\$8.50	0.300	3831015		Cyl. Cutout Cover Plate	1 Piece	\$16.75	0.186
3832075 3832076		5 3/4" Stick Base Anchor 6 3/4" Stick Base Anchor	1 Piece 1 Piece	\$8.50 \$8.50	0.326 0.365	3830000		Assembly Hinge Cover Plate Set-1 3/8'		\$3.70	0.300
3832077		8 3/4" Stick Base Anchor	1 Piece	\$8.50	0.443	3832001		Hinge Cover Plate Set-1 3/4'	1 Piece	\$5.54	0.167
3832064 3909837		K-D Stick Mull Clip 5/8 x3/4 Glazing Bead	1 Piece 1 Piece	\$10.60 \$34.00	0.133 2.100	3831004		Lock Front Cover Plate Set	1 Piece	\$6.94	0.118
3833008		1 3/4" Stick Mortar Guard	1 Piece	\$34.00	0.151	3980301		Lock Front Cover Plate Set	1 Piece	\$12.48	0.651
3832022 3842021		Temporary Spreader Bar Mutes - Stick On	1 Piece	\$21.00 \$0.19	3.000	3980300		Lock Front Adapter Set	1 Piece	\$24.10	0.130
3904409		Mute - Hager 3070 Punched		\$0.19	0.004	3980219		Flush Bolt with Astragal Tap	1 Piece	\$5.90	0.048
3812101		Drywall Hole Plugs Closer Reinforcement	1 Piece	\$0.42	0.001	3980219		Plate	1 Piece	\$5.90	0.048
3832018 3832009		SCR-4 3/4" Sleeve Closer	1 Piece 1 Piece	\$4.24 \$2.12	0.551 3.380	3980220		Flush Bolt w/out Astragal Tap Plate	1 Piece	\$5.90	0.048
3832010		Reinforcement SCR-5 3/4" Sleeve Closer	1 Piece	\$2.12	3.780	3980311		Automatic Flush Bolt Tap Plate	1 Piece	\$5.35	0.200
		Reinforcement SCR-6 3/4" Sleeve Closer				3980310		Mortise Dead Lock Tap	1 Piece	\$6.50	0.057
3832011		Reinforcement SCR-7 3/4" Sleeve Closer	1 Piece	\$2.51	4.180	3980302		Concealed Vertical Rod Tap	1 Piece	\$6.10	0.151
3832014		Reinforcement SCR-8 3/4" Sleeve Closer	1 Piece	\$2.71	4.580	3980309		Cylinder Dead Lock Tap Plate	1 Piece	\$6.20	0.065
3832012		Reinforcement	1 Piece	\$2.91	4.980	3980672		Strike Conversion Adapter	Pkg. 10	\$507.00	3.000
3832026 3832028		3 1/2" Hinge Plate 4 1/2" Std/Hvy Weight	1 Piece 1 Piece	\$3.61 \$5.62	0.309	3980000 3831013		Mortise Strike Adaptor 1 3/4" Split Ring Lock	1 Piece 1 Piece	\$6.00 \$14.00	0.144
3832029		Hinge Plate 3/16" - 4 1/2" Hinge Plate	1 Piece	\$5.50	0.445	3980641		Reinforcement Drive-in Dead Bolt Sleeve	1 Piece	\$2.00	0.094
3832030		3/16" - 4 1/2" Heavy Weight	1 Piece	\$5.50	0.503	3980706		Cylinder Lock Punchout	1 Piece	\$2.00	0.010
		Hinge Plate				3980707		Mortise Lock Punchout	1 Piece	\$2.00	0.051
3832051 3832031		5" Hinge Plate 2 3/4" Strike Plate	1 Piece 1 Piece	\$6.08 \$3.13	0.503 0.100	3986339		16 Ga. Blank Channel-1 3/4" 16 Gage Door		\$21.00	3.900
3832032		4 7/8" Strike Plate	1 Piece	\$4.57	0.167	3908511		Modification Channel 8'	1 Piece	\$35.00	4.700
3832034		4 1/2" Hinge Cover Plate	1 Piece	\$8.86	0.279	3980314		3 1/2" Hinge Fillers	1 Piece	\$0.50	0.026
3832035 3832036		2 3/4" Strike Cover Plate 4 7/8" Strike Cover Plate	1 Piece 1 Piece	\$8.14 \$8.64	0.780 0.132	3981752		Universal Hinge Fillers - Std/Hvv Wt	1 Piece	\$0.75	0.152
3981475		Reversible Flushbolt Strike	1 Piece	\$13.50	0.132	3980316		5" Hinge Fillers	1 Piece	\$0.83	0.049
3981451		Plugs for 3981452 anchor	1 Piece	\$0.18	0.003	3933952		Air Dry Primer - Spray	12 Cans	\$270.00	12.000
						3979159		Aerosol-16oz Snap Dry Gray Primer	1 Gal. Can	\$129.00	9.500
						3811128		Hardware Poly Bags 9" x 12'	1 Piece	\$3.00	0.047
						CLUBA	·	AVV TO CTANDAD	D (CINC	\	-05)
								AVY TO STANDAR	•		-
						3980920 3980921		For 4 1/2" Hinges For 5" Hinges	1 Piece 1 Piece	\$2.00 \$2.00	0.06 0.07
								y			-
						 					
						<u> </u>					

ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN:: CHUCK WAGON TOTAL LIST PRICE CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT LIST UNIT S65.00 5.1 3927102 13/4"-10" x 10" Steel Vision 1 kit 3199910 "Z" 70-DM-4-LH 1 kit \$65.00 5.4 3927104 13/4" - 6" x 33" Steel Half 3199916 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3927110 13/4" - 16" x 29" Steel Half 3199918 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 4.8 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 5.1 3927112 1 3/4" - 16" x 29" Steel Half 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 5.1 3927112 1 3/4" - 16" x 29" Steel Half 3199919 Flush Boit "Z" 68 F-DM-4LH 1 kit \$83.00 5.1 3927112 1 3/4" - 16" x 29" Steel Half 3199919 Flush Boit "Z" 70 F-DM-4LH 1 kit \$83.00 5.1 3927112 1 3/4" - 16" x 29" Steel Half 3199919 Flush Boit "Z" 70 F-DM-4LH 1 kit \$83.00 5.1 3927112 1 3/4" - 16" x 29" Steel Half 3199942 No Hand Blank "Z" 80-DM-4 1 kit \$83.00 5.1 3927114 1 3/4" - 16" x 29" Steel Half 1 kit 3199949 Flush Boit "Z" 70 F-DM-4LH 1 kit 339.00 5.0 3927114 1 3/4" - 16" x 29" Steel Half 1 kit 3199949 Flush Boit "Z" 70 F-DM-4LH 1 kit 339.00 5.0 3927114 1 3/4" - 16" x 39" Steel Half 1 kit 3199949 Flush Boit "Z" 70 F-DM-4LH 1 kit 339.00 5.0 3927116 1 3/4" - 16" x 39" Steel Half 1 kit 3199949 Flush Boit "Z" 70 F-DM-4LH 1 kit 339.00 5.0 3927116 1 3/4" - 16" x 39" Steel Half 1 kit 3199949 Flush Boit "Z" 70 F-DM-4RH 1 kit 339.00 5.0 3927116 1 3/4" - 16" x 39" Steel Half	(123) 456-7890 1/1/2001	I
123 ACTION AVE MCKENZIE, TN 38201 TYPE ANY SPECIAL INSTRUCTIONS IN THIS BOX. DISCOUNT 0.789 TOTAL NET PRICE	1/1/2001 OTAL WEIGHT	
SHIP TO: TYPE ANY SPECIAL INSTRUCTIONS IN THIS BOX. DISCOUNT 0.789 TOTAL NET PRICE	OTAL WEIGHT	
ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON BUYER CODE: 12345 RBP ORDER NO.: 12345 TOTAL LIST PRICE BUYER P.O. NO. 12345-ABCDEF CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT ASTRAGALS (Square Edge) 3199908 "Z" 68-DM-4-RH 1 Kit \$65.00 5.1 3927102 1 3/4"-10" x 10" Steel Vision 1 Kit 3199909 "Z" 68-DM-4-LH 1 Kit \$65.00 5.1 3927104 1 3/4"-5" x 20" Steel Vision 1 Kit 3199911 "Z" 70-DM-4-RH 1 Kit \$65.00 5.4 3927104 1 3/4"-6" x 29" Steel Narrow Lite 3199914 "Z" 80-DM-4-RH 1 Kit \$65.00 6.1 3927108 1 3/4"-6" x 29" Steel Narrow Lite 3199915 "Z" 80-DM-4-LH 1 Kit \$65.00 6.1 3927108 1 3/4"-6" x 29" Steel Half 3199916 Flush Bolt "Z" 68 F-DM-4LH 1 Kit \$83.00 4.8 3927110 Glass 3199917 Flush Bolt "Z" 68 F-DM-4LH 1 Kit \$83.00 5.1 3927110 1 3/4"-16" x 29" Steel Half 3199918 Flush Bolt "Z" 68 F-DM-4LH 1 Kit \$83.00 5.1 3927112 Glass 3199919 Flush Bolt "Z" 70 F-DM-4LH 1 Kit \$83.00 5.1 3927112 Glass 3199942 No Hand Blank "Z" 80-DM-4 1 Kit \$39.00 6.2 3927114 1 3/4" - 18" x 29" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.2 3927114 1 3/4" - 16" x 29" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 3199949 Flat Bar 80" Long 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 319916 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 319916 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 319916 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 319916 1 Kit \$39.00 6.6 3927116 1 3/4" - 16" x 33" Steel Half 319916 1 Kit \$39.00 6.6 3927116 1 3/4		
ABC COMPANY 123 ACTION AVE MCKENZIE, TN 38201 ATTN.: CHUCK WAGON BUYER CODE: 12345 RBP ORDER NO.: 12345 BUYER P.O. NC 12345 - ABC DEF	0.0	
BUYER CODE: 12345 RBP ORDER NO.: 12345 BUYER P.O. NO.	\$0.00	
Table Tabl	\$0.00	
CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT LIST WT. CAT. NO. QTY. DESCRIPTION UNIT CAT. NO. QTY. DESCRIPTION TAIL NO. TAIL		
3199908 "Z" 68-DM-4-RH		WT.
3199909		
3199910 "Z" 70-DM-4-RH		3.00
3199911 "Z" 70-DM-4-LH		4.72
3199914 "Z" 80-DM-4-RH	\$134.25	5.14
3199915 Z 80-DM-4-LH	\$134.25	5.98
3199917 Flush Bolt "Z" 68 F-DM-4LH 1 Kit \$83.00 4.8 3927110 Glass 1 Kit 3199918 Flush Bolt "Z" 70 F-DM-4RH 1 Kit \$83.00 5.1 3927112 1 3/4" - 18" x 29" Steel Half 1 Kit 3199942 No Hand Blank "Z" 80-DM-4 1 Kit \$39.00 6.2 3927114 Glass 1 3/4" - 22" x 29" Steel Half 1 Kit 3199949 Flat Bar 8'0" Long 1 Kit \$39.00 5.6 3927114 Glass 1 3/4" - 22" x 29" Steel Half 1 Kit 3199949 Tellow 1	<u> </u>	
3199918	\$177.50	6.04
3199919	\$183.00	6.78
3199949 Flat Bar 8'0" Long 1 Kit \$39.00 5.6 392/114 Glass 1 Kit 3801276 "Z" with Emboss R-68-DM-4-RH 1 Kit \$64.00 5.1 3927116 1 3/4" - 16" x 33" Steel Half 1 Kit 1	Ψ100.00	0.70
3801276 "Z" with Emboss R-68-DM-4-RH 1 Kit \$64.00 5.1 3927116 1 3/4" - 16" x 33" Steel Half	\$181.25	7.20
0004077 7 th Et D 00 DM 4111 4121 604 00 E4 1327 10 1 1 1 1 1 1 1 1	\$187.00	6.21
3801277	Ψ107.00	0.21
3801278 "Z" with Emboss R-70-DM-4-RH 1 Kit \$64.00 5.4 3927118 1 3/4" - 18" x 33" Steel Half Glass 1 Kit	\$184.00	6.99
2901296	\$191.25	7.00
3801287 "Z" with Emboss R-80-DM-4-LH 1 Kit \$65.00 6.1 392/120 Glass	\$191.25	7.60
3801290 Flush Bolt "Z" with Emboss 1 Kit \$90.00 5.0 3927122 1 3/4" - 22" x 59" Steel Full 1 Kit Glass	\$276.00	11.68
3801291 Flush Bolt "Z" with Emboss R-68F-DM-4-LH 1 Kit \$90.00 5.0 3927124 1 3/4" - 22" x 63" Steel Full 1 Kit Glass	\$287.00	13.04
3801292 Flush Bolt "Z" with Emboss 1 Kit \$90.00 5.3 3927130 1 3/4" - 3" x 33" Steel Narrow Lite 1 1 Kit	\$131.75	5.42
3801293 Flush Bolt "Z" with Emboss 1 Kit \$90.00 5.3 3927126 1 3/8"-10" x 10" Steel Visior 1 Kit 3927128 1 3/8"-5" x 20" Steel Visior 1 Kit		3.00 4.72
3801300 Flush Bolt "Z" with Emboss 1 Kit \$93.00 6.0	Ψ117.23	7.72
R-80F-DM-4-RH		
3801301 R-80F-DM-4-LH 1 Kit \$93.00 6.0 GLASS KITS - REINF		
3831067 Section 1972 1 3/4" Reinf 1 Piece	\$4.00	1.4
3631007 Steel Section 1974 1 3/8" Reinf 4 Ricco	\$4.00	1.4
ASTRAGALS (Beveled) 3831070 Section 1974 1 3/8 Reilii 1 Piece	\$4.00	1.2
· · ·		
3199942B No Hand Blank "Z" 80-DM-4 1 Kit \$39.00 6.2	+	
3801277L "Z" with Emboss R-68-DM-4-LH 1 Kit \$64.00 5.1		
3801278R "Z" with Emboss R-70-DM-4-RH 1 Kit \$64.00 5.4		
3801279L	\$152.00	6.5
3801286R "Z" with Emboss R-80-DM-4-RH 1 Kit \$65.00 6.1 3981043 18" x 12" Type 4CY Louvers 1 Set 3801287L "Z" with Emboss R-80-DM-4-LH 1 Kit \$65.00 6.1 3981044 24" x 12" Type 4CY Louvers 1 Set	\$182.00 \$211.00	9.7 13.0
Eluch Polt "7" with Embaco 3981045 24" x 18" Type 4CY Louvers 1 Set		19.4
3801290R R-68F-DM-4-RH 1 Kit \$90.00 5.0 3981046 24" x 24" Type 4CY Louvers 1 Set		25.9
3801291L Flush Bolt "Z" with Emboss	+ +	
3801292R Flush Bolt "Z" with Emboss R-70F-DM-4-RH 1 \$90.00 5.3 SCREWS		
3801293L Flush Bolt "Z" with Emboss 1 Kit \$90.00 5.3 3980324 #8 - 32 x 1/2 U.C. FHMS 1 Piece 3980327 #12 - 24 x 1/2 U.C. FHMS 1 Piece 1 Piece 3980327 #12 - 24 x 1/2 U.C. FHMS 1 Piece 3980327 #12 - 24 x 1/2 U.C. FHMS 1 Piece 1 Piec		0.002
3801300R Flush Bolt "Z" with Emboss 1 Kit \$93.00 6.0 3980556 #6 x 1/4 OHDS - Labels 1 Piece	\$0.25	0.003
R-80F-DM-4-RH		0.003
		0.004
3710000 #8 x 3/8 Phil Type B FHST\$ 1 Piece 3911094 #8-18 x 1 Phil UC OHSDS 1 Piece		0.003
3911093 #6 x 1 1/4 Phil OH SDS 1 Piece		0.004
3981565 #20 x 5" Wood Screw 1 Piece	Ψυ.21	
		0.083



REPUBLIC DOORS AND FRAMES

155 REPUBLIC DRIVE MCKENZIE, TN 38201

PHONE: (731) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

CUSTOM ORDER FORM DOORS

SOLD TO: ABC COMPANY SHIP TO: ABC COMPANY BUYER CODE: 12345 CUSTOMER P.O. NO.: 12345-ABCDEFG 123 ACTION AVE 123 ACTION AVE DISCOUNT: 0.789 MCKENZIE, TN 38201 MCKENZIE, TN 38201 RBP ORDER NO.: 12345 CONTACT: CHUCK WAGON PHONE NO.: (123) 456-7890 FAX NO.: (123) 456-7890 DATE: 1/1/2001 NOMINAL DOOR SIZE LOCK TYPE MARK NO. QTY. FIRE SERIES HINGE HINGE **FLUSH** LABELING WIDTH HEIGHT REINF. AST. LOCK MODEL TYPE LOC. **BOLTS** MFGR. TRIM BKSET STRK. REINF LOC. **TYPE** NO. TYPE RATING FT. IN. FT. IN. PART NO. SKETCH: NOTES: PART NO.: SKETCH: NOTES: PART NO. SKETCH: NOTES: PART NO.: SKETCH: NOTES: PART NO.: SKETCH: NOTES: PART NO. SKETCH: NOTES: PART NO.: SKETCH: NOTES:



REPUBLIC DOORS AND FRAMES

155 REPUBLIC DRIVE MCKENZIE, TN 38201

PHONE: (731) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

CUSTOM ORDER FORM DOORS

SOLD TO: ABC COMPANY SHIP TO: ABC COMPANY BUYER CODE: 12345 CUSTOMER P.O. NO.: 12345-ABCDEFG 123 ACTION AVE 123 ACTION AVE MCKENZIE. TN 38201 MCKENZIE, TN 38201 DISCOUNT: 0.789 RBP ORDER NO.: 12345 CONTACT: CHUCK WAGON PHONE NO.: (123) 456-7890 FAX NO.: (123) 456-7890 DATE: 1/1/2001 MARK NO. QTY. NOMINAL DOOR SIZE LOCK TYPE FIRE SERIES DEAD HINGE HINGE **FLUSH** LABELING WIDTH HEIGHT REINF. AST. LOCK MODEL TYPE LOC. **BOLTS** MFGR. TRIM BKSET STRK. REINF LOC. TYPE NO. TYPE RATING FT. IN. IN. FT. PART NO.: SKETCH: NOTES:



REPUBLIC DOORS AND FRAMES 155 REPUBLIC DRIVE

MCKENZIE, TN 38201

PHONE: (901) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

CUSTOM ORDER FORM FRAMES

SOLD TO: ABC COMPANY SHIP TO: ABC COMPANY BUYER CODE: 12345 CUSTOMER PO NO.: 12345-ABCDEFG 123 ACTION AVE 123 ACTION AVE MCKENZIE. TN 38201 MCKENZIE, TN 38201 DISCOUNT: 0.789 **RBP ORDER NO.: 12345** CONTACT CHUCK WAGON PHONE NO.: (123) 456-7890 FAX NO.: (123) 456-7890 DATE: 1/1/2001 NOMINAL FRAME SIZE HINGE STRIKE TYPE PROFILE CLOSER REINF. ANCHOR TYPE DUTCH FRAME FIRE SERIES GAGE MAT'L. ΩTY. LABELING WIDTH HEIGHT STRIKE MODEL TYPE REINF. LOC. REINF. TYPE NO. TYPE RATING IN. IN. PART NO.: SKETCH: NOTES: PART NO.: SKETCH: NOTES: PART NO.: SKETCH: NOTES: SKETCH: PART NO.: NOTES: PART NO.: SKETCH: NOTES:



REPUBLIC DOORS AND FRAMES

155 REPUBLIC DRIVE MCKENZIE, TN 38201

PHONE: (901) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

CUSTOM ORDER FORM FRAMES


SOLD TO: ABC COMPANY	SHIP TO:	ABC	COMP	ANY					BUYER	CODE:	12345			CUS	TOMER	PO NO.:	12345-A	BCDEF	3	
123 ACTION AVE MCKENZIE, TN 38201				N AVE TN 382	01				DIS	COUNT:	0.789			RI	BP ORD	ER NO.:	12345			
CONTACT CHUCK WAGON	PHONE NO.:	(123)	456-7	390					F	AX NO.:	(123) 456-	7890				DATE:	1/1/2001			
S S FIRE	NOMINAL FRAME SIZE	ш	ان	ᅟᅟᅟᅟᅟ	"	ωш	ΔШ		HINGE			ST	RIKE TYPE			צם	K	중	ᄑᄪ	۵ ≝
MARRIO NO. SERIE TAPE RATING	WIDTH HEIGHT YEAR AND A WAY.	GAG	MAT	DEPT	TYPE	JAMI	HEAI	TYPE	REINF.	LOC.	STRIKE TYPE	MFGR.	MODEL NO.	REINF.	LOC.	LOCH	CLOSE	ANCHO	DUTC	WELI
PART NO.:	SKETCH:		NOTE	S:		•				•			•	•		•		•	•	




REPUBLIC DOORS 155 REPUBLIC DRIVE MCKENZIE, TN 38201

PHONE: (731) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

													THON	E; (/31) 33	2-3363 OF	(000) 750	-3007 FA													
SOLD TO:		_								SHIP TO):							BU	YER CODE:					CUSTOME	R P.O. NO.:]
																		I	DISCOUNT:					RBP C	ORDER NO.:					
CONTACT:										PHONE NO							1		FAX NO.:						DATE:					
OR MARK NO.	QTY.	SERIES	Ŧ.	FIRE L	ABELING		NOMINAL WIDTH	DOOR SI	HEIGHT	FLOOR CLR.	DOOR	GAGE	MAT'L.	CORE	DOOR	EDGE TYPE	HINGE TYPE	HINGE LOC.	LOCK	MEOD	MODEL	LOCK		CTDV	DEINE	100	DEAD	REINF.	FLUSH BOLTS	AST.
1	2	3	4	TYPE 5	RATING 6	FT. 7	IN. 8 9	FT. 10	IN. 12		14	15	16	ō ⊢ 17	18	ш⊢ 19	20	21	TYPE 22	MFGR.	NO. 24	TRIM 25	BKSET 26	STRK. 27	REINF 28	LOC. 29	30	31	32	33
	4	<u> </u>	-	3	U			10	11 12	13	14			1/	10	19	20	21	22	23	24	23	20	21	20	29	30	31	32	33
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:							SKETCH:					NO	OTES:				1						1	1	1			I		
PART NO.:	Į.		1	1			SKETCH:		1 1			NO	OTES:				1	1					1	1	1	1		1		
PART NO.:				1			SKETCH:					NO	OTES:					<u> </u>												
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:							SKETCH:						OTES:																	
PART NO.:							SKETCH:						OTES:																	
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:	1		1	1			SKETCH:					NC	OTES:				1	1					1	1	1	1		1		
PART NO.:	Į.		1				SKETCH:		1 1			NO	OTES:				1						1	I.	1			I.		
PART NO.:				1			SKETCH:					NO	OTES:					<u> </u>												
PART NO.:							SKETCH:		<u> </u>			NO	OTES:					<u> </u>	ļ					ļ						
PART NO.:							SKETCH:					NC	DTES:																	
PART NO.:							SKETCH:						OTES:																	
	ļ																							ļ	ļ					
PART NO.:							SKETCH:						OTES:																	
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:	1			1	1		SKETCH:					NO	OTES:				1	1	1					1	1	1		1		
PART NO.:			1	1			SKETCH:		<u> </u>			NC	OTES:				1	1					1			1				
PART NO.:				1			SKETCH:					NO	DTES:					l .												
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:							SKETCH:						DTES:																	
PART NO.:							SKETCH:						OTES:																	
PART NO.:							SKETCH:					NO	OTES:					1								1				
PART NO.:							SKETCH:					NO	OTES:																	
PART NO.:	l		· I	1			SKETCH:	1		_	1	NO	OTES:				1			1			, T	1	1	1		ı		
PART NO.:				1			SKETCH:		<u> </u>			NC	OTES:				1								I			l		
PART NO.:			<u> </u>	<u> </u>			SKETCH:	\pm				NO	OTES:				l	<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		
PART NO.:							SKETCH:					NC	DTES:																	
PART NO.:							SKETCH:	1					OTES:																	
PART NO.:				1			SKETCH:	+			1	NO	OTES:					1	1					1	I	1		l		





PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:	 			 	 		
PART NO.:				SKETCH	:			NOTE	ES:	 			 	 		
PART NO.:	_			SKETCH	:			NOTE	ES:	 		 		 		
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:	_			SKETCH	:			NOTE	ES:	 		 		 		
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:	_			SKETCH	:			NOTE	ES:	 		 		 		
PART NO.:	_			SKETCH	:			NOTE	ES:	 		 		 		
PART NO.:				SKETCH	:			NOTE	ES:							
PART NO.:				SKETCH	:			NOTE	ES:							

5 ¥ .	ζ.	IES	J	FIRE L	ABELING			NOMI	NAL DOOR	SIZE	
TEN OR AR	Ţ	~	Ξ̈́	FIRE L	ABELING		WIDTH			HEI	GHT
<u> </u>	5	SE	L	TYPE RATING		FT.	II	N.	FT.		IN.
1	2	3	4	5	6	7	8	9	10	11	12

- 1 Item Number or Mark Number
- 2 Quantity of Doors Ordered

3 Door Series

- DM McKenzie Edge 3 Channel DoorDL 4 Channel Door w/16 ga. Channels
- **DE** 4 Channel Door w/11ga. Strike channel, 14 ga. Hinge channel and 16 gage top & bottom channels
- **DB** DL (4 Channel Door) w/Beveled Lock Edge
- **DS** DL (4 Channel Door) w/ Vertical Steel Stiffeners
- **BS** DL (4 Channel Door) w/Beveled Lock Edge and Vertical Steel Stiffeners
- 4 Door Thickness -- Either "4" for 1 3/4" thick door or "8" for 1 3/8" door
- 5 Fire Label Type for Door ("UL" = UL mylar label, "UL-M" for UL metal label or "WH" for metal, Warnock-Hersey label)
- 6 Fire Label Rating (3 hr., 1 1/2hr., 1 hr., 3/4 hr.,1/3 hr.(tested with hose stream, or 20 min.(meaning "tested without hose stream")
- 7 Nominal Door Width in Feet (1, 2, 3, 4 or 5)
- 8 Nominal Door Width in inches (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 11)
- 9 Nominal Door Width in fractions of an inch (0, 1/16, 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 or 15/16)
- 10 Nominal Door Height in Feet (1, 2, 3, 4, 5, 6, 7, 8, 9 or 10)
- 11 Nominal Door Height in inches (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 11)
- 12 Nominal Door Height in fractions of an inch (0, 1/16, 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 or 15/16)

FLOOR CLR.	DOOR
13	14

13 Floor Clearance -- Distance from bottom of door to bottom of frame

Door Undercut will be 3/4" unless otherwise specified (0 1/8, 0 1/4, 0 3/8, 0 1/2, 0 5/8, 1, 1 1/2)

14 Door Type -- Standard door type nomenclature

LT DOOL IY	pe Standar	u uoor typ	e monnencia	ature					
	\mathbf{F}	Flush				${f L}$	Louver		
	P2	Embosse	d, 2-panel			\mathbf{VL}	Vision L	ite & Louv	er
	P4	Embosse	d, 4-panel			NL	Narrow 1	Lite & Lou	ver
	P6	Embosse	d, 6-panel			\mathbf{GL}	1/2 Glass	s Lite & Lo	uver
	P8	Embosse	d, 8-panel			$\mathbf{L}\mathbf{L}$	Louver of	on Top and	Bottom
	${f V}$	Vision L	ite Door			FL	Full Lou	ver	
	N	Narrow I	Lite Door			G2	2-Glass l	Lite	
	G	Half Gla	ss Door			G3	3-Glass l	lite	
	FG	Full Glas	ss Door			G4	4-Glass l	Lite	
	D	Dutch Do	oor			G6	6-Glass l	Lite	
F	P2	P4	P6	P8	v	N	G	FG	D
L	o VL	NL	GL	LL	FL	G2	G3	G4	G6

GAGE	MAT'L.	CORE	DOOR
15	16	17	18

15 Door Skin Gauge


Specify 14, 16, 18 or 20 ga.

16 Door Skin Material (CRS = Cold Rolled Steel, A60 = Galvanealed 0.6 oz. ZN/sq.ft, G90 = Galvanized 0.9 oz. ZN/sq.ft.)

17 Door Core	Material Type	Specify core material	for door Options as follows:		
HC	Honeycomb core	STC 42	STC Rated 42	BRC4	Bullet Resistant core - Level 4
INS	Polystyrene core	STC 48	STC Rated 48	BRC5	Bullet Resistant core - Level 5
URT	Polyurethane core	STC 50	STC Rated 50	BRC6	Bullet Resistant core - Level 6
TR	Temperature Rise core	BRC1	Bullet Resistant core - Level 1	BRC7	Bullet Resistant core - Level 7
SS	Vertical Steel Stiffener co	ore BRC2	Bullet Resistant core - Level 2	BRC8	Bullet Resistant core - Level 8
$\mathbf{L}\mathbf{L}$	Lead Lined core	BRC3	Bullet Resistant core - Level 3		

18 Handing of Door

RH Right Hand	RHA Right Hand Active	RHI Right Hand Inactive
LH Left Hand	LHA Left Hand Active	LHI Left Hand Inactive
RHR Right Hand Reverse	RHRA Right Hand Reverse Active	RHRI Right Hand Reverse Inactive
LHR Left Hand Reverse	LHRA Left Hand Reverse Active	LHRI Left Hand Reverse Inactive
UNI Unifit Door (No Hinge	or Strike Preps)	NH Non-Handed Door



EDGE	HINGE	HINGE
TYPE	TYPE	LOC.
19	20	21

19 Door Edge Type If a Seamless Edge is needed, enter SLW (Seamless Welded Edge) or SLB (Seamless Bondo Edge)

20 Hinge Type Standard Republic Hinge Type is 4 1/2" x 4 1/2" Standard weight

Standard Backset is 1/4" unless otherwise specified, provide templates - *

Type Options as Follows:

3 1/2 3.5" x 3.5" Standard weight 4 * 4.0" x 4.0" Standard weight

4 1/2 S4.5" x 4.5" Standard weight6S * 6" Standard Weight Hinge4 1/2 H4.5" x 4.5" Heavy weight6H * 6" Heavy Weight Hinge5 S5" x 5" Standard weight8S * 8" Standard Weight Hinge5 H5" x 5" Heavy weight8H * 8" Heavy Weight Hinge

OH Omit Hinge Preps on door

Unifit Unifit door configuration without hinge/strike preps

See Notes Use this notation for other options elected

21 Hinge Locations Manufacturer's hinge locations

Options for this box as follows:

RBP Republic Doors
see Notes specify Manufacturer
AW Amweld
STL Steelcraft
CE Ceco
CUR Curries

BM
KW Kewanee
KW Kewanee
MK Mesker
PI Pioneer
SM

	LOCK TYPE								
LOCK TYPE	MFGR.	MODEL NO.	TRIM	BKSET					
22	23	24	25	26					

The Next items (22 through 29) pertain to the Door Lock

22 Lock Type Put Lock type needed for door in this box per options as follows:

CH Cylindrical Lock Prep, 161

161 DT Cylindrical Lock Prep, 161 with Universal Lever Lock Prep (Dead Turtle)

M Mortise Lock Prep, 86 (Edge and Face Cutouts)

MOL Mortise Lock Prep, 86 (Edge Prep only, no Face Cutouts)

OL No Lock Prep

OHOL Omit Hinge and Lock Preps on door

See Notes specify special prep needed for door

23 Manufacturer Put Lock Hardware manufacturer here, some options for box as follows:

SCH Schlage

A-Rite Adams Rite

F/A Falcon/Arrow

Von Dup Von Duprin

Yale Yale

See Notes specify Manufacturer

24 Model Number Put Lock Model number in this box.

25 Trim Put Lock Trim number for Door Lock in this box.

26 Backset Put the door lock backset here if different than Republic Door's standard 2 3/4" backset.

Options for this box as follows:

2 3/4"

2 3/8"

see Notes

LOCK TYPE									
				STRK.	REINF	LOC.	DEA	REINF.	
				27	28	29	30	31	

27 Strike Type When specifying inactive leaves, put the strike type here.

Republic Door's Standard Strike Prep is 4 7/8"

Options for this box as follows: 4 7/8"

2 3/4"

see Notes

28 Lock Reinforcement Put Type of Lock Reinforcement for door here.

Options for this box as follows: RR Reinforce Door for Rim Exit Device

VROD Reinforce Door for Vertical Rod Exit Device

PP Reinforce Door for Push/Pull Hardware

29 Location Put Lock or Strike Location in this box.

Republic Door's Standard Lock/Strike Location is 40 5/16" above the finished floor.

30 Dead Lock Put Deadlock Location in this box.

Deadlock prep will consist of a government 161 prep unless otherwise specified in the notes.

Options for this box as follows:

--- leave blank

48" 48 inches above finished floor **60**" 60 inches above finished floor

see Notes specify specific location of deadlock

31 Reinforcement Put other door reinforcements needed in this box.

Options for this box as follows: --- leave blank

CR Reinforce door for closer

SB Reinforce door for surface bolt hardware

CR & SB Reinforce door for closer and surface bolt

see Notes specify other hardware reinforcement needed

FLUSH BOLTS	AST.
32	33

32 Flush Bolts Put Flushbolt type

Put Flushbolt type and location in this box.

Options for this box as follows: E T/B Etch top and bottom channel for flushbolts

FB Prep door for flushbolts

FB18 Prep door for 18" flushbolts

FB24 Prep door for 24" flushbolts

FB30 Prep door for 30" flushbolts

FB36 Prep door for 36" flushbolts

see Notes specify other flushbolt prep needed

33 Astragal Put type of Astragal needed in this box.

--- leave blank

"Z" Inactive

"Z" Active

Flat Bar Inactive Flat Bar Active

PART NO.:	SKETCH	NOTES:
34	35	36

34 Part Number Leave this box blank... Engineering at Factory will assign a part number for this specific product.

35 Sketch If Sketches are added to your non-stock Door Order Form, indicate reference item or page number.


36 Notes: Use this box and additional attachments for notes as needed.





REPUBLIC DOORS 155 REPUBLIC DRIVE MCKENZIE, TN 38201

MCKENZIE, TN 38201 PHONE: (901) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677

uuul S.II arries	PHONE: (901) 352-3383 OR (800) 733-3667 FAX: (800) 723-6677																			
SOLD TO:	SHIP 1	0:							BUYE	R CODE:	:				CUSTOMER	R PO NO.:				
									Di	SCOUNT:					PRP OP	RDER NO.:				
															KBI OK	NDER NO				
CONTACT:	PHONE NO. NOMINAL FRAME SIZE								HINGE	FAX NO.:		6-	TRIKE TYI	DE		DATE:		~		
A A A A A A A A A A A A A A A A A A A	WIDTH HEIGHT	FRAME HAND GAGE	MAT'L. DEPTH	FRAME	PROFILE	JAMB	HEAD				STRIKE		MODEL			DEAD	CLOSER REINF.	ANCHOR TYPE	DUTCH FRAME	WELD FRAME
E S G E TYPE RATING	FT. IN. FT. IN.	뜻 = 2	MA	돐 도	PRO	A F	₩ &	TYPE	REINF.	LOC.	TYPE	MFGR.	NO.	REINF.	LOC.	품으	CLC	ANC	PR.	FR. W
1 2 3 4 5 6	7 8 9 10 11 12	13 14	15 16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
PART NO.:	SKETCH:		NOTES:		1							1	1			T	1	1		
PART NO.:	SKETCH:		NOTES:																	
TANT NO.	GRETON.	<u> </u>	NOTES:	1	I		1	1 1			ı	1 1	ı	ı	Г	ı				ı
PART NO.:	SKETCH:	 	NOTES:										<u> </u>		L					<u> </u>
PART NO.:	SKETCH:	•	NOTES:							1						•				
PART NO.:	SKETCH:		NOTES:		г						1	1	1			1				
PART NO.:	SKETCH:		NOTES:																	
TANT NO.	SKETON.		NOTES.									1		1		Ī				
PART NO.:	SKETCH:		NOTES:												<u> </u>					
PART NO.:	SKETCH:	<u> </u>	NOTES:										I			•				
PART NO.:	SKETCH:		NOTES:		г						1	1	1			1				
PART NO.:	SKETCH:		NOTES:																	
TANT NO.	SKETON.		NOTES.									1		1		I				
PART NO.:	SKETCH:		NOTES:												<u> </u>					
PART NO.:	SKETCH:	•	NOTES:	1		J.	•		•			'		•						
PART NO.:	SKETCH:		NOTES:		г						1	1	1			1				
PART NO.:	SKETCH:		NOTES:				L				ļ			L	L					<u> </u>
TANT NO.	SKETON.		NOTES.									1		1		1				
PART NO.:	SKETCH:		NOTES:												<u>l</u>					
PART NO.:	SKETCH:	•	NOTES:	1		J.			•			'		•						
PART NO.:	SKETCH:		NOTES:		г						1	1	1			1				
PART NO.:	SKETCH:		NOTES:																	
TAIL NO.	J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		110120.									1		1		I				
PART NO.:	SKETCH:		NOTES:				1	l						1	1 1					
PART NO.:	SKETCH:		NOTES:	1			•													
PART NO.:	SKETCH:	<u> </u>	NOTES:	1	ı		1	1	П		1	1	ı	1	, ,	ſ	1	1		
PART NO.:	SKETCH:		NOTES:				<u> </u>							<u> </u>]				
			1 1				T							1	[]					
PART NO.:	SKETCH:		NOTES:	ı	l		<u>i </u>	i			I	l l	l	<u>i </u>	i	l				l







PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
DART NO.	OVETOU										
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKEICH:	NUIES:									
PART NO.:	SKETCH:	NOTES:									
TACTIO	OKETON.	NOTES									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NU1ES:									
PART NO.:	SKETCH:	NOTES:									
TAKT NO	ONE TOTI.	NOTES.									
PART NO.:	SKETCH:	NOTES:									
PART NO.:	SKETCH:	NOTES:									

	OR MARK NO.		S	J.	FIRE LA	BELING		N	IOMINAL F	RAME SIZE		
		ΥTΧ	SERIE	羊	FIRE LABELING		WIDTH		HEIGHT			
		9	SE	L	TYPE	RATING	FT.	IN.	i	FT.	11	١.
	1	2	3	4	5	6	7	8	9	10	11	12

- 1 Item Number or Mark Number
- 2 Quantity of Frames or Frame Parts Ordered
- 3 Frame Series

ME Universal Frame Profile, Single Return
MH Drywall Frame Profile w/Double Return
SE Universal Stick Profile, Single Return
SH Drywall Stick Profile w/Double Return

ME Profile



- **3 Door Thickness being used in frame --** Either "4" for 1 3/4" thick door or "8" for 1 3/8" door.
- 4 Fire Label Type for Frame ("UL" = UL mylar label, "UL-M" for UL metal label or "WH" for metal, Warnock-Hersey label)
- 5 Fire Label Rating (3 hr., 1 1/2hr., 1 hr., 3/4 hr., 1/3 hr.(tested with hose stream, or 20 min.(meaning "tested without hose stream")
- 6 Nominal Frame Width in Feet (1, 2, 3, 4 or 5)
- 7 Nominal Frame Width in inches (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 11)
- 8 Nominal Frame Width in fractions of an inch (0, 1/16, 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 or 15/16)
- 9 Nominal Frame Height in Feet (1, 2, 3, 4, 5, 6, 7, 8, 9 or 10)
- 10 Nominal Frame Height in Feet (1, 2, 3, 4, 5, 6, 7, 8, 9 or 10)
- 11 Nominal Frame Height in inches (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 11)
- 12 Nominal Frame Height in fractions of an inch (0, 1/16, 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 or 15/16)

FRAME HAND	GAGE	MAT'L.	ОЕРТН	FRAME TYPE	PROFILE
13	14	15	16	17	18

13 Frame Hand Frame handing is either Right Hand (RH), Left Hand (LH), Double Swing (DS) or Non-Handed (NH).

14 Gauge Gauge of Frame Material. Specify 16, 14 or 12 ga.

15 Frame Material Type (CRS = Cold Rolled Steel, A60 = Galvanealed 0.6 oz. ZN/sq.ft, G90 = Galvanized 0.9 oz. ZN/sq. ft.).

16 Depth of Frame Specify Jamb Depth here.

Note ME Profile has a jamb depth which is 7/8" larger than throat opening of frame.

MH Profile has a jamb depth with is 1" larger than throat opening of frame.

17 Frame Type For this item, specify the type of material; ie.

PR Jamb Pair (Hinge and Strike Jamb) HDD Double Frame Header

DS Double Door Jamb Pair (2 Hinge Jambs) (Note: Double Headers are undersized 1/16")

HD Single Frame Header HJ Hinge Jamb only


SJ Strike Jamb only


18 Profile Profile of Frame, specifiy as follows:


UR Unequal Rabbet Frame (this is the standard profile for Republic Doors)


ER Equal Rabbet Frame
 SR Single Rabbet Frame
 DE Double Egress Frame
 CO Cased Opening Frame

CF Communicating Frame **See Notes** Use this notation for other options elected









ωщ	AD CE	HINGE			
JAMB	HEA	TYPE			
19	20	21			

19 Jamb Face

Specify size of jamb face as follows:

- 2 2" standard Republic Jamb Face Dimension
- **1 3/4** 1 3/4" Face Dimension
- **1 1/2** 1 1/2" Face Dimension
- **1 3/8** 1 3/8" Face Dimension
- **1 1/4** 1 1/4" Face Dimension
- 1 1" Face Dimension

See Notes Use this notation for other options elected

20 Head Face

Specify size of header face as follow:

- 2 2" standard Republic Header Face Dimension
- 4 4" Header Face Dimension
- 1 3/4 1 3/4" Header Face Dimension
- 1 1/2" Header Face Dimension
- 1 3/8 1 3/8" Header Face Dimension
- 1 1/4 1 1/4" Header Face Dimension
- 1 1" Header Face Dimension

See Notes Use this notation for other options elected

21 Hinge Type

Republic's standard hinge prep is for 4 1/2" standard weight hinges.

Hinge Type Options as Follows:

- **3 1/2** 3.5" x 3.5" Standard weight
- **4** * 4.0" x 4.0" Standard weight
- **4 1/2 S** 4.5" x 4.5" Standard weight
- **4 1/2 H** 4.5" x 4.5" Heavy weight
- **5** S 5" x 5" Standard weight
- **5 H** 5" x 5" Heavy weight
- **OH** Omit Hinge Preps on frame
- **Unifit** Unifit frame configuration without hinge/strike preps

See Notes Use this notation for other options elected

6S * 6" Standard Weight Hinge

6H * 6" Heavy Weight Hinge

8S * 8" Standard Weight Hinge

8H * 8" Heavy Weight Hinge

	HINGE		STRIKE TYPE				
	REINF.	LOC.	STRIKE TYPE				
Ì	22	23	24				

22 Hinge Reinforcement

Enter type of hinge reinforcement in this box. Options as follows:

9 Gage Hinge Reinforcements (STANDARD) 9**G**

7G 7 Gage Hinge Reinforcements (4 1/2" or 5")

SMF Surface Mount Hinge Reinforcements on frame Face **SMR** Surface Mount Hinge Reinforcements on frame Rabbet

SH Spring Hinge

High Frequencey Hinge Reinforcements HF

FD Full Depth Hinge Reinforcement

 $\mathbf{E}\mathbf{H}$ Electric Hinge Reinforcement AH Anchor Hinge Reinforcement

DA Double Acting Spring Hinge Reinforcement (Cased Opening Reinf.)

See Notes Use this notation for other options elected

23 Hinge Location

Enter the Manufacturers Hinge Locations in this box.

Options for this box as follows:

RBP	Republic Doors	\mathbf{BM}	Benchmark
\mathbf{AW}	Amweld	DS	Dean Steel
STL	Steelcraft	KW	Kewanee
CE	Ceco	MK	Mesker
CUR	Curries	PI	Pioneer

see Notes Use this notation for other options elected

24 Strike Type

Enter the strike type in this box. Options as follows: **17**Q

478	4 7/8" Strike	OS	Omit Strike
234	2 3/4" Strike	Conc VR	Concealed Vertical Rod Prep
234DS	2 3/4" Deadlock Strike	FBR	Reversible Flush Bolt Strike Prep

23 Automatic Flush Bolt Strike Prep **ESTK** Electric Strike **FBA**

See Notes Use this notation for other options elected

(אם			
MFGR.	MODEL NO. REINF.		LOC.	DEA
25	26	27	28	29

25 Strike Manufacturer List the hardware manufacturer in this box.

SCH Schlage
A-Rite Adams Rite
F/A Falcon/Arrow
Von Dup Von Duprin

Yale Yale

See Notes specify other Manufacturer

26 Manufacturer's Model Number Put Strike Model number in this box.

27 Strike Reinforcement Enter the strike reinforcement needed in this box.

CVR Concealed Vertical Rod Frame Reinforcement
SVR Surface Vertical Rod Frame Reinforcement
RIMRNF Rim Exit Device Frame Reinforcement
SB Surface Bolt Frame Reinforcement
See Notes Use this notation for other options elected

28 Strike Location Enter the strike location in this box.

Republic's standard lock/strike location is 40 5/16" above finished floor.

29 Dead Lock Enter the DeadLock location in this box.

The Deadlock prep will consist of a Gov't 161 Prep unless otherwise specified in the notes.

Options as follows:

no deadlock prep48" AFF 48" above finished floor60" AFF 60" above finished floor

See Notes Use this notation for other options elected