
AD-Series Retrofit Template Overlays





$\overline{}$				
$C_{\mathcal{C}}$	۱n	tΔ	n	te


- 2 Alarm Lock Trilogy
- 3 Best 5-6-8-9K
- 4 Best BASIS 93KBV
- 5 Best IDH-MAX
- 6 Cal-Royal CR3000
- 7 Cal-Royal PL7000
- 8 Cal-Royal RS2000
- 9 Kaba 1000 (Lockout function)
- 10 Kaba 1000 (Passage function)
- 11 Kaba 5000
- 12 Kaba L1000
- 13 Onity-HT
- 14 Sargent 6/7-GX-11 Line
- 15 Sargent 8/9 Line
- 16 Sargent 10 Line
- 17 Sargent 7500
- 18 Sargent DL-8-9
- 19 Sargent Profile 10G77 (1 of 2)
- 20 Sargent Profile 10G77 (2 of 2)
- 21 Schlage CL5200-CM5200 (1 of 2)
- 22 Schlage CL5200-CM5200 (2 of 2)
- 23 Schlage CM5100-HW (1 of 2)
- 24 Schlage CM5100-HW (2 of 2)
- 25 Schlage CM-CL-PRO-5100 (1 of 2)
- 26 Schlage CM-CL-PRO-5100 (2 of 2)
- 27 Schlage CO-100/200-CY
- 28 Schlage KC5100
- 29 Schlage ND Series
- 30 Schlage WA5200 (1 of 2)
- 31 Schlage WA5200 (2 of 2)
- 32 VIP 5100 (1 of 2)


- 33 VIP 5100 (2 of 2)
- 34 Alarm Lock DL3500 (1 of 2)
- 35 Alarm Lock DL3500 (2 of 2)
- 36 Corbin ML2000
- 37 Kaba E5700
- 38 Onity-HT
- 39 Persona 4000R / 5000R (1 of 2)
- 40 Persona 4000R / 5000R (2 of 2)
- 41 Sargent 7900 Series Lock Body Only
- 42 Sargent Profile Series Mortise (1 of 2)
- 43 Sargent Profile Series Mortise (2 of 2)
- 44 Schlage CM5600 (1 of 2)
- 45 Schlage CM5600 (2 of 2)
- 46 Schlage CM-CL-PRO-5500 (1 of 2)
- 47 Schlage CM-CL-PRO-5500 (2 of 2)
- 48 Schlage CO-100/200-MS/MD
- 49 Schlage KC5500
- 50 Schlage L/LV-9486
- 51 Schlage MPM / 5500
- 52 Schlage WA5600 (1 of 2)
- 53 Schlage WA5600 (2 of 2)
- 54 Stanley 45H / HW-47H / HW-IDH
- 55 Best Exit Trim (on Von Duprin 98/99 Rim)
- 56 Kaba E-Plex 5700 Exit (on Von Duprin 98/99 Rim)
- 57 Sargent Profile Exit Trim (on Sargent 8800 Rim)
- 58 Schlage CO-100/200-993 Exit (on Von Duprin 98/99 Rim)
- 59 Schlage Pro 993 Exit (on Von Duprin 98/99 Rim)
- 60 Schlage WA993 Exit (on Von Duprin 98/99 Rim)
- 61 Decorative Plates


















































Sargent Profile 10G77 (1 of 2)










Outside Face of Door

Inside Face of Door

Sargent Profile 10G77 (2 of 2)










Outside Face of Door

Inside Face of Door

Schlage CL5200-CM5200 (1 of 2)










Outside Face of Door

Inside Face of Door

Schlage CL5200-CM5200 (2 of 2)









Outside Face of Door


Inside Face of Door

Schlage CM5100-HW (1 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Schlage CM5100-HW (2 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Schlage CM-CL-PRO-5100 (1 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Schlage CM-CL-PRO-5100 (2 of 2)




*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door









Schlage WA5200 (1 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Schlage WA5200 (2 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

VIP 5100 (1 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

VIP 5100 (2 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Alarm Lock DL3500 (1 of 2)



^{*}A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Alarm Lock DL3500 (2 of 2)




*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door









Persona 4000R / 5000R (1 of 2)










Outside Face of Door

Persona 4000R / 5000R (2 of 2)










Outside Face of Door

Inside Face of Door



Sargent Profile Series Mortise (1 of 2)









Outside Face of Door

Inside Face of Door

Sargent Profile Series Mortise (2 of 2)










Outside Face of Door

Inside Face of Door

Schlage CM5600 (1 of 2)










Outside Face of Door

Inside Face of Door

Schlage CM5600 (2 of 2)










Outside Face of Door

Schlage CM-CL-PRO-5500 (1 of 2)



*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".







Outside Face of Door


Inside Face of Door

Schlage CM-CL-PRO-5500 (2 of 2)




*A single under the lock plate will add 0.075" to the door thickness. AD Series Devices can be ordered for door thicknesses by increments of 0.125".








Outside Face of Door

Inside Face of Door












Schlage WA5600 (1 of 2)










Outside Face of Door

Inside Face of Door

Schlage WA5600 (2 of 2)









Outside Face of Door


Inside Face of Door

Stanley 45H / HW-47H / HW-IDH AD-200, 250, 300 **Retrofitting From:** Stanley 45H / HW-47H / HW-IDH Note: Existing DPS hole AD-400 will need to be plugged To New Lock: Schlage AD-200-MS/MD Schlage AD-250-MS/MD Schlage AD-300-MS/MD Schlage AD-400-MS/MD **Decorative Plates Required:** n/a 0 0 **Outside Face of Door Inside Face of Door** 54 | Return to Contents


Best Exit Trim (on Von Duprin 98/99 Rim)









Sargent Profile Exit Trim (on Sargent 8800 Rim)










Outside Face of Door

Inside Face of Door

Schlage CO-100/200-993 Exit (on Von Duprin 98/99 Rim)










Inside Face of Door

Schlage Pro 993 Exit (on Von Duprin 98/99 Rim)










Inside Face of Door

Schlage WA993 Exit (on Von Duprin 98/99 Rim)







0

0

Outside Face of Door

Inside Face of Door

0

Decorative Plates

Part Numbers and Descriptions

Cylindrical, Mortise, and Mortise Deadbolt 23760291 23760309 23760283 8" decorative plate with 8" decorative plate with 3.2" decorative plate welded standoffs and fasteners with fasteners fasteners 23760267 1.7" decorative plate with fasteners 23760275* 23760317 23760259* 6" decorative plate with 10.5" under the 12" under the lock fasteners lock decorative decorative plate plate (fasteners not (fasteners not necessary) necessary)

Exit Trim 23631823 Exit trim decorative plate with fasteners

*A single under the lock plate will add 0.075" to the door thickness. AD-Series Devices can be ordered for door thicknesses in increments of 0.125".

Finishes (available for all plates)	Examples - Customer Order Suffix Configuration
605 Bright Brass	23760267-605
630 Satin Stainless Steel	23760259-630
643e Aged Bronze	23760291-643e + 23760309-643e

Customer Service

1-877-671-7011 www.allegion.com/us

