

STANLEY Security Products Quick Reference Guide

COMPLETE MECHANICAL AND ELECTRONIC SECURITY SOLUTIONS




TABLE OF CONTENTS

Mechanical	1
Cylindrical Locks	2
Mortise Locks	3
Cylinder Housing	4
SFIC Core	4
Exit Devices	5
Exit Trims	6
Door Closers	7
Hinges	7
Electronics	9
Electronic Cylindrical Locks	10
Electronic Mortise Locks	12
Electronic Exit Trims	16
Access System Interface	19
Communications Modules	20
Door Controller	21
Licenses	21
Exit Devices	22
Door Closers	23
Hinges	24
Door Strikes	27
Key Switches	33
Power Supplies	34
Accessories	34

Complete Mechanical and Electronic Security Solutions

STANLEY Security products—including trusted, proven offerings from BEST, PRECISION, STANLEY Hinges, and STANLEY Closers—work together to make custom solutions for any application. No matter the size or scope of your project, STANLEY Security's heritage of quality, performance, and value ensures superior results.

For complete access control solutions customized to your specifications, choose the name America prefers for security.



STANLEY.

Flexible Mechanical Access Control

The breadth of STANLEY Security's mechanical access control product offerings gives you flexibility to design a solution to meet any challenge. With industry-leading long-term durability, uncompromised quality, and security features you won't find anywhere else, our BEST, PRECISION, STANLEY Hinges, and STANLEY Closers components provide reliable security that lasts. Easily used together, as part of a mixed mechanical and electronic solution, or installed incrementally as part of a retrofit or phased upgrade, STANLEY Security mechanical access control works with your plan and enhances your results.

Cylindrical Locks

BEST cylindrical locks are highly durable and dependable, with low-maintenance construction and a wide variety of style and finish options to fit most applications.

- Exceeds ANSI Grade 1 security in the 8K and 9K series; meets or exceeds Grade 2 standards in the 6K and 7KC series.
- Designed to protect critical components from tampering and daily wear and tear for longer performance life and lower cost of ownership over time.
- Easy to install, customize, rekey, and integrate with a masterkey system.

SBN Number	Part Number	Description
41759	8KL3626	8K/9K 2-3/4IN DEADLATCH
41760	8KL4626	8K/9K 3-3/4IN DEADLATCH
41755	6K27R4CS3626	6K SERIES CLASSROOM LOCK
41756	7KC27D15DS3605	7KC SERIES STOREROOM LOCK
41758	8K37D4CS3626	8K STOREROOM KNOB LOCK
41788	9K37AB15DS3626	9K SERIES ENTRANCE LOCK
41789	9K37D14DS3626	9K SERIES STOREROOM LOCK
41790	9K37D15CS3626	9K SERIES STOREROOM LOCK
41791	9K37D15DS3626	9K SERIES STOREROOM LOCK
41792	9K37D15DSTK626	9K SERIES STOREROOM LOCK



Mortise Locks

BEST 40H mortise locks accommodate higher traffic flow without compromising security. Easily configured for a variety of applications, BEST's mortise locks withstand abuse while maintaining a versatile design aesthetic.

- Premier design features withstand excessive force—far exceeding ANSI Grade 1 standards—and maintain heavy-duty performance over time.
- Easily configured or rekeyed in the field, and simplified single piece spindle assembly makes installation fast.

SBN Number	Part Number	Description
41677	40HRS2	40H STANDARD SPINDLE ASSY
41688	45HCAA626	OFFICE MORT LOCK CASE ONLY
41678	45H7D15J626RH	45H STOREROOM MORTISE LOCK
41679	45H7D15S626	45H STOREROOM MORTISE LOCK



Cylinder Housing

BEST cylinder housing incorporates high-quality materials, security enhancements, and a wide variety of design options. Featuring the BEST interchangeable core, both BEST mortise cylinders and BEST RIM cylinders can be used with other manufacturers' products.

- Mortise cylinders are machined from brass or bronze bar stock, and RIM cylinders are machined from solid bar stock.
- A diagonally placed screw holds the cylinder securely in the housing, providing an additional security feature for mortise cylinders.
- Both cylinder types may be masterkeyed into any existing BEST system, or used interchangeably with other brands of locks and cylinders.

SBN Number	Part Number	Description
41663	1E04RP2626	DUMMY MORTISE CYLINDER 1-1/8IN
41657	12E72S2RP626	6/7-PIN RIM CYLINDER HOUSING
41664	1E74C191RP3626	6/7-PIN 1-1/4IN MORTISE HOUSIN
41665	1E74C4RP3626	6/7-PIN 1-1/4IN MORTISE HOUSIN

SFIC Core

BEST small format interchangeable cores (SFIC) combine the security of customized masterkey and key control plans with the convenience of interchangeable cores.

- Easily rekey or change lock combinations on-site without disassembling the lock.
- Maintain positive key control manually or electronically for any size facility.
- Worldwide customer service helps you customize and personalize your solution with industry-leading versatility and scalability to allow for future expansion.

SBN Number	Part Number	Description
41662	1CC7A2GREEN	CONSTRUCTION CORE A KWY 7-PIN
41660	1C6A1626	STANDARD CORE A KWY 6-PIN
41661	1C7A1626	STANDARD CORE A KWY 7-PIN

Exit Devices

PRECISION exit devices are designed for maximum reliability and performance, and require less maintenance for longer product lifespan and lower overall cost of ownership.

- PRECISION's proprietary investment cast process makes exit devices more durable and secure, while internal design features like single-spring operation reduce maintenance requirements and deliver superior performance.
- Contemporary styling and true architectural finishes make PRECISION exit devices compatible with any design aesthetic.
- Universal function, field reversibility, and all-in-one design make stocking and installation simple.

SBN Number	Part Number	Description
41675	3R02901RHRB630	APEX EXIT ONLY COVER PLATE
41668	3R02101630	2100 APEX RIM DEVICE
41672	3R021034903ARHRB628	APEX RIM EXIT DEVICE
41671	3R02103CDRHRB630	2100 APEX RIM DEVICE
41669	3R02103RHRB6284	2100 APEX RIM DEVICE
41670	3R02103RHRB630	2100 APEX RIM DEVICE
41673	3R022034903ARHRB628	APEX SVR EXIT DEVICE
41674	3R02401RHRB630	2400 APEX NARROW RIM DEVICE
41824	3R0CE21034903ARHRB628	APEX RIM EXIT DEVICE
41825	3R0CE22034903ARHRB628	APEX SVR EXIT DEVICE
41888	3R0CTS21034903ARHRB628	APEX RIM EXIT DEVICE
41889	3R0CTS22034903ARHRB628	APEX SVR EXIT DEVICE
41896	3R0E21034903ARHRB628	APEX RIM EXIT DEVICE
41895	3R0E2103RHRB630	2100 APEX RIM DEVICE
41897	3R0E22034903ARHRB628	APEX SVR EXIT DEVICE
42128	3R0Q2103RHRB628	RIM EXIT DEVICE, WI-Q
42129	3R0Q2203RHRB628	SVR EXIT DEVICE, WI-Q
42142	3R0TS21034903ARHRB628	APEX RIM EXIT DEVICE
42143	3R0TS22034903ARHRB628	APEX SVR EXIT DEVICE
42133	0030108ASM	OPTIONAL EXIT DEVICE STRIKE



Exit Devices

SBN Number	Part Number	Description
42134	0045808ASM	OPTIONAL EXIT DEVICE STRIKE
42135	0045908ASM	OPTIONAL EXIT DEVICE STRIKE

Exit Trims

STANLEY Security's exit trim offering features a range of pull and lever styles to comply with the device's form and function. Our exit trims match current architectural trends and are easily integrated into the design parameters of any application.

SBN Number	Part Number	Description
41658	3R01702ARHRB630	APEX DUMMY PULL TRIM
41659	3R01703ARHRB630	APEX NL PULL TRIM
41676	3R02903ARHRB630	APEX NL LEVER TRIM
41749	3R04903ARHRB626	NIGHTLATCH LEVER TRIM, RHR
41750	3R04908ARHRB626	CLASSROOM LEVER TRIM, RHR
41751	3R04908ARHRB630	APEX CLASSROOM LEVER TRIM
41757	4R0808ARHRB689	RELIANT CLASSROOM LEVER TRIM

Door Closers

STANLEY Door Closers build on decades of expertise to provide unmatched performance and durability. Our closers exceed ANSI Grade 1 standards and are field-adjustable for ADA compliance.

- Manufactured from automotive-grade silicon aluminum alloy for enhanced strength and maximum wear-and-tear resistance over time.
- Easy to adjust in the field for reliable performance in a variety of applications.

SBN Number	Part Number	Description
41812	A106-001	STANDRD KIT DOUBLE DOOR
41890	CLD1610689	SURFACE CLOSER STD W/PA
41891	CLD3550689	SURFACE CLOSER STD W/PA
41892	CLD4550689	SURFACE CLOSER STD W/PA
41893	CLD4550DAEDA689	SURFACE CLOSER HEAVY DUTY

Hinges

STANLEY hinges keep any weight or size of door functioning smoothly.

- Packaged with fasteners and cardboard shims, STANLEY hinges are easy to install and align.
- Available in a wide variety of sizes, finishes, and options, STANLEY hinges are a versatile option for any door and frame configuration.
- High-quality materials, permanent lubrication, and durable design make STANLEY hinges low maintenance and long lasting.

SBN Number	Part Number	Description
41753	664HD83AL	CONTINUOUS HINGE, HEAVT DUTY
41754	664HD83DB	CONTINUOUS HINGE, HEAVT DUTY
41821	CB168NRP45X4526D	HEAVEY WEIGHT CB HINGE 45-1684
41823	CB17945X453	CONCEALED HINGE, TANDARD WEIGT
42110	CHWFBB16845X410B	HINGE, HEAVY WEIGHT
42132	CHWRD14FBB16845X426D	HINGE, HEAVY WEIGHT
42112	FBB16845X4526D	HINGE, HEAVY WEIGHT
42113	FBB168NRP45X45626	HINGE, HEAVY WEIGHT
42117	FBB1794545626	HINGE, STANDARD WEIGHT
42111	FBB17945X426D	HINGE, HEAVY WEIGHT

Hinges

SBN Number	Part Number	Description
42114	FBB17945X426D	HINGE, STANDARD WEIGHT
42116	FBB17945X4510B	HINGE, STANDARD WEIGHT
42115	FBB17945X45US10	HINGE, STANDARD WEIGHT
42118	FBB1795X4526D	HINGE, STANDARD WEIGHT
42119	FBB179NRP45X4526D	HINGE, STANDARD WEIGHT
42120	FBB19945X4532D	HINGE, HEAVY WEIGHT
42121	FBB1995X4532D	HINGE, HEAVY WEIGHT
42122	FBB199NRP454532D	HINGE, HEAVY WEIGHT
41822	CB17945X4526D	4.5X4.5 STANDARD HNG CB US26D



Premier Electronic Access Control Solutions

STANLEY Security draws on incomparable expertise to develop electronic access control products that lead the industry to greater standards of security, performance, and durability. From fully scalable starter kits to complete enterprise solutions, STANLEY Security represents the pinnacle of electronic access control for applications of any size or function.



Electronic Cylindrical Locks

Available in off-line or wireless remote access options, BEST electronic cylindrical locks include the quality and durability of our mechanical lock offerings with the added functionality of electronic access control.

- All BEST electronic cylindrical locks meet or exceed ANSI and BHMA standards for the stated Grade level of the individual lock series. Certain lock series are also UL-listed for both US and Canadian applications.
- Features such as concealed components and heavy-duty construction make our electronic cylindrical locks tamper resistant and durable, while maintaining ease of installation and maintenance.
- BEST electronic cylindrical locks are available in a variety of configurations to support different credential types, and are integrable with other mechanical exit devices, components, monitoring software, and cores.

SBN Number	Part Number	Description
41767	9KM37DDEU15MSS3626	9KM IDH MAX CYLINDRICAL LOCK
41768	9KM37DDEU15MSS36261300	9KM IDH MAX CYLINDRICAL LOCK
41769	9KM37DDEU15MSS36261300C	9KM IDH MAX CYLINDRICAL LOCK
41770	9KM37DDEU15MSS3626C	9KM IDH MAX CYLINDRICAL LOCK
41772	9KM37DDEU15PH6261300	9KM IDH MAX CYLINDRICAL LOCK
41771	9KM37DDEU15PHSTK626	9KM IDH MAX CYLINDRICAL LOCK
41773	9KM37DDEU15PHSTK6261300C	9KM IDH MAX CYLINDRICAL LOCK
41774	9KM37DDEU15PHSTK626C	9KM IDH MAX CYLINDRICAL LOCK
41775	9KM37DDEU15PMSTK626	9KM IDH MAX CYLINDRICAL LOCK
41776	9KM37DDEU15PMSTK6261300	9KM IDH MAX CYLINDRICAL LOCK
41777	9KM37DDEU15PMSTK6261300C	9KM IDH MAX CYLINDRICAL LOCK
41778	9KM37DDEU15PMSTK626C	9KM IDH MAX CYLINDRICAL LOCK
41779	9KM37DDEU15SCSTK626	9KM IDH MAX CYLINDRICAL LOCK
41780	9KM37DDEU15SCSTK6261300	9KM IDH MAX CYLINDRICAL LOCK
41781	9KM37DDEU15SCSTK6261300C	9KM IDH MAX CYLINDRICAL LOCK
41782	9KM37DDEU15SCSTK626C	9KM IDH MAX CYLINDRICAL LOCK
41806	9KZ37DV15KPS3626	BEST 93KZ CYLINDRICAL LOCK
41807	9KZ37DV15KPSTK626	BEST 93KZ CYLINDRICAL LOCK
41761	9KBV37DV15DVSTK626TRK-3	9KBV BASIS V CYLINDRICAL LOCK
41762	9KBV37DV15MSSTK626TRK-3	9KBV BASIS V CYLINDRICAL LOCK

Electronic Cylindrical Locks

SBN Number	Part Number	Description
41763	9KBV37DV15PHSTK626H26B	9KBV BASIS V CYLINDRICAL LOCK
41764	9KBV37DV15PMSTK626MWEI	9KBV BASIS V CYLINDRICAL LOCK
41765	9KG37DV15DVSTK626TRK-3	9KBG BASIS G CYLINDRICAL LOCK
41766	9KG37DV15MSSTK626TRK-3	9KBG BASIS G CYLINDRICAL LOCK
41783	9KQ37DV15DVSTK626	9KQ WI-Q CYLINDRICAL LOCK
41784	9KQ37DV15MSSTK626	9KQ WI-Q CYLINDRICAL LOCK
41785	9KQ37DV15PHSTK626	9KQ WI-Q CYLINDRICAL LOCK
41786	9KQ37DV15PMSTK626	9KQ WI-Q CYLINDRICAL LOCK
41787	9KQ37DV15SCSTK626	9KQ WI-Q CYLINDRICAL LOCK
41793	9KW37DEL15DS3626	9KW SERIES FAIL SAFE 24DC
41794	9KW37DEL15DS3626RQE	9KW SERIES FAIL SAFE 24DC
41795	9KW37DEU14DS3626RQE	9KW SERIES FAIL SECURE 24DC
41796	9KW37DEU15CS3626	9KW SERIES FAIL SECURE 24DC
41797	9KW37DEU15CS3626RQE	9KW SERIES FAIL SECURE 24DC
41798	9KW37DEU15CSTK626RQE24V	9KW SERIES FAIL SECURE 24DC
41799	9KW37DEU15DS3626	9KW SERIES FAIL SECURE 24DC
41800	9KW37DEU15DS3626RQE	9KW SERIES FAIL SECURE 24DC
41801	9KW37DEU15DSTK613RQE24V	9KW SERIES FAIL SECURE 24DC
41802	9KW37DEU15DSTK626	9KW SERIES FAIL SECURE 24DC
41803	9KW37DEU15DSTK626RQE	9KW SERIES FAIL SECURE 24DC
41804	9KW37DEU15LSTK626RQE24V	9KW SERIES FAIL SECURE 24DC
41805	9KW37DEU16DS3626RQE	9KW SERIES FAIL SECURE 24DC
42151	WQCNKT-1626	CYLINDRICAL WI-Q UPGRADE KIT

Electronic Mortise Locks

Available in the full range of finishes and options found in our mechanical mortise locks, BEST electronic mortise locks enhance performance and security with added electronic access control features. Choose options that fit your application—including new, customized, or existing access control solutions.

- All BEST electronic mortise locks meet or exceed ANSI and BHMA standards for Grade 1 operational and Grade 2 security locks. Certain lock series are also UL-listed for both US and Canadian applications.
- Heavy-duty design enables easy field maintenance and enhances long-term durability. RIM and door contact magnets are installed behind the strike and escutcheon for greater security and ease of installation.
- BEST electronic mortise locks easily integrate with other mechanical access control components, software, and cores.



SBN Number	Part Number	Description
41748	45HWCAD626	45HW FAIL SAFE MORT CASE
41680	45HBV7DV15DV626TRK-3	45HBV BASIS V MORTISE LOCK
41681	45HBV7DV15MS626TRK-3	45HBV BASIS V MORTISE LOCK
41682	45HBV7DV15PH626RHH26B	45HBV BASIS V MORTISE LOCK
41683	45HBV7DV15PM626RHMWEI	45HBV BASIS V MORTISE LOCK
41684	45HBV7TV15DV626TRK-3	45HBV BASIS V MORTISE LOCK
41685	45HBV7TV15MS626TRK-3	45HBV BASIS V MORTISE LOCK
41686	45HBV7TV15PH626RHH26B	45HBV BASIS V MORTISE LOCK

Electronic Mortise Locks

SBN Number	Part Number	Description
41687	45HBV7TV15PM626MWEI	45HBV BASIS V MORTISE LOCK
41689	45HG7DV15DV626TRK-3	45HBG BASIS G MORTISE LOCK
41690	45HG7DV15MS626TRK-3	45HBG BASIS G MORTISE LOCK
41691	45HG7TV15DV626TRK-3	45HBG BASIS G MORTISE LOCK
41692	45HG7TV15MS626TRK-3	45HBG BASIS G MORTISE LOCK
41694	45HM7DEU15MS6261300TRK-3	45HM IDH MAX MORTISE LOCK
41695	45HM7DEU15MS6261300TRK-3C	45HM IDH MAX MORTISE LOCK
41693	45HM7DEU15MS626TRK-3	45HM IDH MAX MORTISE LOCK
41696	45HM7DEU15MS626TRK-3C	45HM IDH MAX MORTISE LOCK
41697	45HM7DEU15PH626RHH26B	45HM IDH MAX MORTISE LOCK
41698	45HM7DEU15PH626RHH26B1300	45HM IDH MAX MORTISE LOCK
41699	45HM7DEU15PH626RHH26B1300C	45HM IDH MAX MORTISE LOCK
41700	45HM7DEU15PH626RHH26BC	45HM IDH MAX MORTISE LOCK
41701	45HM7DEU15PM626RHMWEI	45HM IDH MAX MORTISE LOCK
41702	45HM7DEU15PM626RHMWEI1300	45HM IDH MAX MORTISE LOCK
41703	45HM7DEU15PM626RHMWEI1300C	45HM IDH MAX MORTISE LOCK
41704	45HM7DEU15PM626RHMWEIC	45HM IDH MAX MORTISE LOCK
41705	45HM7DEU15SC626	45HM IDH MAX MORTISE LOCK
41706	45HM7DEU15SC626RH1300	45HM IDH MAX MORTISE LOCK
41707	45HM7DEU15SC626RH1300C	45HM IDH MAX MORTISE LOCK
41708	45HM7DEU15SC626RHC	45HM IDH MAX MORTISE LOCK
41710	45HM7TDEU15MS6261300TRK-3	45HM IDH MAX MORTISE LOCK
41711	45HM7TDEU15MS6261300TRK-3C	45HM IDH MAX MORTISE LOCK
41709	45HM7TDEU15MS626TRK-3	45HM IDH MAX MORTISE LOCK
41712	45HM7TDEU15MS626TRK-3C	45HM IDH MAX MORTISE LOCK

Electronic Mortise Locks

SBN Number	Part Number	Description
41713	45HM7TDEU15PH626RHH26B	45HM IDH MAX MORTISE LOCK
41714	45HM7TDEU15PH626RHH26B1300	45HM IDH MAX MORTISE LOCK
41715	45HM7TDEU15PH626RHH26B1300C	45HM IDH MAX MORTISE LOCK
41716	45HM7TDEU15PH626RHH26BC	45HM IDH MAX MORTISE LOCK
41717	45HM7TDEU15PM626RHMWEI	45HM IDH MAX MORTISE LOCK
41718	45HM7TDEU15PM626RHMWEI1300	45HM IDH MAX MORTISE LOCK
41719	45HM7TDEU15PM626RHMWEI1300C	45HM IDH MAX MORTISE LOCK
41720	45HM7TDEU15PM626RHMWEIC	45HM IDH MAX MORTISE LOCK
41721	45HM7TDEU15SC626RH	45HM IDH MAX MORTISE LOCK
41722	45HM7TDEU15SC626RH1300	45HM IDH MAX MORTISE LOCK
41723	45HM7TDEU15SC626RH1300C	45HM IDH MAX MORTISE LOCK
41724	45HM7TDEU15SC626RHC	45HM IDH MAX MORTISE LOCK
41725	45HQ7DV15DV626TRK-2	45HQ WI-Q MORTISE LOCK
41726	45HQ7DV15MS626TRK-2	45HQ WI-Q MORTISE LOCK
41727	45HQ7DV15PH626RH	45HQ WI-Q MORTISE LOCK
41728	45HQ7DV15PM626	45HQ WI-Q MORTISE LOCK
41729	45HQ7DV15SC626RH	45HQ WI-Q MORTISE LOCK
41730	45HQ7TV15DV626TRK-2	45HQ WI-Q MORTISE LOCK
41731	45HQ7TV15MS626TRK-2	45HQ WI-Q MORTISE LOCK
41732	45HQ7TV15PH626RH	45HQ WI-Q MORTISE LOCK
41733	45HQ7TV15PM626RH	45HQ WI-Q MORTISE LOCK
41734	45HQ7TV15SC626RH	45HQ WI-Q MORTISE LOCK
41736	45HW7DEL15H626RH12V	45H FAIL SAFE MORT LOCK

Electronic Mortise Locks

SBN Number	Part Number	Description
41735	45HW7DEL15H626RH24V	45H FAIL SAFE MORT LOCK
41737	45HW7DEL16H626RHRQE24V	45H FAIL SAFE MORT LOCK
41738	45HW7DEU14H626RHRQE24V	45H FAIL SECURE MORT LOCK
41739	45HW7DEU15H612RH24V	45H FAIL SECURE MORT LOCK
41740	45HW7DEU15H626RH24V	45H FAIL SECURE MORT LOCK
41741	45HW7DEU15H626RQE	45H FAIL SECURE MORT LOCK
41742	45HW7DEU15J626RH24V	45H FAIL SECURE MORT LOCK
41743	45HW7DEU15J626RHRQE24V	45H FAIL SECURE MORT LOCK
41744	45HW7DEU16H626RH24V	45H FAIL SECURE MORT LOCK
41745	45HW7DEU16J626RH24V	45H FAIL SECURE MORT LOCK
41746	45HW7WEL15H626RH24V	45H FAIL SAFE MORT LOCK
41747	45HW7WEU14S626RH24V	45H FAIL SECURE MORT LOCK

Electronic Exit Trims

Featuring a variety of reader styles, encompassing memory backup and feedback indicators, and a reliable battery-operated power source, BEST electronic exit trims are simple to operate and are easily integrated into the design parameters of any application.



SBN Number	Part Number	Description
42052	EXBV7EV15DV626RHRPH2RDSH	EXBV BASIS V EXIT TRIM
42053	EXBV7EV15DV626RHRPH2RMSH	EXBV BASIS V EXIT TRIM
42054	EXBV7EV15DV626RHRVD9RDSH	EXBV BASIS V EXIT TRIM
42055	EXBV7EV15DV626RHRVD9RMSH	EXBV BASIS V EXIT TRIM
42056	EXBV7EV15MS626RHRPH2MOSH	EXBV BASIS V EXIT TRIM
42057	EXBV7EV15MS626RHRPH2RDSH	EXBV BASIS V EXIT TRIM
42058	EXBV7EV15MS626RHRPH2RMSH	EXBV BASIS V EXIT TRIM
42059	EXBV7EV15MS626RHRVD9RDSH	EXBV BASIS V EXIT TRIM

Electronic Exit Trims

SBN Number	Part Number	Description
42060	EXBV7EV15MS626RHRVD9RMSH	EXBV BASIS V EXIT TRIM
42061	EXBV7EV15PH626RHRPH2MOHABASH	EXBV BASIS V EXIT TRIM
42062	EXBV7EV15PH626RHRPH2RDHABASH	EXBV BASIS V EXIT TRIM
42063	EXBV7EV15PH626RHRPH2RMHABASH	EXBV BASIS V EXIT TRIM
42064	EXBV7EV15PH626RHRVD9RDHABASH	EXBV BASIS V EXIT TRIM
42065	EXBV7EV15PH626RHRVD9RMHABA	EXBV BASIS V EXIT TRIM
42066	EXBV7EV15PM626RHRPH2MOHABASH	EXBV BASIS V EXIT TRIM
42067	EXBV7EV15PM626RHRPH2RDHABA	EXBV BASIS V EXIT TRIM
42068	EXBV7EV15PM626RHRPH2RMHABA	EXBV BASIS V EXIT TRIM
42069	EXBV7EV15PM626RHRVD9RDHABASH	EXBV BASIS V EXIT TRIM
42070	EXBV7EV15PM626RHRVD9RMHABASH	EXBV BASIS V EXIT TRIM
42071	EXG7EV15DV626RHRPH2MOSH	EXG BASIS G EXIT TRIM
42072	EXG7EV15DV626RHRPH2RD	EXG BASIS G EXIT TRIM
42073	EXG7EV15DV626RHRPH2RDSH	EXG BASIS G EXIT TRIM
42074	EXG7EV15DV626RHRPH2RM	EXG BASIS G EXIT TRIM
42075	EXG7EV15DV626RHRPH2RMSH	EXG BASIS G EXIT TRIM
42076	EXG7EV15DV626RHRVD9RD	EXG BASIS G EXIT TRIM
42077	EXG7EV15DV626RHRVD9RDSH	EXG BASIS G EXIT TRIM
42078	EXG7EV15DV626RHRVD9RM	EXG BASIS G EXIT TRIM
42079	EXG7EV15DV626RHRVD9RMSH	EXG BASIS G EXIT TRIM
42080	EXG7EV15MS626RHRPH2MOSH	EXG BASIS G EXIT TRIM
42081	EXG7EV15MS626RHRPH2RDSH	EXG BASIS G EXIT TRIM
42082	EXG7EV15MS626RHRPH2RMSH	EXG BASIS G EXIT TRIM
42083	EXG7EV15MS626RHRVD9RDSH	EXG BASIS G EXIT TRIM
42084	EXG7EV15MS626RHRVD9RMSH	EXG BASIS G EXIT TRIM

Electronic Exit Trims

SBN Number	Part Number	Description
42085	EXQ7EV15DV626RHRPH2MOSH	EXQ WI-Q EXIT TRIM
42086	EXQ7EV15DV626RHRPH2RDSH	EXQ WI-Q EXIT TRIM
42087	EXQ7EV15DV626RHRPH2RMSH	EXQ WI-Q EXIT TRIM
42088	EXQ7EV15DV626RHRVD9RDSH	EXQ WI-Q EXIT TRIM
42089	EXQ7EV15DV626RHRVD9RMSH	EXQ WI-Q EXIT TRIM
42090	EXQ7EV15MS626RHRPH2MOSH	EXQ WI-Q EXIT TRIM
42091	EXQ7EV15MS626RHRPH2RDSH	EXQ WI-Q EXIT TRIM
42092	EXQ7EV15MS626RHRPH2RMSH	EXQ WI-Q EXIT TRIM
42093	EXQ7EV15MS626RHRVD9RDSH	EXQ WI-Q EXIT TRIM
42094	EXQ7EV15MS626RHRVD9RMSH	EXQ WI-Q EXIT TRIM
42095	EXQ7EV15PH626RHRPH2MOSH	EXQ WI-Q EXIT TRIM
42096	EXQ7EV15PH626RHRPH2RDSH	EXQ WI-Q EXIT TRIM
42097	EXQ7EV15PH626RHRPH2RMSH	EXQ WI-Q EXIT TRIM
42098	EXQ7EV15PH626RHRVD9RDSH	EXQ WI-Q EXIT TRIM
42099	EXQ7EV15PH626RHRVD9RMSH	EXQ WI-Q EXIT TRIM
42100	EXQ7EV15PM626RHRPH2MOSH	EXQ WI-Q EXIT TRIM
42101	EXQ7EV15PM626RHRPH2RDSH	EXQ WI-Q EXIT TRIM
42102	EXQ7EV15PM626RHRPH2RMSH	EXQ WI-Q EXIT TRIM
42103	EXQ7EV15PM626RHRVD9RDSH	EXQ WI-Q EXIT TRIM
42104	EXQ7EV15PM626RHRVD9RMSH	EXQ WI-Q EXIT TRIM
42105	EXQ7EV15SC626RHRPH2MOSH	EXQ WI-Q EXIT TRIM
42106	EXQ7EV15SC626RHRPH2RDSH	EXQ WI-Q EXIT TRIM
42107	EXQ7EV15SC626RHRPH2RMSH	EXQ WI-Q EXIT TRIM
42108	EXQ7EV15SC626RHRVD9RDSH	EXQ WI-Q EXIT TRIM
42109	EXQ7EV15SC626RHRVD9RMSH	EXQ WI-Q EXIT TRIM

Access System Interface

Integrate existing databases and network multiple locations for a simplified, easy to use access system interface.

- Available with automatic backup and password protection.
- Simple to use, edit, update, and analyze data from a desktop or laptop computer.
- Easy to integrate and scale with existing access control solutions and components.

SBN Number	Part Number	Description
41817	BASSWSG	BASIS G ADMIN SOFTWARE
41818	BASSWSV	BASIS V ADMIN SOFTWARE
41814	BASDCAB	OFFLINE LOCK PROGRAM CABLE
42136	SESDB9CON	TRANSPORT CONNECTOR
42137	SESDP9CAB	TRANSPORT CABLE ADAPTOR
42138	SESMEM	TRANSPORT MEMORY DRIVE
42139	SESNetbook	TRANSPORT PROGRAMMING DEV
42140	SESUSB	TRANSPORT USB ADAPTOR
42164	WQSSWAT	WI-Q ACCESS MGMT SOFTWARE

Communications Modules

STANLEY Security's Wi-Q Wireless Portal Gateway requires no hardwiring, but simply plugs into an existing network and local power source.

- The module communicates at 2.4 GHz spread spectrum to up to 64 wireless readers or wireless access controllers.
- Wi-Fi interoperability and redundant communication enhance flexibility.



SBN Number	Part Number	Description
42155	WQD12928001	POE ACTIVE SPLITTER
42156	WQDACMD	INTERIOR WALL ANTENNA KIT
42157	WQDACMO	INTERIOR CEILING ANTENNA KIT
42158	WQDAEMD	EXTERIOR ANTENNA KIT
42159	WQDAEMO	EXTERIOR ANTENNA KIT
42160	WQDAGT	EXT ANTENNA GROUND KIT
42161	WQDAWMD	INTERIOR WALL ANTENNA KIT
42165	WQXPG	PORTAL GATEWAY
42166	WQXPGBP	PORTAL GATEWAY
42167	WQXPGC	PORTAL GATEWAY
42168	WQXPGCB	PORTAL GATEWAY
42169	WQXPGCBP	PORTAL GATEWAY
42170	WQXPGW	PORTAL GATEWAY
42171	WQXPGWB	PORTAL GATEWAY

Door Controller

The Wi-Q Wireless Access Controller provides wireless relay control for new or retrofit exterior door applications—including turnstiles, gates, front entry doors, and hard-wired card access doors.

- Easily convert an existing wired system to wireless technology.
- Control external devices, alarms, door latch, door status, and request-to-exit.
- Facilitate ADA compliance for automatic opening doors.

SBN Number	Part Number	Description
41813	B82399STS	45HQ HID PROX BEZEL SUB-ASSY
42130	0526706ASM	WI-Q RETROFIT KIT FOR 2103
42131	0526806ASM	WI-Q RETROFIT KIT FOR 22/27/28
42152	WQCNKT-2626	MORTISE DV WI-Q UPGRADE KIT
42153	WQCNKT-3626	MORTISE TV WI-Q UPGRADE KIT
42163	WQDWACPAD	SINGLE DOOR CONTROLLER
42172	WQXWAC	WIRELESS ACCESS CONTROLLER
42173	WQXWACC	WIRELESS ACCESS CONTROLLER
42174	WQXWACCB	WIRELESS ACCESS CONTROLLER
42175	WQXWACDBW	WIRELESS ACCESS CONTROLLER
42176	WQXWACOBW	WIRELESS ACCESS CONTROLLER
42177	WQXWACW	WIRELESS ACCESS CONTROLLER
42178	WQXWACWB	WIRELESS ACCESS CONTROLLER

Licenses

SBN Number	Part Number	Description
41815	BASSWCG	BASIS G CLIENT LICENSE
41816	BASSWCV	BASIS V CLIENT LICENSE
42141	SWGWIQ32	BASIS WI-Q READER LICENSE

Exit Devices

PRECISION exit devices include an ELR option to interface with automatic door openers, card readers, push buttons, toggle/key switches, and fire alarm systems and provide both momentary and continuous remote latch retraction.

- Our exit devices are manufactured with an investment cast process to make exit devices more durable and secure, and internal design features like single-spring operation to reduce maintenance requirements and deliver superior performance.
- Contemporary styling and true architectural finishes allow compatibility with any design aesthetic.
- Universal function, field reversibility, and all-in-one design simplify stocking and installation.

SBN Number	Part Number	Description
41885	3R0CELR/TS21034903ARHRB628	APEX RIM EXIT DEVICE
41886	3R0CELR/TS22034903ARHRB628	APEX SVR EXIT DEVICE
41883	3R0CELR21034903ARHRB628	APEX RIM EXIT DEVICE
41884	3R0CELR22034903ARHRB628	APEX SVR EXIT DEVICE
41912	3R0ELR/TS21034903ARHRB628	APEX RIM EXIT DEVICE
41911	3R0ELR/TS2103RHRB6284	2100 APEX RIM DEVICE
41913	3R0ELR/TS22034903ARHRB628	APEX SVR EXIT DEVICE
41903	3R0ELR21034903ARHRB628	APEX RIM EXIT DEVICE
41904	3R0ELR22034903ARHRB628	APEX SVR EXIT DEVICE
41905	3R0ELR2401RHRB630	2400 APEX NARROW RIM DEVICE
41906	3R0ELR2403RHRB630	2400 APEX NARROW RIM DEVICE
41907	0017202ASM	ELR CONVERSION KIT
42144	0030906ASM	TOUCHBAR MONITORING SWITCH
41909	0017302ASM	ELR CONVERSION KIT FIRE LABEL



Exit Devices

SBN Number	Part Number	Description
41908	0017502ASM	ELR CONVERSION KIT
41910	0017602ASM	ELR CONVERSION KIT FIRE LABEL
41656	0052506ASMSTS	SOLENOID FOR WIDE ELER DEVICES
42123	0089202ASM	ELR CONVERSION KIT
42125	0089302ASM	ELR CONVERSION KIT FIRE LABEL
42124	0089502ASM	ELR CONVERSION KIT
42126	0089602ASM	ELR CONVERSION KIT FIRE LABEL
41887	0278806ASM	CONTROL MODULE FOR ELR150
41811	A103-002	RX SWITCH KIT
41914	B86317	ELECTRIC POWER TRANSFER
41809	A101-002	AUTO RELOCK EXIT WITH ALARM
41808	A101-002	AUTO RELOCK EXIT W/ALARM
41810	A102-002	MANUAL RELOCK EXIT DEV/ALARM



Door Closers

The PRECISION D-4990 Low Energy Operator meets both ADA and ANSI requirements in a low-energy, robust product designed for safety, simplicity, and durability.

- Electro-hydraulic technology and patented cam design ensure that the closer can be operated manually or automatically.
- The PRECISION D-4990 is field-configurable with options such as push-and-go, power-close, and hold-open for wider applicability.
- Compatible with BEST electric strikes, PRECISION electric latch exit devices, or other manufacturers' products the PRECISION D-4990 provides maximum versatility.

SBN Number	Part Number	Description
41894	D4990628	D-4990 LOW ENERGY OPERATOR

Hinges

STANLEY concealed electric hinges conduct current to electric locks, exit devices, and hold open devices regardless of door position.

- Hinges may transmit signals from code readers on doors to remote computers.
- No exposed electrical parts—hinges may be equipped with concealed wires and concealed switches.

SBN Number	Part Number	Description
41826	CECB168184545626	4.5 X 4.5 8-WIRE EL HINGE 26D
41828	CECB1686645X4526D	4.5 X 4.5 HINGE 26D 6 WIRE
41829	CECB17912C45X45US26D	ELECTRIC HINGE 12-WIRE
41831	CECB1791845X45626	4.5 X 4.5 8-WIRE EL HINGE 26D
41832	CECB1795445X4526	4 WIRES 4.5 X 4.5 HINGE US26
41833	CECB17958412X41226D	4.5 X 4.5 HINGE US26D 8 WIRES
41834	CECB1796645X426D	4.5 X 4.0 HINGE 26D 6 WIRE
41835	CECB1796645X4510	4.5 X 4.5 HINGE US10 6 WIRE
41837	CECB1796645X4526	4.5 X 4.5 HINGE US26 6 WIRE
41839	CECB1796645X453	4.5 X 4.5 HINGE US3 6 WIRE
41838	CECB1796645X45626	4.5 X 4.5 HINGE 26D 6 WIRE
41841	CECB179665X4526D	5.0 X 4.5 HINGE 26D 6 WIRE
41842	CECB1911845X45630	4.5 X 4.5 8-WIRE EL HINGE 32D
41844	CEFBB1685445X4526D	4.5 X 4.5 4-WIRE HINGE US26D
41856	CEFBB17954412X41226D	4.5 X 4.5 4-WIR ELEC HNG US26D
41852	CEFBB1795445X426D	4.5 X 4 4-WIRE ELEC HING US26D
41853	CEFBB1795445X4510	4.5 X 4.5 4-WIRE EL HINGE US10
41855	CEFBB1795445X4526	4.5 X 4.5 4-WIRE ELEC HNG US26
41857	CEFBB1795445X453	4.5 X 4.5 4-WIRE ELEC HING US3
41858	CEFBB1795445X454	4.5 X 4.5 4-WIRE ELEC HING US4
41863	CEFBB179545X4526D	5 X 4.5 4-WIRE ELEC HING US26D
41864	CEFBB179545X526D	5 X 5 4-WIRE ELEC HINGE US26D

Hinges

SBN Number	Part Number	Description
41878	CEFBB1796645X4526D	4.5 X 4.5 HINGE 26D 6 WIRE
41879	CEFBB1915445X4532D	4.5 X 4.5 4-WIR ELEC HNG 32D
41882	CEFBB1995445X4532D	4.5 X 4.5 4WR HEAVY WIGHT HING
41830	CHWCECB1681845X426D	4.5 X 4 8-WIRE EL HINGE 26D
41827	CHWCECB1685845X4526D	4.5 X 4.5 HINGE US26D 8 WIRE
41836	CHWCECB1796645X4510B	4.5 X 4.5 HINGE 10B 6 WIRE
41840	CHWCECB1796645X454	4.5 X 4.5 HINGE US4 6 WIRE
41843	CHWCECSFBB1795845X45LH26D	4.5X4.5 8WR HNG SWTCH LH US26D
41845	CHWCEFBB168545X4510B	5 X 4.5 4-WIRE HINGE US10B
41846	CHWCEFBB168545X4526D	5 X 4.5 4-WIRE HINGE US26D
41847	CHWCEFBB1685845X4510B	4.5 X 4.5 8-WIRE HINGE US10B
41848	CHWCEFBB1685845X4526D	4.5 X 4.5 8-WIRE HINGE US26D
41849	CHWCEFBB1686645X4526D	4.5 X 4.5 HINGE 26D 6 WIRE



Hinges

SBN Number	Part Number	Description
41850	CHWCEFBB1795445X410B	4.5X4 - 4 WIRE HINGE US10B
41851	CHWCEFBB1795445X426	4.5 X 4 4-WIRE ELEC HINGE US26
41854	CHWCEFBB1795445X4510B	4.5 X 4.5 4-WIR ELEC HNG US10B
41859	CHWCEFBB179544X410B	4 X 4 4-WIRE ELEC HINGE US10B
41860	CHWCEFBB179544X426D	4 X 4 4-WIRE ELEC HINGE US26D
41861	CHWCEFBB179545X410	5 X 4 4-WIRE ELEC HINGE US10
41862	CHWCEFBB179545X4510B	5 X 4.5 4-WIRE ELEC HING US10B
41865	CHWCEFBB179545X54	5 X 5 4-WIRE ELEC HINGE US4
41866	CHWCEFBB1795845X426D	4.5 X 4 8-WIR ELEC HNG US26D
41867	CHWCEFBB1795845X4510	4.5x4.5 8WIRE ELEC HINGE US10
41868	CHWCEFBB1795845X4510B	4.5 X 4.5 8-WIR ELEC HNG US10B
41869	CHWCEFBB1795845X4526	4.5 X 4.5 8-WIRE ELEC HINGE 26
41870	CHWCEFBB1795845X4526D	4.5 X 4.5 8-WIR ELEC HNG US26D
41871	CHWCEFBB1795845X453	4.5 X 4.5 8-WIRE ELEC HNG US3
41872	CHWCEFBB1795845X454	4.5 X 4.5 8-WIRE ELEC HNG US4
41873	CHWCEFBB179584X410B	4 X 4 8-WIRE ELEC HINGE US10B
41874	CHWCEFBB179585X4526D	5 X 4.5 8-WIRE ELEC HING US26D
41875	CHWCEFBB179585X453	5 X 4.5 8-WIRE ELEC HINGE US3
41876	CHWCEFBB1796645X426D	4.5 X 4.0 HINGE 26D 6 WIRE
41877	CHWCEFBB1796645X4510B	4.5 X 4.5 HINGE 10B 6 WIRE
41880	CHWCEFBB1915845X4526D	8 WIRE HINGE
41881	CHWCEFBB1915845X4532D	ELECTRIC HINGE STANDARD WEIGHT

Door Strikes

BEST electric strikes provide a high level of flexibility and customization, making them ideal for new or retrofit applications.

- Strikes are available in a range of dimensions and finishes to fit different door specifications.
- Field-adjustable for fail safe/fail secure, voltage, and alignment, BEST strikes simplify installation.
- All BEST electric strikes are UL-tested for performance and reliability.



SBN Number	Part Number	Description
41917	ES4KAR606	ES4 ELECTRIC STRIKE
41918	ES4KAR613	ES4 ELECTRIC STRIKE
41919	ES4KAR628	ES4 ELECTRIC STRIKE
41920	ES4KAR630	ES4 ELECTRIC STRIKE
41921	ES4KAS606	ES4 ELECTRIC STRIKE
41922	ES4KAS613	ES4 ELECTRIC STRIKE
41924	ES4KAS630	ES4 ELECTRIC STRIKE
41925	ES4KB628	ES4 ELECTRIC STRIKE
41926	ES4KC628	ES4 ELECTRIC STRIKE

Door Strikes

SBN Number	Part Number	Description
41927	ES4SAR606	ES4 ELECTRIC STRIKE
41928	ES4SAR613	ES4 ELECTRIC STRIKE
41929	ES4SAR628	ES4 ELECTRIC STRIKE
41930	ES4SAR630	ES4 ELECTRIC STRIKE
41931	ES4SAS606	ES4 ELECTRIC STRIKE
41932	ES4SAS613	ES4 ELECTRIC STRIKE
41934	ES4SAS630	ES4 ELECTRIC STRIKE
41935	ES4SB628	ES4 ELECTRIC STRIKE
41936	ES4SC628	ES4 ELECTRIC STRIKE
41942	ES5ALBM606	ES5 ELECTRIC STRIKE
41943	ES5ALBM612	ES5 ELECTRIC STRIKE



Door Strikes

SBN Number	Part Number	Description
41944	ES5ALBM613	ES5 ELECTRIC STRIKE
41945	ES5ALBM625	ES5 ELECTRIC STRIKE
41946	ES5ALBM630	ES5 ELECTRIC STRIKE
41937	ES5ALBMLCM606	ES5 ELECTRIC STRIKE
41938	ES5ALBMLCM612	ES5 ELECTRIC STRIKE
41939	ES5ALBMLCM613	ES5 ELECTRIC STRIKE
41940	ES5ALBMLCM625	ES5 ELECTRIC STRIKE
41941	ES5ALBMLCM630	ES5 ELECTRIC STRIKE
41947	ES5AS606	ES5 ELECTRIC STRIKE
41948	ES5AS612	ES5 ELECTRIC STRIKE
41949	ES5AS613	ES5 ELECTRIC STRIKE
41950	ES5AS625	ES5 ELECTRIC STRIKE
41951	ES5AS630	ES5 ELECTRIC STRIKE
41957	ES5BLBM606	ES5 ELECTRIC STRIKE
41958	ES5BLBM612	ES5 ELECTRIC STRIKE
41959	ES5BLBM613	ES5 ELECTRIC STRIKE
41960	ES5BLBM625	ES5 ELECTRIC STRIKE
41961	ES5BLBM630	ES5 ELECTRIC STRIKE
41952	ES5BLBMLCM606	ES5 ELECTRIC STRIKE
41953	ES5BLBMLCM612	ES5 ELECTRIC STRIKE
41954	ES5BLBMLCM613	ES5 ELECTRIC STRIKE
41955	ES5BLBMLCM625	ES5 ELECTRIC STRIKE
41956	ES5BLBMLCM630	ES5 ELECTRIC STRIKE
41962	ES5BS606	ES5 ELECTRIC STRIKE

Door Strikes

SBN Number	Part Number	Description
41963	ES5BS612	ES5 ELECTRIC STRIKE
41964	ES5BS613	ES5 ELECTRIC STRIKE
41965	ES5BS625	ES5 ELECTRIC STRIKE
41966	ES5BS630	ES5 ELECTRIC STRIKE
41972	ES5CLBM606	ES5 ELECTRIC STRIKE
41973	ES5CLBM612	ES5 ELECTRIC STRIKE
41974	ES5CLBM613	ES5 ELECTRIC STRIKE
41975	ES5CLBM625	ES5 ELECTRIC STRIKE
41976	ES5CLBM630	ES5 ELECTRIC STRIKE
41967	ES5CLBMLCM606	ES5 ELECTRIC STRIKE
41968	ES5CLBMLCM612	ES5 ELECTRIC STRIKE
41969	ES5CLBMLCM613	ES5 ELECTRIC STRIKE
41970	ES5CLBMLCM625	ES5 ELECTRIC STRIKE
41971	ES5CLBMLCM630	ES5 ELECTRIC STRIKE
41977	ES5CS606	ES5 ELECTRIC STRIKE
41978	ES5CS612	ES5 ELECTRIC STRIKE
41979	ES5CS613	ES5 ELECTRIC STRIKE
41980	ES5CS625	ES5 ELECTRIC STRIKE
41981	ES5CS630	ES5 ELECTRIC STRIKE
41982	ES5DDBMLH606	ES5 ELECTRIC STRIKE
41983	ES5DDBMLH612	ES5 ELECTRIC STRIKE
41984	ES5DDBMLH613	ES5 ELECTRIC STRIKE
41985	ES5DDBMLH625	ES5 ELECTRIC STRIKE
41986	ES5DDBMLH630	ES5 ELECTRIC STRIKE

Door Strikes

SBN Number	Part Number	Description
41987	ES5DDBMRH606	ES5 ELECTRIC STRIKE
41988	ES5DDBMRH612	ES5 ELECTRIC STRIKE
41989	ES5DDBMRH613	ES5 ELECTRIC STRIKE
41990	ES5DDBMRH625	ES5 ELECTRIC STRIKE
41991	ES5DDBMRH630	ES5 ELECTRIC STRIKE
41992	ES5DLBM606	ES5 ELECTRIC STRIKE
41993	ES5DLBM612	ES5 ELECTRIC STRIKE
41994	ES5DLBM613	ES5 ELECTRIC STRIKE
41995	ES5DLBM625	ES5 ELECTRIC STRIKE
41996	ES5DLBM630	ES5 ELECTRIC STRIKE
41997	ES5DLBMLCM606	ES5 ELECTRIC STRIKE
41998	ES5DLBMLCM612	ES5 ELECTRIC STRIKE
41999	ES5DLBMLCM613	ES5 ELECTRIC STRIKE
42000	ES5DLBMLCM625	ES5 ELECTRIC STRIKE
42001	ES5DLBMLCM630	ES5 ELECTRIC STRIKE
42002	ES5DS606	ES5 ELECTRIC STRIKE
42003	ES5DS612	ES5 ELECTRIC STRIKE
42004	ES5DS613	ES5 ELECTRIC STRIKE
42005	ES5DS625	ES5 ELECTRIC STRIKE
42006	ES5DS630	ES5 ELECTRIC STRIKE
42007	ES5EDBMLH606	ES5 ELECTRIC STRIKE
42008	ES5EDBMLH612	ES5 ELECTRIC STRIKE
42009	ES5EDBMLH613	ES5 ELECTRIC STRIKE
42010	ES5EDBMLH625	ES5 ELECTRIC STRIKE

Door Strikes

SBN Number	Part Number	Description
42011	ES5EDBMLH630	ES5 ELECTRIC STRIKE
42012	ES5EDBMRH606	ES5 ELECTRIC STRIKE
42013	ES5EDBMRH612	ES5 ELECTRIC STRIKE
42014	ES5EDBMRH613	ES5 ELECTRIC STRIKE
42015	ES5EDBMRH625	ES5 ELECTRIC STRIKE
42016	ES5EDBMRH630	ES5 ELECTRIC STRIKE
42017	ES5ELBM606	ES5 ELECTRIC STRIKE
42018	ES5ELBM612	ES5 ELECTRIC STRIKE
42019	ES5ELBM613	ES5 ELECTRIC STRIKE
42020	ES5ELBM625	ES5 ELECTRIC STRIKE
42021	ES5ELBM630	ES5 ELECTRIC STRIKE
42022	ES5ES606	ES5 ELECTRIC STRIKE
42023	ES5ES612	ES5 ELECTRIC STRIKE
42024	ES5ES613	ES5 ELECTRIC STRIKE
42025	ES5ES625	ES5 ELECTRIC STRIKE
42026	ES5ES630	ES5 ELECTRIC STRIKE
42027	ES5FDBMLH606	ES5 ELECTRIC STRIKE
42028	ES5FDBMLH612	ES5 ELECTRIC STRIKE
42029	ES5FDBMLH613	ES5 ELECTRIC STRIKE
42030	ES5FDBMLH625	ES5 ELECTRIC STRIKE
42031	ES5FDBMLH630	ES5 ELECTRIC STRIKE
42032	ES5FDBMRH606	ES5 ELECTRIC STRIKE
42033	ES5FDBMRH612	ES5 ELECTRIC STRIKE
42034	ES5FDBMRH613	ES5 ELECTRIC STRIKE

Door Strikes

SBN Number	Part Number	Description
42035	ES5FDBMRH625	ES5 ELECTRIC STRIKE
42036	ES5FDBMRH630	ES5 ELECTRIC STRIKE
42037	ES5FLBM606	ES5 ELECTRIC STRIKE
42038	ES5FLBM612	ES5 ELECTRIC STRIKE
42039	ES5FLBM613	ES5 ELECTRIC STRIKE
42040	ES5FLBM625	ES5 ELECTRIC STRIKE
42041	ES5FLBM630	ES5 ELECTRIC STRIKE
42042	ES5FLBMLCM606	ES5 ELECTRIC STRIKE
42043	ES5FLBMLCM612	ES5 ELECTRIC STRIKE
42044	ES5FLBMLCM613	ES5 ELECTRIC STRIKE
42045	ES5FLBMLCM625	ES5 ELECTRIC STRIKE
42046	ES5FLBMLCM630	ES5 ELECTRIC STRIKE
42047	ES5FS606	ES5 ELECTRIC STRIKE
42048	ES5FS612	ES5 ELECTRIC STRIKE
42049	ES5FS613	ES5 ELECTRIC STRIKE
42050	ES5FS625	ES5 ELECTRIC STRIKE
42051	ES5FS630	ES5 ELECTRIC STRIKE

Key Switches

SBN Number	Part Number	Description
41666	1W7B1626	W SERIES ELECTRIC SWITCH LOCK
41667	1W7B3626	W SERIES ELECTRIC SWITCH

Power Supplies

SBN Number	Part Number	Description
42127	PS1606	POWER SUPPLY, DE DEVICES
41898	RPSELR150	POWER SUPPLY, NO MODULE
41899	RPSELR151	POWER SUPPLY, 1 ELR DEVICE
41900	RPSELR152	POWER SUPPLY, 2 ELR DEVICES
41901	RPSELR153	POWER SUPPLY, 3 ELR DEVICES
41902	RPSELR154	POWER SUPPLY, 4 ELR DEVICES
42154	WQD12927001	POE POWER SUPPLY/INSERTER
42162	WQDSURG	SURGE PROTECTION KIT

Accessories

SBN Number	Part Number	Description
41819	C83511	4-CELL BATTERY HOLDER
41820	C83522	8-CELL BATTERY HOLDER
42145	VPDBATT	SHRINK WRAP BATTERY PACK/FOAM
42146	VPDBB	REPLACEMENT BATTERY PACK
42147	VPDEXBB	EXTENDED LIFE BATTERY PACK
42148	VPDHS-DRVR	MCGARD DRIVER BIT
42149	VPD-HS-SCRW	MCGARD BATTERY DOOR SCREW
42150	VPDT15	STANDARD DRIVER BIT
41915	218806000	ARMORED FLEX DOOR LOOP
41916	218906000	CONCEALED POWER TRANSFER

STANLEY®

Security

STANLEY Security is a leading provider of security products that can make people, places and assets more secure and productive. With leading brands such as BEST, PRECISION, Sargent & Greenleaf, STANLEY, Pacom, Sonitrol, and Eyelock, the portfolio includes: mechanical and electronic locks, cores and keying systems, door closers, exit devices, architectural hardware, automatic door and entrance solutions, safe and vault locks, iris biometric identity authentication, intrusion and access control, and fully integrated access control software systems.

STANLEYSecurity.com | 1-855-365-2407